Vol. 95, Sect. 18, 1958

MAMMALIA

COMPILED BY

R. W. HAYMAN, F.Z.S. AND J. E. HILL

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE TEN SHILLINGS

November, 1959

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz .:-

							8.	d.	
1.	Comprehensive	Zoology				•••	3	0	
2.	Protozoa		• • •		• • •		10	0	
3.	Porifera			• • •		***	2	0	
4.	Coelenterata						4	0	
5.	Echinoderma	***			1.00		4	0	
6.	Vermes						10	0	
7.	Brachiopoda			ī			4	0	
8.	Bryozoa						2	6	
9.	Mollusca					***	10	0	
10.	Crustacea						6	6	
11.	Trilobita						5	0	
12.	Arachnida						10	0	
*13.	Insecta						50	0	
14.	Protochordata						2	0	
15.	Pisces						8	6	
16A	Amphibia						6	0	
16B	Reptilia						17	6	
17.	Aves		1				10	0	
18.	Mammalia	***					10	0	
19.	List of New Ge	nera and	Subg	enera			4	0	
	1. 1. 1. 1				1.7			12.5	

^{*} Obtainable only from the Commonwealth Institute of Entomology, 56, Queen's Gate, London, S.W.7.

18. MAMMALIA

COMPILED BY

R. W. HAYMAN, F.Z.S. & J. E. HILL

CONTENTS

I.	Titles	PAGE 2
II.	Subject Index	70
	General Literature and History, p. 70; Structure, p. 71; Physiology, p. 75; Reproduction and Sex, p. 79; Development, p. 81; Evolution and Genetics, p. 81; Ecology and Habits, p. 82; Distribution and Faunas, p. 87; Geological (Fossil Faunas), p. 91.	
III.	Systematic Index	92
	Monotremata, p. 92; †Multituberculata, p. 92; †Triconodonta, p. 92; †Pantotheria †?Docodonta, p. 92; Marsupialia, p. 93; Insectivora, p. 94; Chiroptera, p. 96; Primates, p. 99; Edentata, p. 102; Pholidota, p. 103; Lagomorpha, p. 103; Rodentia, p. 104; Cetacea, p. 111; Carnivora, p. 113; †Condylarthra, p. 116; †Notoungulata, p. 117; †Astrapotheria, p. 117; Tubulidentata, p. 117; †Pantodonta, p. 117; †Dinocerata, p. 117; Proboscidea, p. 117; Hyracoidea, p. 118; Sirenia, p. 118; Perissodactyla, p. 118; Artiodactyla, p. 120.	

I.—TITLES

The year of publication of a title is omitted from the reference where it is the same as the volume year of the 'Record' namely 1958.

Opinion 530. Validation under the Plenary Powers of the generic names Elaphella Bezzi, 1913 (Class Insecta, Order Diptera) and Lophiotherium Gervais, 1850 (Class Mammalia). Opin. int. Comm. 2001. Nom. 19: 333–348.

Direction 98. Interpretation under the Plenary Powers of the nominal species Vespertilio murinus Linnaeus, 1758, and insertion in the Official List of Generic names in Zoology of a revised entry relating to the generic name Vespertilio Linnaeus, 1758, (Class Mammalia). (Direction supplementary to Opinion 91). Opin. int. Comm. zool. Nom., 1F (9): 127–160.

Anon. (1). Whaling control 1958/59. Norsk Hvalfangsttid. 47: 507–508.

Anon. (2). Angus Herdman Booth (1927–1958). Bull. Inst. franç. Afr. N. 20A: 1087–1088.

Anon. (3). Observation on the Indian buffalo and its shikar. J. Bengal. nat. Hist. Soc. 29: 68-80.

Anon. (4). The animal lore of the past: two medieval bestiaries. Nat. Hist. N.Y. 67: 558-567, illustr.

Anon. (5). Naissances de *Rhinoceros* unicornis en captivite. Terre et la Vie 105: 220-221.

Anon. (6). Experiments on the homing powers of wood mice, 1957 (Apodemus sylvaticus). Bull. Mammal Soc. Brit. Isles No. 10: 21–24. [Private circulation].

Anon. (7). Rat en Muis. 1958, Nos. 1, 2, 3.

Anon. (8). Twelfth Annual Report. Observations. Mammals. Rep. Lowestoft Fld. Cl. 2 1957 [1958]: 46-47.

Anon. (9). Mammal Report. Rep. Gresham's Sch. nat. Hist. Soc. No. 33: 6-8.

Anon. (10). Report on Mammals. 1957. Rep. Bryanston Sch. nat. Hist. Soc. 1957 [1958]: 2-3.

Anon. (11). Halichoerus grypus—grey seal. Rep. Lundy Fld. Soc. 1957 [1958]: 30.

Anon. (12). Mountain zebra—George Division. Rep. Dep. Nat. Conserv. Cape Town 14 1957: 29.

Anon. (13). Game management. Rep. Kenya Wildl. Soc. 1957 [1958]: 40-54.

Anon. (14). Species in danger of extinction. Rep. Kenya Wildl. Soc. 1957 [1958]: 68-70.

Anon. (15). The late Lieutenant-Colonel James Stevenson-Hamilton. Afr. Wild Life 12:5–10, 3 figs.

Anon. (16). Maneless zebra. Uganda Wild Life 1 (2): 49-50, 1 fig.

[Anon.] (17). [Malfunctions in animals]. Priroda No. 4:96–98, 6 figs. [In Russian.]

[Abelentzev, V. I. & Pidoplichko, I. G.] [Fauna of Ukraine.] Mammals. Fauna Ukraini 1 1956: 1–446 Pls. illustr. [In Ukrainian.]

Ábrahám, A. Beiträge zur Kenntnis der Interozeptoren im Bereiche des cardiovaskulären Systems. Acta biol. Szeged N.S. 4:179–202 17 figs.

Abrard, R. Présence de l'Aurochs dans un dépôt de fond de vallée sèche à Orveau (Seine-et-Oise). Bull. Mus. Hist. nat. Paris (2) 30:109.

Adams, C. E. see Noyes, R. W.

Adams, W. A flying squirrel that really flew. Malay nat. J. 13:31.

Adams, W. E. (1). The extracranial carotid rete and carotid fork in *Nyeticebus concang.* Ann. Zool., Agra 2 1957: 21–38, 2 pls.

Adams, W. E. (2). The development of the adrenals and sympathetic paraganglia in certain Madagascar insectivores. J. Embryol. exp. Morph. 6: 575–588, 3 pls.

Aellen, V. & Perret, J. Sur une nouvelle trouvaille de Zenkerella insignis Matschie, 1898 (Rodentia, Anomaluridae). Säugetierk. Mitt. 6:21-23, 1 tab. Aellen, V. see Heim de Balsac.

Aellen, V. see Strinati.

[Afonskaya, R. I. & Krumina, M. K.]. [Observations on polar bears]. Moscow Zoop. 2:56-63 3 figs. [In Russian.]

Agafonov, A. V. see Semenov.

Agee, R. see Craft.

Aguirre, E. Remarques sur la stratigraphie et la paléontologie du bassin de Granada (Espagne). C.R. Acad. Sci. Paris 246: 2140-2142.

Akhtar, S. A. (1). The rodents of West Pakistan. Part 1. Pakist. J. Sci. 10: 5–18, 3 figs:

Akhtar, S. A. (2). The rodents of West Pakistan. II. Pakist. J. Sci. 10:79-90 2 figs.

[Akhundov, N. A. & Alekperov, K. M.]. [New data on the distribution of Meriones erythrourus in Azerbaidzhan]. C.R. Acad. Sci. Azerb. SSR 13 1957: 1305-1307. [In Russian.]

Albrecht, R. Zur Anatomie des Bovidenherzens (Untersuchungen am Yak, Wisent, Bison, Indischen Büffel, Zebu, Zwergzebu und Steppenrind). Gegenbaurs Jb., 98: 574-605 13 figs.

[Alekperov, A. M.]. [New data on distribution of *Hystrix hirsutirostris* in Azerbaijan.] C.R. Acad. Sci. Azerb. SSR 14:329-331. [In Russian.]

Alekperov, A. M. see Akhundov.

Alexander, F. & Chowdhury, A. K. Enzymes in the ileal juice of the horse. Nature, Lond. 181:190.

[Alexeev, M. N.]. [A diagram of correlation of quaternary deposits of the Vilny basin and the valley of the lower reaches of the Lena river]. C.R. Acad. Sci. URSS 120:1319-1321. [In Russian.]

Alexeev, M. N. see Danilova.

[Alexeeva, L. I.]. [On the paleontological argumentation of the geological age of the Ergheni sands (according to data of mammalian fauna)]. C.R. Acad. Sci. URSS 120:606-608. [In Russian.]

Alfin-Slater, R. B. see Shull.

Ali, S. & Santapau, H. (1). The usefulness of bats. J. Bombay nat. Hist. Soc. 55:155.

Ali, S. & Santapau, H. (2). Birth of a great Indian rhinoceros in captivity. J. Bombay nat. Hist. Soc. 55:157-158, pl.

Allanson, M. Growth and reproduction in the males of two species of gerbil, Tatera brantsii (A. Smith) and Tatera afra (Gray). Proc. zool. Soc. Lond. 130: 373-396, 7 figs. 9 tabs.

Alov, I. A. A contribution to the correlation between mitosis and amitosis. J. Acad. Sci. URSS biol. 4:403-407 2 pl. [In Russian with English summary.]

Altmann, M. Social integration of the moose calf. Anim. Behav. 6: 155-159.

Altner, H. Biometrische Untersuchung an der Kurzohrmaus (*Pitymys subterraneus* de Selys-Longchamps 1836). Zool. Anz. 160: 135–146 4 figs.

Amoroso, E. C., Hancock, N. A. & Kellas, L. The foetal membranes and placenta of the hippopotamus (*Hippopotamus amphibius* (Linnaeus)). Proc. zool. Soc. Lond. 130:437-454, 7 pls.

Amoroso, E. C. & Matthews, L. H. Observations on placental structure in some Ungulates. Mammalia, Paris 22:175-184 3 pls.

Amoroso, E. C. see Kellas.

Anciaux de Faveaux, F. M. Speologica africana. Chiroptères des grottes du Haut-Katanga (Congo Belge). Bull. Inst. franç. Afr. N. 20A: 263–275.

Anderson, S. & Nelson, B. C. Additional records of mammals of Kansas. Trans. Kansas Acad. Sci. 61: 302-312.

Anderson, S. & Poulsen, H. Two musk-oxen (Ovibos moschatus Zimm.) in captivity. Zool. Gart., Lpz. 24 (1-2):12-23, 9 figs.

Anderson, S. see Jones.

Andresen, R. H., Monroe, C. W., Hass, G. M., & Madden, D. A. Conditions which eliminate inflammation to homografts in rabbits. Nature, Lond. 182: 1452.

Ansell, W. F. H. (1). Four new African rodents. Ann. Mag. nat. Hist. (13) 1:336-344.

Ansell, W. F. H. (2). On the study of African Mammalia. J. Mammal. 39:577-581.

Ansell, W. F. H. (3). The need for better study collections of African Ungulates. Mammalia, Paris 22: 338-347.

Ansell, W. F. H., see Grimwood, I. R.

Anthony, J. De l'intérèt des caractères cérébraux pour la classification des Ongulés. Mammalia, Paris 22:53–56.

Apostol, L. (1). Contribution à la connaissance des mandibules de mammouth (Mammonteus primigenius Blumb), du quaternaire, de la région de Bucarest. Trav. Mus. Hist. nat. "Gr. Antipa" 1 1957: 285–292 3 pls. 1 fig., 2 tabs.

Apostol, L. (2). Pe urmele mamutilor, animale uriase cave au trăit în Jurul Bucureștiului la sfîrșitul perioadei Cuaternare. Natura, București 10 2: 128–132.

Arambourg, C. (1). Nouveaux restes d'Atlanthropus dans le gisement de Ternifine (Algérie). C.R. Soc. géol. Fr. 1955 : 323-324.

Arambourg, C. (2). Considérations sur l'état actuel du problème des origines de l'homme: 135–148. Colloques Internat. C.N.R.S. 60 Problèmes actuels de Paléontologie pp. 1–163, Paris, 1956.

Arambourg, C. (3). La faune de Vertébrés miocènes de l'Oued et Hammam (Oran, Algérie). C.R. Soc. géol. Fr. 1958: 116–119.

Arcadi, J. R. see Straus.

Ardran, G. M., Kemp, F. H. & Ride, W. D. L. A radiographic analysis of mastication and swallowing in the domestic rabbit: Oryctolagus cuniculus (L). Proc. zool. Soc. Lond. 130: 257–274, 5 figs. 7 pls.

Aronson, L. R. see Rosenblatt.

Ashby, K. R. Seasonal variation in the destruction of seeds and tree seedlings by mice and voles. Bull. Mammal Soc. Brit. Isles No. 10:17-18. [Private circulation.]

Ashoub, M. R. see Biggers.

Ashton, E. H. & Oznard, C. E. (1). Some variations in the maxillary nerve of primates. Proc. zool. Soc. Lond. 131:457-470 2 figs. 1 tab.

Ashton, E. H. & Oxnard, C. E. (2). Variation in the maxillary nerve of certain mammals. Proc. zool. Soc. Lond. 131:607-625, 3 figs.

Ashton, E. H. & Spence, T. F. Age changes in the cranial capacity and foramen magnum of hominoids. Proc. zool. Soc. Lond. 130:169-181 2 figs. 5 tabs.

Ashton, E. H. & Zuckerman, S. The infraorbital foramen in the Hominoidea. Proc. zool. Soc. Lond. 131: 471-485 4 tabs. 5 pls.

Ashton, G. C. (1). A genetic mechanism for "Thread Protein" polymorphism in cattle. Nature, Lond. 182:65-66 I tab.

Ashton, G. C. (2). Genetics of betaglobulin polymorphism in British cattle. Nature, Lond. 182:370-372 1 fig. 4 tabs.

Ashton, G. C. (3). Serum protein variations in horses. Nature, Lond. 182:1029-1030 2 figs.

Ashton, G. C. (4). Further β -Globulin phenotypes in sheep. Nature, Lond. 182: 1101-1102 1 fig.

Ashton, G. C. & McDougall, E. I. Beta-globulin polymorphism in cattle, sheep and goats. Nature, Lond. 182: 945-946 3 figs.

Asling, C. W. see Wright.

Astanine, L. P. see Chevtchenko.

Astre, G. (1), Ursus du groupe deningeri dans une grotte des Bordessur-Lez (Ariège). C.R. Soc. géol. Fr. 1955: 265–267.

Astre, G. (2). Un reste d'élan dans la Grotte-Aven du Castelas, à Dourgue. Bull. Soc. Hist. nat. Toulouse 92 1957 : 123-125.

Astre, G. (3). Vertébre cervicale de rhinocéros de la Grotte du Crès. Bull. Soc. Hist. nat. Toulouse 92 1957:126-130 3 figs.

Astre, G. (4). Élaphe géant au pleistocène de chien-dessus. Bull. Soc. Hist. nat. Toulouse 92 1957 : 240-244 4 figs.

Astre, G. (5). Anthracotherium alsaticum aux Ruffels de Giroussens. C.R. Soc. géol. Fr. 1957: 67-68.

Atz, J. W. see Coates.

Auffenberg, W. A note on an unusually complete specimen of *Dasypus bellus* (Simpson) from Florida. Quart. J. Fla. Acad. Sci. 20 1957 [1958]: 233-237 1 fig.

Aul, J., Ling, H., & Paaver, K. Esti nsv imetajad. [Mammals of the Esthonian SSR]. Tallinn (Esti Riiklik Kirjastus) 1957, pp. 351, 201 figs. [German summary.]

Ausländer, D. & Hellwing, S. (1). Observations écologiques sur les petits mammifères des écrans forestiers de protection de "Valul Traian"; références spéciales concernant leur dynamique. Trav. Mus. Hist. nat. "Gr. Antipa" 1 1957:111-139 figs.

Ausländer, D. & Hellwing, S. (2). Beiträge zur Variabilität und Biologie der Streifenmaus (Sicista subtilis nordmanni Keys et Blas. 1840]. Trav. Mus. Hist. nat. "Gr. Antipa" 1 1957: 255–274 9 figs.

Austin, C. R. & Bishop, M. W. H. (1). Some features of the acrosome and perforatorium in mammalian spermatozoa. Proc. roy. Soc. 149B 935: 234-240 1 fig. 2 pls.

Austin, C. R. & Bishop, M. W. H. (2). Role of the rodent acrosome and perforatorium in fertilization. Proc. roy. Soc. 149B 935: 241-248 2 pls.

Austin, C. R. see Chitty.

Avari, E. D. The Jaldapara Game Sanctuary, West Bengal. J. Bengal nat. Hist. Soc. 29:65-68 2 pls.

Bachmann, R. Nebennieren. (in Hofer & others. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 752–798, 12 figs., 3 tabs.).

Backhaus, D. (1). Zur Variabilität der äusseren systematischen Merkmale des afrikanischen Elefanten (*Loxodonta* Cuvier). Säugetierk. Mitt. 6:166-173 8 figs. 3 tabs. [French summary].

Backhaus, D. (2). Sind Kobus defassa (Rüppel, 1835) und Kobus ellipsiprymnus (Ogilby, 1833) verschiedene Arten? Säugetierk. Mitt. 6:174, fig.

Backhouse, K. Seals in Britain. Wild Life Obs. No. 15: 2-4, illustr.

Bacon, M. & Drake, C. H. Bacterial infection in wild rabbits of Eastern and Central Washington. Northw. Sci. 32:124-131.

Bader, R. S. Variability in wild and inbred mammalian populations. Quart. J. Fla. Acad. Sci. 19 1956: 14-34 3 figs. 2 tabs.

[Baevsky, Y. B., Beliaev, D. K. & Utkin, L. G.]. [Observations on intraovarial eggs of Mustela zibellina]. C.R. Acad. Sci. URSS 120:439-440. [In Russian.]

Bagnall-Oakeley, R. P. & Taylor Page, F. J. Norfolk mammals 1956. Bull. Norfolk & Norwich Nats. Soc. 1, 1957:1-12. [Private circulation.]

Baker, R. H. (1). El futuro de la fauna silvestre en el norte de Mexico. An. Inst. Biol. 28, 1957 [1958]: 349-357.

Baker, R. H. (2). The future of wildlife in northern Mexico—a problem in conservation education. Trans. 23rd North American Wildl. Conf. 567–575.

Balázs, T. see Fábián.

Balch, C. C. see Rook.

[Balin, A. V.]. [The remains of antropogen Bovidae in Kazakhstan.] Mat. Faun. Flor. Kazakh. 1 1955: 40-65. [In Russian.]

Banfield, A. W. F. Dermoid cysts a basis of Indian legends. J. Mammal. 39: 451-452.

Banfield, A. W. F. & Tener, J. S. A preliminary study of the Ungava caribou. J. Mammal. 39:560-573 3 tabs.

Bangham, A. D. & Blumberg, B. S. Distribution of electrophoretically different haemoglobins among some cattle breeds of Europe and Africa. Nature, Lond. 181:1551-1552 2 figs.

Bangham, A. D. & Lehmann, H. "Multiple" haemoglobins in the horse. Nature, Lond. 181: 267-268 2 fig.

Bannikov, A. G. (1). Materials towards the study of mammals in Mongolia. I. Jerboa. Bull. Soc. nat. Moscou. Sect. Biol. N.S. 52 4 1947: 25-43 7 figs. [Russian with English summary.]

[Bannikov, A. G.] (2). [Material on the knowledge of mongolian mammals. III. Woodland and mountain voles. Clethrionomys, Alticola, Platycranius. Bull. Soc. nat. Moscou. Sect. Biol. 53 6, 1948: 29-45 5 figs. [In Russian.]

Bannikov, A.-G. (3). Distribution géographique et biologie du cheval sauvage et du chameau de Mongolie (Equus przewalskii et Camelus bactrianus). Mammalia, Paris 22: 152–160 1 fig. 1 pl.

6

Bannikov, A. G. (4). Distribution géographique actuelle et biologie de la saïga en Europe. Mammalia, Paris 22: 208–225 3 figs. 2 pls.

[Bannikov, A. G.] (5). [International colloquium on biology and systematics of ungulates]. Priroda No. 4:110–111 2 figs. [In Russian.]

[Bannikov, A. G.] (6). [The snow and the wild ungulates]. Priroda No. 3:106-107. [In Russian.]

Bantje, O. Über Domestikationsveränderungen am Bewegungsapparat des Kaninchens. Zool. Jb. (Allg. Zool.) 68: 203–260 4 figs.

Barabash-Nikiforov, I. I. On the directions of the work to be carried out in the province of conservation, study and making useful Enhydra lutris. Zool. Zh. 37:1104–1105. [In Russian with English summary.]

Baranova, G. I. On the geographical variability of some morphological characters of mouse-like rodents. Vestn. Leningr. Univ. 9: 95-102, 3 figs., 3 tabs. [Russian with English summary].

Barbeau, A. A. see Lyman.

Bargmann, W. (1). Thyreoidea und Parathyreoidea (in Hofer & others. Primatologia. Handbook of Primatology. 3, (1). Verdauungstrakt. Urinogenital organe. Endokrine Organe. pp. 799–809 8 figs.)

Bargmann, W. (2). Thymus. (in Hofer & others. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenital Organe. Endokrine Organe. pp. 809-813, 2 figs.).

Barker, S. A record of the Euro near Northam. W. Aust. Nat. 6:154-155.

Barnett, C. H. & Brazenor, C. W. The testicular rete mirabile of marsupials. Aust. J. Zool. 6: 27-32.

Barnett, C. H., Harrison, R. J. & Tomlinson, J. D. W. Variations in the venous system of mammals. Biol. Rev. 33: 442–487 10 figs. Barnett, C. H. & Lewis, O. J. The evolution of some traction epiphyses in birds and mammals. J. Anat. Lond. 92: 593-601, 5 figs. 1 pl.

[1958]

Barnett, S. A. (1). An analysis of social behaviour in wild rats. Proc. zool. Soc. Lond. 130:107-152, 1 fig. 8 tabs. 3 pls.

Barnett, S. A. (2). Physiological effects of "social stress" in wild rats—I. The adrenal cortex. J. Psychosom. Res. 3:1-11 9 figs. 4 tabs.

Barnett, S. A. (3). Experiments on "Neophobia" in wild and laboratory rats. Brit. J. Psych. 49:195-201 7 figs.

Barnett, S. A. & Manly, B. M. Adaptation to cold in young mice. Physiol. Bohemoslov. 7:19-28 7 figs. 4 tabs. [English with Russian summary.]

Barrau, J. & Devambez, L. Quelques résultats inattendus de l'acclimatation en Nouvelle-Calédonie. Terre et la Vie 104 1957: 324-334 1 pl. 1 fig.

Barthe, M. see Jeannin.

Bartlett, D. J. Biochemical characteristics of dog semen. Nature, Lond. 182: 1605–1606.

Bashenina, N. V. On the "critical point" in small sized voles. Zool. Zh. 37:1880-1892.

Bassett, E. G. Gestational changes in connective tissue in the ewe. Nature, Lond. 181:196-197 6 figs.

Bateman, A. J. (1). Mutagenic sensitivity of maturing germ cells in the male mouse. Heredity 12:213-232 4 figs. 6 tabs.

Bateman, A. J. (2). The partition of dominant lethals in the mouse between unimplanted eggs and deciduomata. Heredity 12:467-475 4 figs.

Batrawi, A. The structure of the dugong kidney. Publ. mar. Biol. Sta. Ghardaqa No. 9 1957:51-68 2 pls. 2 figs.

Batson, J. Studies on Rhoad's cotton mouse, Peromyscus gossypinus megacephalus, in Alabama. J. Tenn. Acad. Sci. 33: 123–132.

Batten, E. H. The origin of the acoustic ganglion in the sheep. J. Embryol. exp. Morph. 6:597-615 2 pls. 6 figs.

Baudenon, P. (1). Écologie des petites et moyennes antilopes dans le Togo méridional. Mammalia, Paris 22: 285-293.

Baudenon, P. (2). Note sur le statut des ongulés au Togo. Mammalia, Paris, 22: 390–393.

Bauer, K. Die Fledermäuse des Linzer Gebietes und Oberösterreich. Naturk. Jb. Linz 307–323.

Baum, H. see Ellenberger.

Baumgartel, W. (1). Playing host to gorillas. Uganda Wild Life 1 (3): 21-26.

Baumgartel, W. (2). Gorillas im "Kochtopf". Kosmos, Stuttgart, 54: 523–531 8 figs.

Bazan-Kubik, I. Untersuchungen über die Thymusdrüse des Birkenmaus, (Sicista betulina Pallas). Acta Theriologica 2: 83–106 I fig. 2 pls. 3 tabs.

[Bazhanov, V. S.]. [Review of the history of fauna of the land vertebrates of Kazakhstan.] Mat. Faun. Flor. Kazakh. 1955:5-13. [In Russian.]

[Bazhanov, V. S. & Kostenko, N. N.]. [Stratigraphy of Tertiary deposits in south-eastern Kazakhstan and northern Kirghizia in the light of paleontologic data.] Mat. Faun. Flor. Kazakh. 2: 5-16 3 figs. [In Russian.]

[Bazhanov, V. S. & Nurumov, T. N.]. [New data on Tertiary deer from Kazakhstan]. Mat. Faun. Flor. Kazakh. 1 1955: 14–28 6 figs. [In Russian.]

[Bazhanov, V. S., Voskoboinikov, M. E., Gladkov, I. I. & Mnuskin, L. B.]. [Stratigraphic position of new finds of sea mammals in Manglushlak]. Mat. Faun. Flor. Kazakh. 2:17-27 5 figs. [In Russian.]

Bearcroft, W. G. C. & Jamieson, M. F. An outbreak of subcutaneous tumours in rhesus monkeys. Nature, Lond. 182:195-196 1 fig.

Beasley, A. B. see Dunn.

Beaux, O. de. Posizione sistematica degli stambecchi e capre selvatiche viventi (Capra Linneo 1758) e loro distribuzione geografica. Atti Accad. Ligure Sci. Lett. 12 1956: 123–228 figs. [N.V.]

Beber, B. A. see Holyoke.

Bedny, S. N. see Dahl.

Beer, J. R., Frenzel, L. D. & MacLeod, C. F. Sex ratios of some Minnesota rodents. Amer. midl. Nat. 59: 518-524.

Beer, J. R. see Warner

Beidleman, R. G. Early fur returns from the Pacific Northwest. J. Mammal. 39:146-147 1 tab.

Beidleman, R. G. & Weber, W. A. Analysis of a pika hay pile. J. Mammal. 39:599-600.

[Beishebaev, K.]. [The Turkestanian rat]. Trud. Inst. Zool. Parasit. Frunze 6 1957: 145–158. [In Russian.]

Bekkum, D. W. van see Welling.

Beliaev, D. K. see Baevsky.

Bell, F. R. Pressure developed within the reticular compartment of the ruminant stomach. Nature, Lond. 181:494.

[Belyshev, B. F.] [Two finds of fossil rodents in Western Siberia]. Mat. Faun. Flor. Kazakh. 2:82-83. [In Russian.]

Bender, M. A. & Mettler, L. E. Chromosome studies of primates. Science 128: 186–190 2 figs.

Bendezú, I. C. Un pequêno marsupial de Loreto. Biota 2:48-50 2 figs.

Benkovski, L. M. On the biology of the otter. Zool. Zh. 37:1105. [Russian with English summary.]

Benoit, J. Sur un exemple de cascade d'inductions dans l'organogénèse des vertébrés: la genèse de l'oreille interne. Année biol. (3) 33 9-10 1957: 385-412 12 figs.

Benson, C. W. see Grimwood, I. R.

Benson, G. K., Cowie, A. T. & Tindal, J. S. The pituitary and the maintenance of milk secretion. Proc. roy. Soc. 149B 936: 330-336.

Benton, A. H. Melanistic red squirrels from Cayuga County, New York. J. Mammal. 39:445.

Benton, A. H. & Scharoun, J. Notes on a breeding colony of *Myotis*. J. Mammal. 39: 293-295 1 fig. Bere, R. M. (1). The status of ungulate mammals in the Uganda National Parks. Mammalia, Paris, 22:418-426.

Bere, R. M. (2). Ungulates of the Parks. Uganda Wild Life 1 (3): 11-16.

Berger, G. Befall eines Potto (*Perodicticus potto* Geoffr.) durch Pentastomiden. Zool. Gart., Lpg. 24 (1-2): 10-12 1 fig.

Bergerson, B. see Jahn.

Bergounioux, F. M. & Crouzel, F. (1). Origine et migrations de quelques especes de Mastodontes Tertiaires. Resumenes de los Trabajos Presentados XX Congresso Geologico Internacional 1956: 110-111.

Bergounioux, F.-M. & Crouzel, F. (2). Sur la présence d'une malaise de *Turicius turicensis* dans les sables fouves du Bas-Armagnac. Bull. Soc. Hist. nat. Toulouse 92 1957: 157-166.

Bergounioux, F.-M. & Crouzel, F. (3). El problema de los Anancoides. Notas Inst. geol. Esp. 51:33-38.

Bergounioux, F. M. & Crouzel, F. (4). Variedades enanas del *Trilophodon pentelicus* en el neogeno de Espana. Notas Inst. geol. Esp. 51: 39–45.

Bergounioux, F.-M. & Crouzel, F. (5). Variétés naines de *Trilophodon pentelicus* dans le Néogène de l'Espagne. C.R. Acad. Sci. Paris 246: 1450–1452.

Bergounioux, F.-M. & Crouzel, F. (6). La problème des Anancöides. C.R. Acad. Sei Paris 246: 1580–1582.

Bernard, J. see Rosa.

Bernick, S. see Mayer.

Berry, R. see Warwick.

Bessis, M. & Breton-Gorius, J. Sur une structure inframicroscopique péricentriolaire. Étude au microscope électronique sur les leucocytes de Mammifères. C.R. Acad. Sci. Paris 246: 1289-1291 2 pls.

Bettum, F. The development of whaling and the present position. Norsk Hvalfangsttid 47:485-502.

Bevan, W. see Levy.

Bianca, W. The relation between respiratory rate and heart rate in the calf subjected to severe heat stress. J. Agric. Sci. 51:321-324 4 figs. Bibikov, D. I. Influence of snow cover on the life of marmots in the Tien-Shan mountains. Bull. Soc. Nat. Moscou. Sér. Biol. 63 5: 141-142.

Biegert, J. (1). Das Kiefergelenk der Primaten, seine Altersveränderungen und Spezialisationen in Gestaltung und Lage. Gegenbaurs Jb. 97 1956: 249– 404 18 figs.

Biegert, J. (2). Der Formwandel des Primatenschädels, und seine Beziehungen zur ontogenetischen Entwicklung und den phylogenetischen Spezialisationen der Kopforgane. Gegenbaurs Jb., 98 1957: 77–199 15 figs.

Bigalke, R. (1). The bontebok (Damaliscus pygargus [Pall.]) with special reference to its history and preservation. Fauna & Flora, Pretoria, No. 6, 1955: 95-115 5 figs.

Bigalke, R. (2). Notes on the former and present occurrence of the sable antelope in the southern part of the Kruger National Park. Fauna & Flora, Pretoria, No. 6, 1955:117-121 1 fig.

Bigalke, R. (3). The Report of the Serengeti Committee of Enquiry, 1957. Afr. wild Life 12: 21-25 map.

Bigalke, R. C. (4). On the mamillae of the springbok, *Antidorcas marsupialis* Zimmermann. S. Afr. J. Sci. 54: 291.

Bigalke, R. C. (5). On the present status of ungulate mammals in South West Africa. Mammalia, Paris 22: 478-497, map.

Biggers, J. D., Ashoub, M. R., McLaren, A. & Michie, D. The growth and development of mice in three climatic environments. J. exp. Biol. 35:144-155.

Biggers, J. D. see McLaren.

Bilewicz, S. Observations in the genesis of superfoctation in white mice. Przegl. zool. 1 1957: 292–305 5 figs. 1 tab. [English summary.]

Billingham, R. E. & Hildemann, W. H. Studies on the immunological responses of hamsters to skin homografts. Proc. roy. Soc. 149B, 935: 216-233 1 fig. 8 tabs.

Bischitz, P. G. & Snell, R. S. Effect of ovariectomy, oestrogen and progesterone on the activity of the melanocytes in the skin. Nature, Lond. 181: 1413. Bishop, G. P. see Hunter.

Bishop, M. W. H. see Austin.

Bishop, P. O., Burke, W. & Davis, R. Synapse discharge by single fibre in mammalian visual system. Nature, Lond. 182: 728-730 3 figs.

Bishop, W. W. Miocene mammalia from the Napak volcanics, Karamoja, Uganda. Nature, Lond. 182:1480– 1482 3 figs.

Black, C. C. A new sicistine rodent from the Miocene of Wyoming. Breviora No. 86: 1-7.

Blackmore, M. Symposium on field study of mammals, Bats, Bull. Mammal Soc. Brit. Isles No. 9:8-9. [Private circulation.]

Blackshaw, A. W. The effects of incubation temperature and cold shock on the metabolism of ram spermatozoa. Aust. J. biol. Sci. 2:581-588 6 tabs.

Blancou, L. (1). Notes biogéographiques sur les mammifères de l'A.E.F. Bull. Inst. centrafr. N.S. Nos. 15–16: 7–42 8 figs.

Blancou, L. (2). The African buffaloes. Anim. Kingd. 61:56-61 5 figs.

Blancou, L. (3). Distribution geographique des Ongulés d'Afrique Equatoriale Française en relation avec leur ecologie. Mammalia, Paris 22:294— 316.

Blancou, L. (4). Note sur le statut actuel des ongulés en Afrique Equatoriale Française. Mammalia, Paris, 22:399-405.

Bloch, S. & Strauss, F. Die weiblichen Genitalorgane von *Lepus europaeus* Pallas. Z. Säugetierk. 23:66–80 1 fig. 5 pls.

Blower, J. (1). The otter shrew. Uganda Wild Life 1 (2): 32-33.

Blower, J. (2). The eland. Uganda Wild Life 1 (3): 31-34 1 fig.

Blumberg, B. S. see Bangham.

Bodenheimer, F. S. The present taxonomic status of the terrestrial mammals of Palestine. Bull. Res. Counc. Israel Zool. 7B: 165-190 4 figs.

Boettger, C. R. Die Haustiere Afrikas. Ihre Herkunft, Bedeutung und Aussichten bei der weiteren wirtschaftlichen Erschliessung des Kontinents. Jena (Gustav Fischer Verlag) 1958: x + 314. Boetticher, H. von. Die Halbaffen und Koboldmakis. Die Neue Brehm-Bucherei, Hft. 211,: 1-115 72 figs.

Bogdan, I. see Topciu.

[Bogdanovich, G. G.]. [Some data on biology of *Potos flavus*]. Moscow Zoop. 2:48-55 6 figs. [In Russian.]

[Bogolyubski, S. N.]. [Contemporary problems in embryonic and age morphology of the domestic animals]. Trud. Inst. Morf. Zhiv. 22 1957: 7-15 4 figs. [In Russian.]

Bogoyavlensky, Y. K. Transplantation of lymphatic nodes in white rats. J. gen. Biol., Moscow 19:44-53 8 figs. [Russian with English summary.]

Bohlken, H. (1). Zur Nomenklatur der Haustiere. Zool. Anz. 160: 167– 168.

Bohlken, H. (2). Vergleichende Untersuchungen an Wildrindern (Tribus Bovini Simpson 1945). Zool. Jb. Allg. Zool. 68:113-202 37 figs.

Bolwig, N. Aspects of animal ecology in the Kalahari. Koedoe 1:115-135 5 figs.

Bonadonna, T., Pecchiai, L. & Sferco, A. Observations sur les caractéristiques extérieures et histologiques des châtaignes chez les chevaux, les ânes et leurs hybrides. Mammalia, Paris 22:186-199 1 fig. 3 pls.

Bond, R. M. & Seaman, G. A. Notes on a colony of *Brachyphylla cavernarum*. J. Mammal. **39**: 150–151.

Bonner, W. H. (1). Exploitation and conservation of seals in South Georgia. Oryx 4:373-380 2 figs.

Bonner, W. N. (2). The introduced reindeer of South Georgia. Sci. Rep. F.I.D.S. No. 22: 1-8 3 pls., map.

Bonner, W. N. (3). Notes on the southern fur seal in South Georgia. Proc. zool. Soc. Lond. 130:241-252 2 figs. 1 map, 3 pls.

Bonotte, M. La faune cynegetique Tchadienne en zone semi-aride (massifs montagneux exclus). Facteurs de degradation de cette faune remedes a y apporter. Terre et la Vie 105: 305-313 map.

Booth, A. H. (1). The invasion of forest by savannah mammals, following cultivation. Conf. int. Afr. Occid. Sess. 6 4:61-69 map.

Booth, A. H. (2). Vegetation and the occurrence of clines in West African forest mammals. Conf. int. Afr. Occid. Sess. 6 4: 71-73.

Booth, A. H. (3). Breeding of an immature wild baboon. J. Mammal. 39:434.

Booth, A. H. (4). Zoogeography of West African Primates: a review. Bull. Inst. franç. Afr. N. 20A: 587-622 21 figs.

Booth, C. P. The colobus monkeys of Ghana. Afr. Wild Life 12:313-318 3 figs.

Bopp, P. (1). Zur Frage der Hirschpopulation im Schweizerischen Nationalpark. Rev. suisse Zool. 65:305-311.

Bopp, P. (2). Zur Lebensweise einheimischer Fledermäuse (I. Mitteilung). Säugetierk. Mitt. 6:11-13 1 fig.

Bor, N. L. Mr. Frank Kingdon-Ward, O.B.E. Nature, Lond. 181: 1505-1506.

Borrero-H., J. A. & Hernandez-C. J. Informa preliminar sobre aves y mamiferos de Santander, Colombia. An. Soc. Biol. Bogota 7 1957: 197–230. [N.V.].

Bourgoin, P. Les ongulés dans les territoires de l'Union Française. Mammalia. Paris 22: 371-381.

Bourlière, F. Quelques remarques sur les méthodes de dénombrement des Ongulés Africains. Mammalia, Paris 22: 275–284.

Bowman, A. I. Duikers Joe and Josephine. Niger. Fld. 23: 66-70.

Bowman, J. C. & Roberts, R. C. Embryonic mortality in relation to ovulation rate in the house mouse. J. exp. Biol. 35:138-143.

Boyd, J. M. Mole and stoat on Eilean Molach, Loch Ba, Argyll. Proc. zool. Soc. Lond. 131: 327-328.

Boyd, J. P. The Megalonyx, the Megatherium, and Thomas Jefferson's lapse of memory. Proc. Amer. phil. Soc. 102: 420-435 9 figs.

Boyer, J. & Serfaty, A. Recherches sur intensité respiratoire du testicule de rat blanc. Bull. Soc. Hist. nat. Toulouse 92 1957:83-88 4 tabs.

Braden, A. W. H. (1). Influence of time of mating on the segregation ratio of alleles at the T locus in the house mouse. Nature, Lond. 181: 786-787.

Braden, A. W. H. (2). Variation between strains in the incidence of various abnormalities of egg maturation and fertilization in the mouse. J. Genetics 55 1957: 476-486 l pl. 4 tabs.

Brambell, F. W. R. The passive immunity of the young mammal. Biol. Rev. 33: 488-531 11 figs. 7 tabs.

Brambell, F. W. R., Halliday, R. & Morris, I. G. Interference by human and bovine serum and serum protein fractions with the absorption of antibodies by suckling rats and mice. Proc. roy. Soc. 149B: 1-11 1 fig. 10 tabs.

Brand, D. J. see Hey.

Brazenor, C. W. Mitchell's Hopping Mouse. Proc. R. zool. Soc. N.S.W. 1956-57 [1958]: 19-22 2 figs.

Brazenor, C. W. see Barnett.

Breton-Gorius, J. see Bessis.

Brettschneider, H. Hypothalamus und Hypophyse des Pferdes. Ein Beitrag zur Verknüpfungsfrage. Gegenbaurs Jb., 96 1955: 265–384 75 figs.

Bridges, W. Africa's champion digger. Anim. Kingd., 61: 20-22.

Brink, F. H. van den. Quelques particularités de la répartition des Ongulés d'Europe. Mammalia, Paris 22:200-207.

Broadbooks, H. E. (1). Life history and ecology of the chipmunk, *Eutamias amoenus*, in Eastern Washington. Misc. Publ. Mus. Zool. Univ. Mich. No. 103: 1–42 3 pls. 6 figs.

Broadbooks, H. E. (2). Northward extension of the kangaroo rat in Washington. J. Mammal. 39: 299-301.

Bromlei, G. F. [Kolinsky fur industry history]. Trud. dalnevost. Fil. Akad. Sci. SSSR zool. 3 (6) 1956: 317–326 figs. [In Russian.]

Brongersma, L. D. The animal world of Netherlands New Guinea. Groningen (J. B. Walters) pp. 71 34 figs.

Bronson, F. H. & Tiemeier, O. W. Notes on crop damage by jackrabbits. Trans. Kansas Acad. Sci. 61: 226-229 2 tabs.

Brookes, M. & Harrison, R. G. The vascularization of the rabbit femur and tibiofibula. J. Anat. 91 1957: 61-72 2 pls. 4 figs.

Brown, D. Observations on the lungs of some aquatic mammals. Bull. Mammal Soc. Brit. Isles No. 10: 14. [Private circulation.]

Brown, D. L. see Hunter.

Brown, S. G. (1). Whales observed in the Indian Ocean. Marine Observer, 27 (157) 1957:157-165. [Coll. Repr. nat. Inst. Oceanogr. 5 202 1957.]

Brown, S. G. (2). Whale marks recovered during the Antarctic whaling season 1957–58. Norsk Hvalfangsttid. 47: 503–507.

Brown, S. O. see Cooper.

Brown, S. O. see Enlow.

Brown, W. L. Some zoological concepts applied to problems in evolution of the hominid lineage. Amer. Scient. 46: 151-158 l fig.

Bruce, H. M. Suckling stimulus and lactation. Proc. roy. Soc. 149B, 936; 421-423 2 figs.

Bruck, D. Male segregation ratio advantage as a factor in maintaining lethal alleles in wild populations of Proc. nat. Acad. Sci. Wash. 43 1957: 152-158 2 figs. 3 tabs.

Brůčková, B. (1). Domácí skot chovaný na Libici. Cas. národ. Mus. Oddil. Prir. 127: 20–25 4 figs. [German summary.]

Brůčková, B. (2). Nález kosti pleistocénních zvířat v Minicich u Kralup. n. Vlt. Cas. národ. Mus. Oddil. Prir. 127: 64-65 fig.

Bruijns, M. F. M. De myxomatose op Vlieland. Levende Nat. 61: 227-231 2 figs.

Brune, H. Rohstoffe der Haussäugetiere. Handb. Zool., Berl. 8 (Lfg. 17) 12, (4): 1-48 13 figs.

Bruno, G. Contributo alla conoscenza di alcuni dispositivi nervosi sensitivi nel miocardio specifico di alcuni mammiferi. Boll. Accad. gioenia (4) 4 1957:54-60. [English summary.]

Buchalczyk, T. Die Feldspitzmaus— Crocidura leucodon (Hermann) in dem nordöstlichen Gebieten Polens. Acta Theriologica 2:55-70 2 pls. 2 maps 4 tabs. Buchanan, G. D. The current range of the armadillo Dasypus novemcinctus mexicanus in the United States. Texas J. Sci. 10: 349-351.

Buchanan, G. D. see Enders.

Buchanan, O. M. Tadarida and Myotis occupying cliff swallow nests. J. Mammal. 39: 434-435.

Buchholz, R. H., Wells, P. H. & Conaway, C. H. Digestive enzymes of mole, bat and rat. J. Mammal. 39: 452-454 l tab.

Budker, P. (1). Whales and whaling. London (Harrap & Co.) pp. 182 16 pls. text illust.

Budker, P. (2). Cachalots pois dans les câbles sous-marins. Nature, Paris No. 3283 : 433-437 5 figs.

Buechner, H. K. Elephant census II. Uganda Wild Life 1 (4):17-25 figs. maps.

Bullier, P. Curieuse anomalie des bois chez un cerf castré (Axis axis). Mammalia, Paris 22: 271-274 5 figs.

Bullier, P. see Nouvel.

Bunescu, M. see Calinescu.

Burckhardt, D. (1). Kindliches Verhalten als Ausdrucksbewegung im Fortpflanzungszeremoniell einiger Wiederkäuer. Rev. suisse Zool. 65: 311– 316 I fig.

Burckhardt, D. (2). Observations sur la vie sociale du cerf (Cervus elaphus) au Parc National Suisse. Mammalia, Paris 22: 226-243 5 figs. 1 pl.

Burchak-Abramovich, N. O. see Vereshchagin.

Burgl, H. see Thenius

Burke, W. see Bishop.

Burkl, W. (1). Mikroskopische Anatomie der grossen Speichedrusen, Glandula parotis, Glandula submandispeicheldrüse (exokriner Teil) (in Hofer & others Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 41–60 10 figs.).

Burkl, W. (2). Mikroskopiche Anatomie Oesophagus des Magens und des Darmes (in Hofer & others. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 208–354 73 figs.).

- Burns, R. K. Experimental reversal of sex in the gonads of the opossum Didelphis virginiana. Proc. nat. Acad. Sci. Wash. 41 1965; 669-676 5 figs.
- Burns, R. K. & L. M. Observations on the breeding of the American opossum in Florida. Rev. suisse Zool. 64 1957: 595-605 4 tabs.
- Burt, W. H. Some distribution records of mammals from Hudson Bay. J. Mammal. 39: 291.
- Burton, D. E. The mammals of the Purpleville project area. Ontario Fld. Biol. No. 12:11-151 fig.
- Burton, M. (1). A puzzling habit of the hedgehog. New Scient. 4: 1071-1072 3 figs.
- Burton, M. (2). The red deer. Wild Life Obs. No. 14: 2-4 illustrs.
- Butseh, R. S. (1). Michigan's long-tailed mice. Jack-Pine Warbler 36: 2-6 1 fig.
- Butsch, R. S. (2). Michigan's short-tailed mice. Jack-Pine Warbler 36: 74-78 1 fig.
- Butterworth, B. B. Molt patterns in the Barrow ground squirrel. J. Mammal, 39:92-97 2 figs.
- Cabon, K. (1). Das Massensterben von Wildschweinen im Naturstaatspark von Bialowieza im Winter 1955–56. Acta Theriologica 2:71–82 3 tabs.
- Cabon, K. (2). Untersuchungen über die Schädelvariabilität des Wildschweines, Sus scrofa L. aus Nordostpolen. Acta Theriologica 2:107–140 6 figs. 15 tabs. 6 pls.
- Cabrera, A. (1). Catalogo de los mamíferos de America del Sur. 1. (Metatheria Unguiculata Carnivora). Rev. Mus. Argent. Cienc. Nat. "Bernardino Rivadavia". Zool. 4 1957 (1958): 1–307.
- Cabrera, A. (2). Dos Félidos argentinos inéditos, (Mamm. Carnivora). Neotropica 3 1957 (1958): 70–72.
- Cadenat, J. (1). Observations de Cétacés, Siréniens, Chéloniens et Sauriens en 1955–1956. Bull. Inst. franç. Afr. N. 19A 1957: 1358–1375.
- Cadenat, J. (2). Notes sur les Delphinidés Ouest-africains. II. Un spécimen du genre Feresa capturé sur les côtes du Sénegal. Bull. Inst. franç. Afr. N. 20A: 1480–1491 2 tabs.

Cadenat, J. & Doutre, M. Notes sur les Delphinidés ouest-africains. I. Un Prodelphinus? indéterminé des côtes du Sénégal. Bull. Inst. franç. Afr. N. 20A: 1483-1485 fig.

[1958]

- Cadeo, G. Su un frammento mandibolare sinistro di Dicerorkinus merchi rinvenuto a Portalbera (Pavia). Natura, Milano 49: 151-157 1 fig.
- Cadman, W. A. Deer in Wales. Nature in Wales 4:623.
- Cain, A. J. & Harrison, G. A. An analysis of the taxonomist's judgment of affinity. Proc. zool. Soc. Lond. 181: 85-98 1 fig.
- Calaby, J. A. Studies on marsupial nutrition. II. The rate of passage of food residues and digostibility of crude fibre and protein by the Quokka, Setonix brachyurus (Quoy and Gaimard). Aust. J. biol. Sci. 2:571-580 1 fig. 3 tabs.
- Calinescu, R. La répartition géographique des Sciurides en Roumanie. Säugetierk, Mitt. 6: 17-20 3 figs.
- Calinescu, R. & Bunescu, M. L'extension geographique de l'ondatra (Ondatra zibethica L.) de la R. P. Roumaine. Bul. Inst. Corcet. Pise. Roman. 17 (2): 78-82 map. [Rumanian with Russian and French summaries.]
- Cameron, A. W. (1). Canadian mammals. Nation. Mus. Canada, Ottawa. 1–80 figs.
- Cameron, A. W. (2). New mammal records for Prince Edward Island. J. Mammal. 39: 291–292.
- Cameron, A. W. (3). A record of Sorex arcticus for New Brunswick. J. Mammal. 39: 292.
- Candaele, G. & Ghys, A. Quelques observations sur le coeur de L'okapi et sur sa circulation coronarienne. Bull. Soc. Zool. Anvers. No. 7:1-48 pls.
- Caniveno, R. Destinée des blastocytes et des corps jaunes issus du coît post partum chez le Blaireau européen Meles meles L. C.R. Acad. Sci. Paris 246: 1914–1917 2 figs.
- Canivenc, R. & Laffargue, M. Action de différents équilibres hormonaux sur la phase de vie libre de l'oeuf fécondé chez le Blaireau européen (Meles meles L.). C.R. Soc. Biol. Paris 152: 58-61 1 tab.

Caram, M. & Petter, J. J. Fossils of tomorrow. Indones. J. nat. Sci. 113 1957: 149-151.

Carpenter, C. R. Soziologie und Verhalten freilebender nichtmenschlicher Primaten. Handb. Zool., Berl. 8 (Lfg. 18) Toil 10(11) 1-32 8 figs.

Carreck, J. N. A late Pleistocene rodent and amphibian fauna from Leveton, near Newton Abbot, South Devon. Proc. Geol. Ass. Lond. 68: 304-308.

Carrick, R. (1). Radioiodine as an indicator of free-feeding activity of the rabbit, *Oryctolugus cuniculus* (L.) C.S.I.R.O. Wildl. Res. 1 1956: 106–113.

Carrick, R. (2). What is the best free-feeding system for furrow-poisoning the rabbit? C.S.I.R.O. Wildt. Res. 2 1957: 78-84.

Carrington, R. Elephants. A short account of their natural history, evolution and influence on mankind. London (Chatto & Windus) pp. 272 12 pls. text illust.

Carter, G. S. The monotremes and the evolution of mammalian organisation. Proc. zool. Soc., Calcutta, Mookerjee Memor. Vol., 1957: 195-206 5 figs.

Carter, T. C. The use of linked marker genes for detecting recessive autosomal lethals in the mouse. J. Genetics 55 1957: 585-597 4 tabs.

Castiglioni, O. C. Reperto pleistocenico di Ghiottone da Piàna di Fornero in Valstrona, Atti Soc. ital. Sci. nat. 97: 41-50 1 fig.

Cattanach, B. N. & Edwards, R. G. The effects of triethylenemelamine on the fertility of male mice. Proc. roy. Soc. Edinb. 69B 1 1958: 54-64-2 figs. 3 tabs.

Cattaneo, L. Osservazioni comparative sulla struttura della corteccia cerebellare di mammiferi neonati. R.C. Accad. Lincei (8) 23:484-486.

Cavalli, G. see Fautrez.

Cave, A. J. E. see Straus.

Chance, M. R. A. see Grant.

Chang, H. On the skull of Metailurus of Pontian age from Shansi. Vertebrata Palasiatica 2:47-50 1 pl. [English with Chinese summary.] Chang, J. J. see Tasaki.

Chapman, J. F. see McKeever.

Chapman, R. F. Some observations on the food of a bat. Ann. Mag. nat. Hist. (13) 1:188-192 1 fig.

Chard, J. S. R. The significance of antlers. Bull. Mammal Soc. Brit. Isles No. 10:9-14. [Private circulation.]

Charles, W. N. The effect of a vole plague in the Carron Valley, Stirlingshire. Scott. For. 10 1956: 201-204.

Chase, H. B. see Quevedo.

Chatfield, P. O. Physiologie der peripheren Nerven. Handb. Zool., Berl. 8 (Lfg 17) 7 (6): 1–32 31 figs.

Chaturvedi, M. D. The elephant and I. Nat. geogr. Mag. 112 1957: 489-507 figs.

Chauvier, G. see Nouvel.

Chevtchenko, I. G. & Astanine, L. P. Les distinctions dans la structure des zones corticules de certains analysateurs, constatées chez deux espèces de Gerbilles, en rapport avec les conditions de leur vie. An. Stu. Univ. "A.I. Cuza" [asi. Stu Nat. N.S. (2) 4 1:47-66 10 pls. 1 tab. [Russian, French résumé].

Chew, R. M. Reproduction by Dipodomys merriami in captivity. J. Mammal. 39:597-598.

Chiarelli, B. Tavole eromosomiche dei Primati. Caryologia 11:99-104.

Chirvan-Nia, P. see Delost.

Chittleborough, R. G. (1). The breeding cycle of the female humpback whale, Megaptera nodosa (Bonnaterre). Aust. J. mar. freshw. Res. 9:1-18 5 pls. 4 figs.

Chittleborough, R. G. (2). An analysis of recent catches of humpback whales from the stocks in groups IV and V. Norsk Hvalfangsttid. 47:109-137 8 figs. 15 tabs.

Chitty, H. & Austin, C. R. Environmental modification of cestrus in the vole. Nature, Lond. 179 1957: 592-593.

Choinowski, H. Vergleichende Messungen an Gehirnen von Wild-und Hauskaninchen. Zool, Anz. 161: 259–271-5 fürs.

Chopard, L. L'orientation des chauves-souris par les ultrasons. Nature, Paris 3284 : 496. Chow, M. M. (1). On a mandible of *Palacoloxodon* from Peking, with discussion on fossil elephants of *namadicus* group of China. Acta palaeont. Sinica 5 1957: 283–294 3 pls. [Chinese with English summary.]

Chow, M. (2). A new Coryphodon from Sintai, Shantung. Vertebrata Palasiatica, 1 1957: 301-304 1 pl. figs.

Chow, M. (8). Eventelodon—a new primitive entelodont from the Eocene of Lunan, Yunnan. Vertebrata Palasiatica 2:30-37 1 pl. fig. [English with Chinese summary.]

Chow, M. & Hsieh, H. Some Pleistocene mammalian fossils from Chienping and Kongping, Liaoning. Acta Palaeont. Sinica 6:51-58 1 pl. [Chinese with English summary.]

Chow, M. M. & Hsu, Y. A new species of fossil *Bubalus* from Monghsien, Honan. Acta palaeont. Sinica 5 1957: 457-466. 2 pls. figs. [Chinese with English summary.]

Chow, M. see Woo.

Chowdhury, A. K. see Alexander.

Clapham, C. S. Mammal Report, 1956. Rep. Bryanston Sch. nat. Hist. Soc. 1956 [1957]; 3-4.

Clark, E. S. (1). Cuvier's beaked whale (Ziphius cavirostris) strands on Cape Cod beach, U.S.A. Norsk Hvalfangsttid. 47: 291–293 1 fig.

Clark, E. S. (2). Whale loses battle with fishing dragger. Norsk Hvalfangsttid. 47: 297-303 4 figs.

Clark, W. K. The land mammals of the Kodiak Islands. J. Mammal, **39**: 574-577 1 fig.

Clarke, R. La baleinière des Acoros. Neptunia No. 46 1967 : 1-7 10 figs. [Coll. Repr. nat. Inst. Oceanogr. 5 198, 1957.]

Cleave, J. H. Manoless zebra. Uganda Wild Life 1 (3): 57-58.

Coates, C. W. & Atz, J. W. Olaf: 1,000 pounds of walrus charm. Anim. Kingd. 61:66-72.

[Cobb, E. H.], The markhor, Oryx 4: 381-382 1 fig. pl.

Cockrill, R. The great whales of the Antarctic. Nat. Hist. N.Y. 67:538-557 illustr. Colbert, E. H. Origin of the dog. Nat. Hist., N.Y. 67:65-69 illustr.

Colovos, N. F. see Toori.

Mammalia

Comfort, A. Cont-colour and longevity in thoroughbred marcs. Nature, Lond. 182: 1531-1532-1 tab.

Conaway, C. H. (1). The uterus masculinus of Castor canadensis, J. Mammal, 39: 97-108 l pl. 1 fig. 2 tabs.

Conaway, C. H. (2). Maintenance, reproduction and growth of the least shrew in captivity. J. Manmal. 39: 507-512 1 fig. 1 tab.

Conaway, C. & Landry, S. O. Rudimentary mandibular teeth of Scalopus aquaticus. J. Mammal. 39: 58-64 1 pl. 1 tab.

Conaway, C. H. sec Buchholz.

Constant, P. Chauve-souris de Côte-d'Or. Bull. sei. Bourgogne 17 1957: 11-12 (second pagination).

Constantine, D. G. (1). Ecological observations on Lasiurine bats in Georgia. J. Mammal. 39:64-70-1 fig.

Constantine, D. G. (2). Tadarida femorosacca and Tadarida molossa at Carlsbad Caverns, Now Mexico. J. Manunal, 39: 293.

Constantine, D. G. (8). Chilosycteris psilotis in San Luis Potosf, Mexico. J. Mammal. 39: 203.

Constantine, D. G. (4). Color variation and molt in *Mormoops megalophylla*. J. Mammal. 39: 344-347-1 fig. 1 tab.

Constantine, D. G. (5). Remarks on external features of *Tadavida femoro-sacca*. J. Mammal, 39: 437-1 pl.

Constantine, D. G. (6). Bleaching of hair pigment in bats by the atmosphere in caves. J. Mammal. **89**:513-520-2 tabs.

Cook, D. B. & Hamilton, W. J. The forest, the fisher and the porcupine. J. Forestry 55 1957: 719-722 1 fig.

Cooper, W. A. & Brown, S. O. Tissue abnormalities in newborn rats from biotin-deficient mothers. Texas J. Sci. 10: 60-68-10 figs. 1 tab.

Cope, J. B., Mumford, R. E. & Wilson, N. Some observations on a summer colony of *Myotis lucifugus*. Proc. Indiana Acad. Sci. 67:316-321 1 tab.

Cope, J. B. see Mumford.

Coppens, Y. Le Mammouth de l'Atrikanova (Sibérie). Bull. Mus. Hist. nat. Paris (2) 30 : 402-406 1 pl.

Corder, E. L. see Klimstra.

Conturier, M. A. J. Parallèle anatomique, physiologique et écologique entre le pied du bouquetin des Alpes (Capra aegugrus ibex ibex) et celui du chamois (Rupicapra rupicapra) en rapport avec l'adaptation à la montagne de ces deux espèces. Mammalia, Paris 22: 76-88-2 pls.

Cowdy, S. Deer in the Chilterns. Mid-Thames Nat. No. 10:12-13 illust.

Cowie, M. On the present status of ungulate mammals in Kenya, Mammalia, Paris 22: 427-434.

Cowie, A. T. see Bonson.

Craft, T. J., Edmondson, M. I. & Agee, R. A comparative study of the mechanics of flying and swimming in some common brown bats. Ohio J. Sci. 58: 245-249 l pl. 2 tabs.

Cragg, B. G. Autonomic functions of the hippoempus. Nature, Lond. 182: 675-676-2 figs.

Cranbrook, Lord. Observing a mole. Trans. Suffolk Nats. Soc. 11:85-86.

Cranbrook, Lord & Crowcott, P. The white-toothed shrews of the Channel Islands, Ann. Mag. nat. Hist. (13) 1:359-364 6 figs. 5 tables.

Cranbrook, Lord & others (1). Notes and observations. Trans. Suffolk Nats. Soc. 11:87-89.

Cranbrook, Lord & others (2). Notes and observations, Mammals. Trans. Suffolk Nats. Soc. 10: 334-335.

Crandall, L. S. Notizen über das Verhalten des Schnabeltieres (Ornithorhynchus anutinus) in Gefangenschaft. Handb. Zool., Berl. 8 (Lig. 18) Teil 10 (8); 1-8 8 figs.

Creed, W. A. & Sharp, W. M. Melanistic gray squirrels in Cameron County, Pennsylvania, J. Mammal. 89: 532-537 1 pl.

Crespo, J. A. Nuevas especies y localidades de Quiropteres para Argentina (Mammalia Chiropt.). Neotropica 4:27-32.

Crespo, J. A. see Sanborn.

Crouzel, F. & Debeaux, M. Découverte de Tetralophodon longirostris près de Montréjean (Haute-Garonne). Bull. Soc. Hist. nat. Toulouse 92 1957: 202-204.

Crouzel, F. see Borgounioux.

Croweroft, P. & Rowe, F. P. The growth of confined colonies of the wild house mouse (Mus musculus L.); the effect of dispersal on female fecundity. Proc. zool. Soc. Lond. 131:357-365, 3 figs. 3 tabs.

Crowcroft, P. see Cranbrook.

Cruise, A. J. Morphological variants in mammalian tissue fibres. J. roy, mier. Soc. (3) 77 1-2:1-11 4 pls. 1 fig.

Grusafont-Pairo M. (1). Données biogéographiques relovées par la paléo mammalogie du Miocène Espagnol: 101-108. Colloques Internat. C.N.R.S. 60 Problémes actuels de Paléontologie, Paris, 1956; 1-163.

Crusafont-Pairo, M. (2). Nouvelles vues sur la classification paléontologique des *Pecora*. Mammalia, Paris, 22:45-52.

Crusafont-Pairo, M. (3). Los mamiferos del Luteciense superior de Capella (Huesea) (Nota preliminar). Notas Inst. gool. Esp. 50: 257-280, 3 pls. figs.

Crusafont-Pairo, M. & Truyols Santonja, J. (1). Le premier gisements de Mammifères miocène du bassin de Valencia (Espagne). C.R. Soe, géol. Fr. 1957: 275–277.

Crusatont-Pairo, M., & Truyols-Santonja, J. (2). A quantitative study of stasigenesis in fissipede earnivores. Nature, Lond. 181: 289–290 2 figs.

Csordas, S. E. Breeding of the furseal, Arctocephalus forsteri Lesson, at Macquarie Island. Aust. J. Sci. 21: 87-88.

Cullen. P. Maneless zebra. Uganda Wild Life 1 (4): 66.

Curry-Lindahl, K. (1). Djurgeografi, populationsdynamik och nutida faunaförändringar, Ymer (1): 5–57.

Curry-Lindahl, K. (2). Brown bears (Ursus arctos) and foxes (Vulpes vulpes) living together in the same enclosure. Zool. Gart., Lpz. 24 (1-2): 1-8 5 figs.

Curry-Lindahl, K. (3). [The vertebrate fauna of the Sarek mountains and the Padjelanta plain in Swedish Lapland]. Fauna och Flora 53:97-149 2 figs. [English summary.] [Mammals p. 97.]

Cuthbertson, D. P. Digestion in the ruminant. Advanc. Sci., Lond. 15: 140-154.

Cutter, W. L. (1). Denning of the swift fox in Northern Texas. J. Mammal. 39: 70-74 1 fig.

Cutter, W. L. (2). Food habits of the swift fox in Northern Texas. J. Mammal. 39: 527-532 1 tab.

Czajkowski, W. The effect of hypothermia on the duration of pregnancy in the golden hamster. Folia biol. Kraków, 6: 195–202 3 tabs.

Czyźewska, T. (1). O niedźwiedziv jaskiniowym z terénow Polski. Spraw. wrod. Tow. Nauk. 9, 1954 [1957]: 105.

Czyźewska, T. (2). Two teeth of Dicerorhinus from the bone breccia at Weźe near Dzaloszyn (Poland). Acta palaeont. polon. 3 1:49-58 1 pl. 1 fig. [In Polish with English and Russian summaries.]

Dahl, S. K., Gussev, V. M. & Bedny, S. N. On the bionomics and reproduction of Saiga tatarica L. Zool. Zh. 37:447-456 6 figs. [Russian with English summary.]

Danforth, C. H. The occurrence and genetic behaviour of duplicate lower incisors in the mouse. Genetics 43: 139-148 2 figs.

Danilov, D. N. The principal food plants of the game. Zool. Zh. 37: 1205-1213. [In Russian with English summary.]

[Danilova, V. V. & Alexeev, M. N.) [A method for determining the relative geological age of fossil bones from their fluorine content]. C.R. Acad. Sci. URSS 119: 1020-1023 fig. [In Russian.]

Darlington, C. D. (1). The control of evolution in man. Proc. roy. Instn. G.B. 37:77-92, 2 tabs.

Darlington, C. D. (2). Control of evolution in man. Nature, London 182:14-17.

Darlington, P. J. Zoogeography: the geographical distribution of animals. New York, (John Wiley & Sons) 1957, pp. xi [2], 675 78 figs.

Darnell, R. M. see LoBue.

Dasmann, R. F., see Taber, R. D.

Dasmann, W. P. & Hjersman, H. A. Deer survival and range forage trends on Eastern California winter ranges. Calif. Fish Game, 44:51-72 1 fig. 5 tabs. Appendix 9 tabs.

Davidovic, M. & Žioković, S. Contribution à l'étude des différences physiologiques entre l'hipothermie expérimentale et à sommeil hibernal. Bull. Acad. serbe Sci. math. nat. N.S. 18 Sci. nat. 5 1957: 25-26.

Davies, J. L. (1). The problem of the Scilly shrew. Ann. Mag. nat. Hist. (13) 1: 97-101.

Davies, J. L. (2). The Pinnipedia: an essay in zoogeography. Geogr. Rev. 48: 474-493 10 figs.

Davies, J. L. & Guiler, E. R. A newborn piked whale in Tasmania. J. Mammal. 39: 593-594.

Davis, D. D. (1). Tarsal ligaments of the spectacled bear *Tremarctos ornatus*. Fieldiana, Zool. 39 91-105 7 figs.

Davis, D. D. (2). Mammals of the Kelabit plateau, northern Sarawak. Fieldiana, Zool. 39:119-147 1 map.

Davis, D. E. The role of density in aggressive behaviour of house mice. Anim. Behav. 6:207-210 1 tab.

Davis, D. H. S. Notes on some small mammals in the Kalahari Gemsbok National Park, with special reference to those preyed upon by barn owls. Koedoe 1: 184–188.

Davis, D. H. S. & Oettlé, A. G. The multimammate mouse Rattus (Mastomys) natalensis Smith: a laboratory-adapted African wild rodent. Proc. zool. Soc. Lond. 131: 293-299 1 tab. 1 pl.

Davis, R. see Bishop.

Davis, R. A. & Lloyd-Evans, L. Occurrence of the ship rat (Rattus rattus L.) in Hertfordshire. Trans. Herts. nat. Soc. 25 1: 4-6.

Davis, S. P. see Warwick.

Davis, W. B. Review of Mexican bats of the *Artibeus* "cinereus" complex. Proc. biol. Soc. Wash. 71:163– 166 l fig. Davis, W. B. & Lukens, P. W. Mammals of the Mexican state of Guerrero, exclusive of Chiroptera and Rodentia. J. Mammal. 39:347-367 10 tabs.

Davis, W. H. see Hall.

Davison, J. Organ metabolism in mature mammals as the product of allometric mass and rate. Amer. Nat. 92:105-110 2 figs. 3 tabs.

Dawson, F. L. M. Observations on the corpora albicantia in the ovaries of normal and infertile dairy cows. J. agric. Sci. 50: 322-330 1 fig. 1 pl. 4 tabs.

Dawson, M. R. Later Tertiary Leporidae of North America. Paleont. Contr. Univ. Kans. Vertebrata 6:1-752 pls 39 figs.

Dearden, J. C. A stranding of killer whales in Newfoundland. Canad. Fld. Nat. 72: 166-167.

Dearden, L. C. The baculum in Lagurus and related microtines. J. Mammal. 39:541-553 7 tabs. 1 fig.

Debeaux, M. see Crouzel.

Deboutteville, C. D. see Saint-Girons.

Dechaseaux, C. L'encéphale des mammifères volants : 51–58. Colloques Internat. C.N.R.S. 60 Problèmes actuels de Paléontologie pp. 1–163 Paris 1956.

Degerbol, M. The extinct reindeer of East Greenland, Rangifer arcticus eogroenlandicus, subsp. nov. compared with reindeer from other Arctic regions. Acta Arctica, Copenhagen, 10 1957: 1-66 11 pls. [N.V.].

Deinse, A. B. van & Verhey, C. J. Nieuwe vondsten van de bruine beer, Ursus arctos L., in Nederland. Geol. en Mijnb. 20:121-122 1 fig.

Dekeyser, P. L. (1). Une mangouste nouvelle pour le Sénégal. Notes afr. No. 80: 120-121 1 fig.

Dekeyser, P. L. (2). Concerning the Bubale de Luzarche. Conf. int. Afr. Ocid. Sess. 6 4:115-117.

Dekeyser, P. L. (3). L'avenir des ongulés en A.O.F. Mammalia, Paris 22: 382–386.

Dekeyser, P. L. & Derivot, J. L'hybridisation chez les mammifères sauvages d'Afrique Noire. Notes afr. No. 78: 52-62 8 figs. Delany, M. J. The mammal fauna of the Clyde area. Glasg. Nat. 18:15-27.

de la Torre, L. The status of the bat Myotis velifer cobanensis Goodwin. Proc. biol. Soc. Wash. 71:167-170 7 figs.

Delattre, A. & Fenart, R. Constant angulaires cranio-faciales. C.R. Acad. Sci. Paris 246: 482–484, 2 figs.

Deleuil, —. Sur Paraechinus ethiopicus Hemp. et. Ehr. de Djerba = Paraechinus deserti blancalis Thomas. Proc.-Verb. Soc. Sci. nat. Tunis, 1956, 7-9, 1956: XLIX-L.

Delost, P. & Chirvan-Mia, P. Mensurations et données pondérales dans diverses races de souris. Bull. Soc. zool. Fr. 83: 120–128 1 fig.

Dementiev, G.-P. (1). Quelques notes sur l'Aurochs. Mammalia, Paris 22: 161-167.

Dementiev, G. P. (2). La faune desertique du Turkestan. Terre et la Vie 105: 3-44. [Mammals, p. 20].

Denenberg, U. H. & others. Genetic, physiological and behavioral background of reproduction in the rabbit. IV. An analysis of maternal behaviour at successive parturitions. Behaviour 13:131-142.

Denissov, V. F. On the problem of the selection of pairs when crossing animals belonging to different species. J. gen. Biol. Moscow, 19: 163-1735 tabs. [Russian with English summary.]

Denton, D. A. (1). A gregarious factor in the natural conditioned salivary reflexes of sheep. Nature, Lond. 179 1957: 341-344 5 figs. 1 tab.

Denton, D. (2). Recording of physiological functions of a suitable experimental animal during protracted space flight. Aust. J. Sci. **20**: 202-207 **4** figs.

Deol, M. S. (1). Major and minor variations in the skeleton of the mouse. Proc. zool. Soc., Calcutta, Mookerjee memor. Vol., 1957: 73-80.

Deol, M. S. (2). Genetical studies on the skeleton of the mouse. XXIV. Further data on skeletal variation in wild populations. J. Embryol. exp. Morph. 6 569-574.

Deol, M. S. & Kocher, W. A new gene for deafness in the mouse. Heredity 12: 463-466 3 tabs.

DePuy, P. L. The coyote and his menu. Nature Mag., N.Y. **50** 1957: 132-135 5 figs.

Deraniyagala, P. E. P. (1). New sub-genera of Stegodont elephants. Proc. 10th Sess. Ceylon Ass. Adv. Sci. 1954: 25–26.

Deraniyagala, P. E. P. (2). Podihik gen. nov. A new shrew. Admin. Rep. Director Nation. Mus. Ceylon, 1957 (1958) Pt. 4 Ed., Sci., Art (E): 5.

Derivot, J. see Dekeyser.

Devambez, L. see Barrau.

De Vos, A. Summer observations on moose behaviour in Ontario. J. Mammal. 39:128-139 2 pls. 2 figs. 2 tabs.

Dickie, F. The baffling case of the coy caribou. Frontiers 22:67-70.

Dietrich, W. O. (1). Ueber den Aufbar der Lamellen von Mammut-Molaren. Z. Säugetierk. 23:81-831 pl.

Dietrich, W. 0. (2). Übergangsformen des Südelefanten (*Elephus meri*dionalis Nesti) im Altpleistozän Thüringens. Geologie 7:797–807 figs. 6–10.

Dikshit. P. K. Beneficial effect of prolongations of the weaning period on the weights of rats. Curr. Sci. 27: 250-251 1 fig. 1 tab.

Dikshit, P. K. & Sriramachari, S. Caudal necrosis in suckling rats. Nature, Lond. 181:63-64 2 figs.

Dinale, G. Primo reperto di *Pipi-strellus nathusii* Keyserling e Blasius in Piemonte. Natura, Milano 49:158.

Dingler, E. C. Wachstum der Lunge nach der Geburt. Untersuchungen an Felis domestica. Acta Anat. (Suppl.) No. 30: 1-86 41 figs.

Dinu, M. see Ghetie.

Dittrich, D. see Ellenberger.

Dittrich, L. Haltung und Aufzucht von Nyctalus noctula Schreb. Z. Säugetierk. 23:99-107 1 fig. 2 tabs.

Djulič, B. (1). Report and some results obtained by the first-bat-banding in P.R. Croatia. Ornitološkog Časopisa, Larus 9-10 1957: 208-215 2 tabs. map. [Yugoslav, English summary.]

Djulič, B. (2). Über die Ökologie der Alpenfledermaus Pipistrellus savii (Bonaparte, 1837), auf der Insel Mijet (Meleda) in Süddalmatien. Säugetierk. Mitt. 6: 10-11 2 tabs. Djulič, B. (3). Ein Beitrag zur Kenntnis der Verbreitung des Kleinmausohrs, Myotis oxygnathus (Monticelli, 1885), in Jugoslawien. Säugetierk. Mitt. 6:154-155 map.

Dodds, D. G. Observations of prerutting behaviour in Newfoundland moose. J. Mammal. 39:412-4161 tab.

Dondua, A. K. & Zavarzin, A. A. Reactive changes of embryonic membranes of white rats. Vestn. Leningr. Univ. 9:83-94 7 figs. [Russian with English summary.]

Donisthorpe, J. H. A pilot study of the mountain gorilla (Gorilla gorilla beringei) in South West Uganda, February to September, 1957. S. Afr. J. Soi. 54:195-217 10 figs. 2 maps.

Dornesco, G. T. & Marcoci, G. V. Etude comparative du crâne des Pinnipèdes. Ann. Sci. nat. (Zool.) Ser. 11 20: 157-182 9 figs.

Dorr, J. A. (1). Early Cenozoic vertebrate paleontology, sedimentation, and orogeny in Central Western Wyoming. Bull. geol. Soc. Amer. 69: 1217-1244 2 pls. 4 figs.

Dorr, J. A. (2). Prouintatherium, new Uintathere genus, earliest Eocene, Hoback Formation, Wyoming and the phylogeny of Dinocerata. J. Paleont. 32:506-516 3 pls. fig.

Dorst, J. (1). Le cobe lechwe en Rhodesie du Nord. Terre et la Vie 105: 103-111 1 pl. 1 fig.

Dorst, J. (2). Enquête sur le statut actuel des ongulés dans l'Afrique au sud du Sahara: Introduction. Mammalia, Paris, 22:357-370.

Dorst, J. (3). Contribution à l'étude écologique des rongeurs des hauts plateaux du Pérou méridional. Mammalia, Paris 22: 547-565 2 figs.

Dorst, J. & Panouse, J. B. (1). Note sur la distribution d'*Eptesicus* isabellinus au Maroc. C.R. Soc. Sci. nat. Maroc 23 1957: 68-69.

Dorst, J. & Panouse, J. B. (2). A propos des Sérotines du Maroc. C.R. Soc. Sci. nat. Maroc 23 1957 : 83.

Dougherty, H. L. see Wright.

Doutre, M. see Cadenat.

Downs, T. see Reed.

Drake, C. H. see Bacon.

Drake, J. J. The brush mouse Peromyscus boylii in southern Durango. Pub. Mus. Mich. State Univ. Biol. 1:97-132 8 figs. 3 pls.

Dreyfus, J. C. see Rosa.

Dubrovo, I. (1). Der erste Nachweis des fossilen Jak im nördlichen Ostsibirien (Jakutsk). Vertebrata Palasiatica 1 1957: 293–300 1 fig. [Russian with Germany summary.]

[Dubrovo, I. A.] (2). [Ob Ostatkakh Parelephas wiisti (M. Paul) i Rhinoceros mercki Jäger iz yakutii]. Byull. Kom. Izuch. Chetvert. Perioda 21 1957: 97–104, figs. [Russian only.]

Duckworth, J. E. & Shirlaw, D. W. The value of animal behaviour records in pasture evaluation studies. Anim. Behav. 6:139-146.

Duckworth, R. B. see Hawthorn.

Dudich, E. Die Grundlagen der Fauna eines Karpaten-Flusses. Acta zool., Budapest 3:179–200 map. [Mammals p. 195.]

Dumitrescu, M. Liliecü, animale care trebuie ocrotite. Ocrotirea Nat., Bucureşti 1 1955: 121-126 4 figs.

Dumont, L. Phénomènes de sécrétion nucléaire observés dans la thyroide de mammifères. C.R. Acad. Sci. Paris 246: 2667-2669 fig.

Dun, R. B. Growth of the mouse coat. VI. Distribution and number of vibrissae in the house mouse. Aust. J. biol. Sci. 2:95-105 6 figs.

Dun, R. B. & Fraser, A. S. Selection for an invariant character—'Vibrissa Number'—in the house mouse. Nature, Lond. 181:1018-1019 1 fig.

Dunayeva, J. N. & Olsufjev, N. G. On the problem of the possibility of latent or chronic course of tularemia in Arvicola terrestris and other animal species highly susceptible of this infection. Zool. Zh. 37:430-440. [In Russian with English summary.]

Dunbar, M. J. The Calanus expeditions in the Canadian Arctic, 1947 to 1955. Arctic 9 1956: 178-190.

Dunn, L. C. Evidence of evolutionary forces leading to the spread of lethal genes in wild populations of house mice. Proc. nat. Acad. Sci. Wash. 43, 1957: 158-163 2 tabs.

Dunn, L. C., Beasley, A. B. & Tinker, H. Relative fitness of wild house mice heterozygous for a lethal allele. Amer. Nat. 92: 215-220 1 tab.

Dunnet, G. M. (1). A live-trapping study of the brush-tailed possum *Trichosurus vulpecula* Kerr (Marsupialia). C.S.I.R.O. Wildl. Res. 1 1956: 1–18 2 pls. 6 figs.

Dunnet, G. M. (2). Growth rate of young rabbits, *Oryctolagus cuniculus* (L.). C.S.I.R.O. Wildl. Res. 1 1956: 66-67.

Dunnet, G. M. (3). A population study of the quokka, Setonix brachyurus Quoy and Gaimard (Marsupialia). 1. Techniques for trapping and marking. C.S.I.R.O. Wildl. Res. 1 1956: 73-78 2 pls. 1 fig.

Dunnet, G. M. (4). Preliminary note on a rat plague in north-west Queensland. C.S.I.R.O. Wildl. Res. 1 1956: 131-132.

Dunnet, G. M. (5). Notes on avian predation on young rabbits, *Oryctolagus cuniculus* (L.). C.S.I.R.O. Wildl. Res. 2 1957:66-68.

Dunnet, G. M. (6). Notes on emergence behaviour of the rabbit, Oryctolagus cuniculus (L.), and its bearing on the validity of sight counts for population estimates. C.S.I.R.O. Wildl. Res. 2 1957:85–88 3 figs.

Dunnet, G. M. (7). A test of the recapture method of estimating the number of rabbits, Orystolagus cuniculus (L.), in a warren. C.S.I.R.O. Wildl. Res. 2 1957: 90-100.

Dunnet, G. M. see Ealey.

Durand, M. & Kchouk, M. Le "Krafft", une osteopathie dystrophique du dromadaire. Arch. Inst. Pasteur Tunis 35:107-152 19 figs.

Durand, M. see Kchouk.

Durup, H. & Saint-Girons, M.-C. Quelques aspects du rythme nycthéméral d'activité du campagnol roux Clethrionomys glareolus (Schreber) 1780. Mammalia 22: 505-526 10 figs. 1 tab. [English summary.]

Duthie, D. W. see Glover.

Dutton, P. C. Reports of Sections. A. Zoology. Mammals. Trans. N. Staffs. Fld. Cl. 91:51-53. Dyce, K. M. The splanchnic nerves and major abdominal ganglia of the horse. J. Anat. Lond. 92:62-73 1 pl. 4 figs.

Eadie, W. R. & Hamilton, W. J., Reproduction in the fisher in New York. N.Y. Fish Game J. 1958: 77-83 3 figs.

Ealey, E. H. M. & Dunnet, G. M. Plastic collars with patterns of reflective tape for marking nocturnal mammals. C.S.I.R.O. Wildl. Res. 1 1956: 59-62 1 pl. 1 fig.

(Eberzin, A. G. & Sairnov, V. S.). [Volcanic ashes from meotic deposits of the Moldavian SSR]. C.R. Acad. Sci. URSS 120: 183-185. [In Russian.]

Ebhardt, H. Verhaltensweisen verschiedener Pferdeformen. Säugetierk. Mitt. 6:1-9.

Eble, H. Sarcocystis muris bei einer Microtus. Säugetierk. Mitt. 6: 100–103 3 figs. [English summary.]

Eckardt, H. R. Aus der Geschichte der Chinchillas. Natur. u. Volk 88: 193–199 4 figs.

Eckstein, P. Internal reproductive organs (in Hofer & others. Primatologia. Handbook of Primatology. 3, (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 542-629 31 figs.)

Edmondson, M. I. see Craft.

Edwards, R. G. (1). Colchicine inducted heteroploidy in the mouse. 1. The induction of triploidy by treatment of the gametes. J. exp. Zool. 137:317-347 2 figs. 2 pls. 2 tabs.

Edwards, R. G. (2). Colchicineinduced heteroploidy in the mouse. II. The induction of tetraploidy and other types of heteroploidy. J. exp. Zool. 137: 349-362, pl. 2 tabs.

Edwards, R. G. (3). The experimental induction of gynogenesis in the mouse. III. Treatment of sperm with trypa-flavine, toluidine blue, or nitrogen mustard. Proc. roy. Soc. 149B, 934: 117-129 2 pls. 6 tabs.

Edwards, R. G. & Sirlin, J. L. Radioactive tracers and fertilization in mammals. Endeavour 17 65:42-47 3 figs.

Edwards, R. G. see Cattanach.

Edwards, R. G. see Sirlin.

Edwards, R. Y. Land form and caribou distribution in British Columbia. J. Mammal. 39: 408-412 1 fig.

Edwards, R. Y. see Ritcey.

Egoscue, H. J. Albinism in the western harvest mouse. J. Mammal. 39:306.

Egoscue, H. J. see Shippee.

Ehler, E. Stellung der Pfanneneingangsebebe und Lage der Hüftgelenkpfanne bei Säugern. Anat. Anz. 105: 335-348.

Eibl-Eibesfeldt, I. Das Verhalten der Nagetiere. Handb. Zool., Berl. 8 lfg. 12 10 (13): 1-88 119 figs.

Eidman, H. Om dovhjorten och dess utbredning. Zool. Revy 1957 (4): 80-84 2 figs.

Eisely, L. Neanderthal man and the dawn of human paleontology. Quart. Rev. Biol. 32 1957: 323-329.

Eisentraut, M. Beitrag zur Chiropterenfauna Ostafrikas. Veröff. Uberseemus. Bremen 3(A): 17–24 1 fig.

Ellenberger, W., Baum, H., & Dittrich, D. An atlas of animal anatomy for artists. Second revised and expanded edition, edited by Lewis S. Brown. New York (Rover Publications Inc.) 1956, pp. vi, 153, text illust.

Elias, M. I. see Topciu.

Elliot, G. H. Politics and the Antarctic whale. Sea Frontiers 4:171-181 illustr.

Eloff, G. The functional and structural degeneration of the eye of the South African rodent moles, Cryptomys bigalkei and Bathyergus maritimus. S. Afr. J. Sci. 54: 293-302 9 figs.

Enders, A. C., Buchanan, G. D. & Talmage, R. V. Histological and histochemical observations on the armadillo uterus during the delayed and postimplantation periods. Anat. Rec. 130:639-657 3 pls.

Engel, R. J. A description of polydactylism in mice. J. Hered. 47 1956: 181–187 6 figs.

Engelbert, V. G. Nuclear activity of blood cells. Canad. J. Zool., 36:131-138 3 pls.

English, P. F. A method of attaching skin and skull specimens. J. Mammal. 39:4561 pl.

Enlow, D. E. & Brown, S. O. A comparative histological study of fossil and recent bone tissues. Part III. Texas J. Sci. 10:187-230 12 pls.

Ennouchi, E. Les Ursidés marocains, Bull. Soc. Sci. nat. Maroc 37: 201-223 8 pls. 6 figs.

Epple, A. Die Fledermäuse in Rheim-Main-Gebiet. Jb. nassau. Ver. Naturk. 93 1957: 96-108 4 pls. map.

Epstein, H. see Faulkner.

Erickson, A. W. see Youatt.

Ernst, Dr. Weite Landwanderung zweier Bisamratten (*Ondatra zibethica*). Säugetierk, Mitt. 6:78.

Evans, H. M. see Wright.

Evans, J. V., Harris, H. & Warren, F. L. (1). The distribution of haemoglobin and blood potassium types in British breeds of sheep. Proc. roy. Soc. 149B 935: 249-262 5 figs. 6 tabs.

Evans, J. V., Harris, H. & Warren, F. L. (2). Haemoglobin and potassium blood types in some non-British breeds of sheep and in certain rare British breeds. Nature, Lond. 182:320-321 l tab.

Ewer, R. F. (1). The fossil Suidae of Makapansgat. Proc. zool. Soc. Lond. 130: 329-372 12 figs. tabs. 6 pls.

Ewer, R. F. (2). Adaptive features in the skulls of African Suidae. Proc. zool. Soc. Lond. 131:135-155 9 figs. 1 tab. 3 pls.

Ewer, R. F. (3). A collection of *Phacochoerus aethiopicus* teeth from the Kalkbank Middle Stone Age site, Central Transvaal. Palaeont. africana 5:5-20 4 figs.

Exner, R. & Routil, R. Die Kephalisation der Wirbeltiere. Ann. naturh. Mus. Wien 62: 25-56.

Fâbián, G., & Balázs, T. On the genetical uniformity of two Hungarian mouse strains. Acta biol. Acad. Sci. hung. 91:1-7 3 tabs.

Faulkner, D. E. & Epstein, H. The indigenous cattle of the British Dependent Territories in Africa, with material on certain other African countries. London (H.M.S.O.) 1957 pp. xviii 186:119 pls.

Fautrez, J., Pisi, E. & Cavalli, G. Teneur en acide désoxyribonucléique et volume du noyau dans le pancréas exocrine du rat. Ann. Soc. zool. Belg. 88 1957-58: 315-320 1 fig. 3 tabs.

Fechheimer, N. S. see Washburn.

(Fedyushin, A. V.]. (Conference on the problems of mapping the habitats of mammals]. Zool. Zh. 36 1957: 1912-1914. [In Russian.]

Feen, P. J. van der. Les chevaux fossiles et subfossiles des Pays-Bas. Mammalia, Paris 22:69-72.

Feen, P. J. van der see Oey.

Felten, H. (1). Nagetiere (Mammalia, Rodentia) aus El Salvador. Senckenberg. biol. 39:1-101 pl.

Felten, H. (2). Nagetiere (Mammalia, Rodentia) aus El Salvador. Teil 3. Senckenberg, biol. 39:133-144.

Felten, H. (3). Weitere Säugetiere aus El Salvador (Mammalia: Marsupialia, Insectivora, Primates, Edentata, Lagomorpha, Carnivora und Artiodactyla). Senekenberg. biol. 39:213– 228 1 fig.

Felten, H. (4). Gespenstfledermaus und Röhrennasen-Flughund. Natur. u. Volk 88: 361–369 10 figs.

Fenart, R. see Delattre.

Fennessy, B. V. The control of the European rabbit in New Zealand. Tech. Pap. Wildl. Surv. Sect. Aust. No. 1: 1-40.

Fenyuk, B. K. Problems of geography of natural plague homes. Zool. Zh. 37:961-971 map. [In Russian with English summary.]

Fernandez-Galiano, D. Sobre la extinción del encebro o asno salvaje en los Montes Universales. Publ. Inst. Biol. apl. Barcelona 27:165-170.

[Fetisov, A. S.]. (1). [New form of shrew (Sorex jenissejensis margarita subsp. n.) from Eastern Siberia]. Izv. Biol.-Geogr. Nauk-Issled. Inst. Pri. Irkutsk Gos. Univ. A. A. Zhdanova 10 4 1950: 9-10. [N.V.].

[Fetisov, A. S.] (2). [Systematics and distribution of the mole (Asioscalops altaica) in Zabaikal]. Izv. Biol.-Geogr. Nauk-Issled. Inst. Irkutsk 16 1-4 1956: 195-198. [N.V.].

Fetisov, A. S. (3). Data on the ecology of *Microtus oeconomus* Pall. in East Siberia. Bull. Soc. Nat. Moscou. biol. **63** (2): 55–60 3 figs. [Russian with English summary.]

Fiedler, W. Systemübersicht in Tabellenform (in Hofer & others Primatologia. Handbook of Primatology. 3 (1) Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 1-4).

Findley, J. S. & Pullen, B. E. The fulvous harvest mouse in New Mexico. J. Mammal. 39: 306-307.

Finerty, J. C. see Metz.

Finlayson, H. H. (1). On Central Australian mammals (with notice of related species from adjacent tracts). Part III. The Potoroinae. Rec. S. Aust. Mus. 13: 235-302 5 pls. 2 figs.

Finlayson, H. H. (2). A case of duplex convergent resemblance in Australian mammals, with a review of some aspects of the morphology of *Phascogale* (Antechinus) swainsoni Waterhouse and *Phascogale* (Antechinus) flavipes Waterhouse. Trans. roy. Soc. S. Aust. 81: 141-151 2 pls. 1 fig.

Finlayson, H. H. (3). "Recurrence" of Macroderma gigas Dobson. Nature, Lond. 181: 923.

Finley, R. B. The wood rats of Colorado: distribution and ecology. Univ. Kans. Publ. Mus. nat. Hist. 10:213-552 34 pls. 8 figs. 35 tabs.

Finsterbusch, C. A. see Tour.

Fischer, H. Die Embryogenese der Innenohrmissbildungen bei dem spontanmutierten Dreherstamm der Hausmaus. Z. mikr.-anat. Forsch. 64: 476–497 8 figs.

Fisher, L. R. Whales, krill and vitamin A. New Scient. N.S. 3:24-27 5 figs.

Fitch, H. S. Home ranges, territories, and seasonal movements of vertebrates of the natural history reservation. Univ. Kansas Publ. Mus. nat. Hist. 11: 63-226 6 pls. 24 figs. [Mammals pp. 129-170.]

Fitzsimons, V. An effective baboon trap. Fauna & Flora, Pretoria No. 6, 1955: 79-83 2 figs.

Fleay, D. (1). Paul, Pamela and Patty—Platypuses in the Zoo again. Anim. Kingd. 61: 98-108 12 figs.

Fleay, D. (2). Flight of the platypuses. Nat. geogr. Mag. 114:512-525 figs.

Fleetwood, J. D. L. The ratel. J. E. Afr. nat. Hist. Soc. 23:11-12.

Fleetwood, J. D. L. see Harrison.

[Fless, D. A.]. [Tests on improving scent in dogs]. Priroda No. 3:93-95 figs. [In Russian.]

Folk, G. E., Meltzer, M. R. & Grindeland, R. E. A mammalian activity rhythm independent of temperature. Nature, Lond. 181: 1598.

Folk, G. E. see Meltzer.

Folk, G. E. see Riedesel.

Fontaine, Y. A. Sur la spécificité zoologique de substances hypophysaires thyréotropes. Activité comparée d'hypophyses de Mammifères sur la Souris et sur la Truite a 20° C. C.R. Acad. Sci. Paris 247:1137-1140.

Fooks, H. A. The roe deer. Oryx 4:329-331.

Forsthoefel, P. F. The skeletal effects of the luxoid gene in the mouse, including its interactions with the luxate gene. J. Morph. 102: 247–287 29 figs.

Fortuyn, A. B. D. Non-genetic sib resemblance in regard to the life span in mice caused by a gradient. Genetica 29:208-221 6 tabs.

Fouch, W. R. Longevity records for the fox squirrel. J. Mammal. 39: 154-155.

Fowler, R. E. The growth and carcass composition of strains of mice selected for large and small body size. J. agric. Sci. 51:137-148 11 figs. 5 tabs.

Frade, F. (1). Reservas naturais de Angola.—I. (Alguns mammiferos da reserva da Quiçama). An. Jta. Invest. Ultramar, Lisbon. 11 Tom. 3 1956: 229— 245 4 pls. map. [English summary.]

Frade, F. (2). Mesures adoptées pour la protection de l'hippotrague géant en Angola. Mammalia, Paris 22:476– 477.

Frade, F. (3). Birds and mammals of São Tomé and Principe Islands—Remarks on systematics and protection of fauna. Conf. int. Afr. Occid. Sess. 6 4:137-149. [Mammals, p. 147.]

Franklin, B. C. Studies on the effects of progesterone on the physiology of reproduction in the mink, Mustela vison. Ohio J. Sci. 58:163-170 1 pl. 4 tabs.

Fraser, A. D. On the present status of ungulates in Southern Rhodesia. Mammalia, Paris 22:469-475.

Fraser, A. S. see Dun.

Fraser, F. C. Common or Harbour porpoises from French West Africa, Bull. Inst. franc. Afr. N. 20A: 276-285 1 fig.

Fraser Darling, F. Conservation and the Ungulates. Mammalia, Paris 22: 317-327.

Frasinel, N. see Topciu.

Frazão, J. V. Sobre a manutencão em labatório de ratos e de murganhos. Naturalia 6 1956 : 69-77.

Frechkop, S. (1). Faune de Belgique, Mammifères. Brussels (Inst. Roy. Sci. Nat. Belg.); 1-545-7 col. pls. 330 figs.

Frechkop, S. (2). Des critères de la systématique des Ongulés. Mammalia, Paris 22: 12-27 l fig.

Frechkop, S. (3). Notes sur les mammifères. XLV. Les côtes des Ongulés; leur intérêt systematique et physiologique. Bull. Inst. Sei. nat. Belg. 34 (21): 1-7.

Freedman, D. G. Constitutional and environmental interactions in rearing of four breeds of dogs. Science 127: 585-586 fig.

Frenzel, L. D. see Beer.

Freye, H.-A. see Zimmermann.

Friant, M. (1). La morphologie des dents temporaires du lièvre commun (*Lepus europaeus* Pallas) au stade cuspidé. Acta anat. 31 1957 : 572-576 2 figs.

Friant, M. (2). Sur l'évolution du cartilage de Meckel. Acta anat. 34 : 292-297 7 figs.

Friant, M. (3). Morphologie et développement du cervoau des mammifères euthériens et de l'homme. II. Série de Primates, Ann. Soc. zool. Belg. 87 1957: 91–150 35 figs.

Friant, M. (4). Morphologie et développement du cerveau des mammifères euthériens. III. Série des Ongulés. Ann. Soc. zool. Belg. 88 1957-58: 321-367-40 figs.

Friant, M. (5). Sur la dentition des Multituberculés, mammifères très anciens. Vjschr. naturf. Ges. Zurich 103: 327-331 4 figs. Friant, M. (6). Un stade de l'évolution cérébrale du Rorqual (Baluenoptera musculus L.). Hyalrad. Skr. Nr. 42: 1-15 9 figs. [English summary.]

Friant, M. (7). Le Cartilage de Meckel. Un stade de son évolution chez l'Homme. C.R. Acad. Sci. Paris 246: 1748-1748 1 fig.

Friant, M. (8). Le grand chat des cavernes. Nature, Paris No. 3280 : 330-331 3 figs.

Frick, H. see Starck.

Frith, R. Observation of short-tailed weasel capturing a chipmunk. Canad. Fld. Nat. 72: 144-145.

Fujimoto, T. see Ohta

Fujino, K. On the serological constitution of fin whale. III. Sci. Rep. Whales Res. Inst., Tokyo No. 13: 171–184 1 fig. 5 tabs.

Fujino, M. sec Ishihara.

Fujiwara, T. see Ijiri.

[Gabuniya, L. K.] (1). [The present state of knowledge of fossil horses]. In Kovalevskii, V. O. Collected scientific works, Moscow, 2 1956; 241–280 22 figs.

[Gabuniya, L. K.] (2). [Some data on a fossil horned pig from the Middle Miocene of the Caucasus]. C.R. Acad. Acad. Sci. URSS 118: 1187-1190 2 figs. [In Russian.]

[Gadzhiev, D. V.]. [Small antelope (Gazella sp.) in the composition of Eldan Hipperion fauna.] C.R. Acad. Sci. Azerb. SSR 18 1957:1177-1182 figs. [In Russian.]

Gaffrey, G. Erlernte Bewegungen im Traum eines Bären (*Ursus arctos*). Säugetierk, Mitt. 6:78.

Gaffrey, G. see Zimmermann.

Galbreath, E. C. (1). Remarks on Cynarctoides arcidens from the Miocene of Northeastern Colorado. Trans. Kansas Acad. Sci. 59 1956: 373–378 I fig. I tab.

Galbreath, E. C. (2). A saber-tooth cat from South-central Kansas. Trans. Kansas Acad. Sci. 61: 328-329.

Galton, M. M. see McKeever.

Gamble, H. J. Effect of a raised peripheral temperature upon the rate of regeneration in a mammalian peripheral nerve. Nature, Lond. 181: 287. Garn, S. M. & Koski, K. Tooth eruption sequence in fossil and recent man. Nature, Lond. 180: 442-443.

Gauthier-Pilters, H. Quelques observations sur l'écologie et éthologie du dromadaire dans le Sahara nord-occidental. Mammalia, Paris 22:140–150.

[Gavrishina, V. E.]. [Afferent innervation of the ileocaecal sphincter]. C.R. Acad. Sci. URSS 118: 826-828 3 figs. [In Russian.]

Gaynor, A. I. see Hillemann.

Gazin, C. L. (1). A new dichobunid artiodactyl from the Uinta Eocene. Breviora No. 96:1-6 1 fig.

Gazin, C. L. (2). A review of the Middle and Upper Eocene primates of North America. Smithson. misc. Coll. 136:1-112 14 pls.

Gedyminowa, T. see Moczarski.

Gee, E. P. (1). Bharatpur "Wild" cattle. J. Bombay nat. Hist. Soc. 55: 338-339 pl.

Gee, E. P. (2). Four rare Indian animals. Oryx 4:352-358 5 figs.

Geiger, G. Knochen-, Muskel- und Nervenbefunde bei einer rechtsseitigen Abrachie eines Hundewelpen unter Beachtung des entsprechenden Rückenmarkabschnittes. Gegenbaurs Jb., 99: 233-255 6 figs.

George, J. C. & Jyoti, D. Studies on the structure and physiology of the flight muscles of bats. 2. The relative reduction of fat and glycogen in the *Pectoralis Major* muscle during sustained activity. J. anim. Morph. Physiol. 5:57-60.

George, J. C. & Naik, R. M. Studies on the structure and physiology of the flight muscles of bats. 1. The occurrence of two types of fibres in the Pectoralis major muscle of the bat (Hipposideros specris), their relative distribution, nature of the fuel store and mitochondrial content. J. anim. Morph. Physiol. 4 1957: 96-101 1 pl.

George, R. S. Notes concerning five species of mammals in the West Country. Proc. zool. Soc. Lond. 131: 323-325.

Gerhardt, A. M. see Smith.

Gersdorf, E. (1). Fressen Feldhausen (Lepus europaeus) Feldmäuse (Microtus arvalis)? Säugetierk. Mitt. 6:103-105.

Gersdorf, E. (2). Zur Nahrungsaufsnahme der Zwergmaus, *Micromys minutus* (Pallas). Säugetierk. Mitt. 6:105-107.

Ghadially, F. N. Effect of trauma on growth of hair. Nature, Lond. 181:993 1 fig.

Ghetie, V. & Dinu, M. Recherches concernant le porc monodactyle de Roumanie. Rev. Biol. Bucuresti 2: 319-332 14 figs.

[Ghoretzkii, V. A.]. [O nakhodke pleistotzenovekh pozvonochnuckh u. s. Stradch L'vovskoī oblasti]. Byull. Kom. Izuch. Chetvert. Perioda 21 1957: 125–131 figs. [Russian only.]

Ghys, A. see Candaele.

Giebel, H.-D. Visuelles Lernvermögen bei Einhufern. Zool. Jb. (Allg. Zool.) 67: 487–520 15 figs.

Gijzen, A. (1). Notice sur la reproduction de l'okapi *Okapia johnstoni* (Sclater) au Jardin Zoologique d'Anvers. Bull. Soc. Zool. Anvers No. 8: 1-62 20 pls.

Gijzen, A. (2). Quelques observations concernant la naissance et la croissance de girafes (Giraffa camelopardalis antiquorum (Swainson)) au Jardin Zoologique d'Anvers. Mammalia, Paris 22:112-120 2 figs. 1 pl.

Gilbert, O. & Stebbings, R. Winter roosts of bats in west Suffolk. Proc. zool. Soc. Lond. 131: 329-333 3 tabs.

Gill, E. D. The stratigraphical occurrence and palaeocology of some Australian Tertiary marsupials. Mem. nat. Mus. Melb. No. 21 1957: 135–203 4 pls. 18 figs.

Gillet, S., Wernet, P. & Koulmann, J. Catalogue des exemplaires de Rhinocerotoidea du Musée de l'Institut de Geologie de Strasbourg. Bull. Carte géol. Als.-Lorr. 10 1957 : 61-73 1 pl.

Gilmore, L. O. see Washburn.

Girgis, F. G. & Pritchard, J. J. Effects of skull damage on the development of sutural patterns in the rat. J. Anat. Lond. 92: 39-51 3 pls. 2 figs.

Gladkov, I. I. see Bazhanov.

Glass, B. P. (1). Returns of Mexican freetail bats banded in Oklahoma. J. Mammal. 39: 435-437.

Glass, B. P. (2). The Seminole bat in Oklahoma. J. Mammal. 39:587.

- Glauert, L. (1). The honey mouse. Aust. Mus. Mag. 12:284-285 1 fig.
- Glauert, L. (2). Mammals and reptiles of King's Park. W. Aust. Nat. 6: 155-156.
- [Glebina, E. I.]. [Development of blubber in pig]. Trud. Inst. Morf. Zhiv. 22 1957: 225-234, 7 figs. [In Russian.]
- Gleeson, J. P. & Maguire, F. S. A toxicity study of rabbit fumigants. C.S.I.R.O. Wildl. Res. 2 1957:71-77 2 figs.
- Glover, J. & Duthie, D. W. The apparent digestibility of crude protein by non-ruminants and ruminants. J. Agric. Sci. 51:289-293 3 figs.
- Godfrey, J. (1). Social behaviour in four bank vole races. Anim. Behav. 6:117.
- Godfrey, J. (2). The origin of sexual isolation between bank voles. Proc. roy. phys. Soc. Edinb. 27:47-55 3 figs.
- Godfrey, J. (3). The origin of sexual isolation between bank voles (Cleth-rionomys). Bull. Mammal Soc. Brit. Isles No. 10:24-25. [Private circulation.]

Goetz, R. H. see Keen.

- Gohar, H. A. F. The Red Sea Dugong, Publ, mar. Biol. Sta. Ghardaqa No. 9 1957: 3–49 3 pls. 17 figs.
- Goller, H. Topographie und segmentaler Feinbau des Rückenmarkes des Schafes (Ovis aries). Anat. Anz. 105: 26–88 9 figs.
- Gooch, B. Report on Dorset natural history for 1957. Mammals. Proc. Dorset nat. Hist. arch. Soc. 79:44-46.

Goodpaster, W. see Smith.

- Goodwin, G. G. (1). Two new mammals from México. Amer. Mus. Novit. No. 1871: 1-3.
- Goodwin, G. G. (2). Three new bats from Trinidad. Amer. Mus. Novit. No. 1877: 1-6, 2 tabs.
- Goodwin, G. G. (3). Bats of the genus $Rhoge\ddot{e}ssa$. Amer. Mus. Novit. No. 1923: 1–17.
- Goodwins, I. R. A further case of dominance interaction in Mus musculus. Heredity 12:73-75 2 tabs.

- Gopalakrishna, A. Foetal membranes in some Indian Microchiroptera. J. Morph. 102: 157-197 33 figs.
- [Goretzki, G. I.]. [On the lower border of the Quaternary period.] Bull. Soo Nat. Moscou Geol. 61 (4) 1956: 28-43 5 figs. [In Russian.]
- [Gorikov, N. G.]. [Peculiarities in structure of bronchia in dolphin]. Priroda 6:101-102 fig. [In Russian.]
 - Gorman, G. W. see McKeever.
- Goudappel, J. R. & Slijper, E. J. Microscopic structure of the lungs of the bottlenose whale. Nature, Lond. 182:479.
- Graaff, G. de. A new Chrysochiorid from Makapansgat. Palaeont. africana 5:21-27 2 figs.
- Grabianska, E. & Wolinski, Z. Breeding of lions in the Polish Zoological Gardens in the years 1952–1955. Przegl. zool. 1 1957:259–274 12 figs. 16 tabs. [English summary.]
- Grandison, A. G. C. Dr. Malcolm A. Smith. Nature, Lond. 182:697.
- Grant, E. C. & Chance, M. R. A. Rank order in caged rats. Anim. Behav. 6:183-194 1 pl. 5 tabs.
- Gray, J. The movement of the spermatozoa of the bull. J. exp. Biol. 35: 96-106 3 pls 9 figs.
- Grayce, R. L. Addition to checklist of New England mammals. Bull. Mass. Audubon Soc. 42:134.

Greeley, F. see Teeri.

- Green, M. Arikareean rhinoceroses from South Dakota. J. Paleont. 32: 587-594 9 figs.
- Green, M. C. (1). Modifiers of the pleiotropic effects of the short ear gene in the mouse. J. Hered. 48 1957: 205—212 2 figs.
- Green, M. C. (2). Effects of the short ear gene in the mouse on cartilage formation in healing bone fractures. J. exp. Zool. 137:75-88 1 fig. 4 tabs.
- Green, R. T. Threshold for electric shock of the laboratory rat. Anim. Behav. 6: 72-76.
- Greenaway, R. D. The Tinkinswood cat. Trans. Cardiff Nat. Soc. 85: 16-20.

- Greenwood, M. Fossil Hystricoidea from the Makapan Valley, Transvaal. Hystrix makapanensis nom, nov, for Hystrix major Greenwood. Ann. Mag. nat. Hist. (13) 1:365.
- Griffin, D. R. Listening in the dark. The scoustic orientation of bats and men. New Haven (Yale Univ. Press), pp. xviii, 413 16 pls. 15 figs.
- Griffin, D. R. & Grinnell, A. D. Ability of bats to discriminate echoes from louder noise. Science 128:145-147 1 fig.
- Griffin, D. R., Novick, A. & Kornfield, M. The sensitivity of echolocation in the fruit bat, Rousettus. Biol. Bull. Woods Hole 115: 107-113.
 - Griffin, D. R. see Grinnell.
- Grim, J. N. Feeding habits of the Southern California mole. J. Mammal. 39: 265-268 1 fig. 1 tab.
- Grimwood, I. R., Benson, C. W. & Ansell, W. F. H. The present-day status of ungulates in Northern Rhodesia. Mammalia, Paris 22:451-468 map.
 - Grindeland, R. E. see Folk.
- Grinnell, A. D. & Griffin, D. R. The sensitivity of echolocation in bats. Biol. Bull., Woods Hole 114:10-22 7 figs.
 - Grinnell, A. D. see Griffin.
- (Gritzai, T. G.). [Fossil mammals in the Karst caves of Odessa]. Priroda 6:106. [In Russian.]
 - Grouchy, J. de see Rosa.
- Groves, E. W. A bird's nest feeding site of the long-tailed field mouse. Lond. Nat. No. 37:65-66.
- Grüneberg, H. (1). Genetical studies on the skeleton of the mouse. XXII. The development of Danforth's shorttail. J. Embryol. exp. Morph. 6: 124-148 3 pls. 5 figs.
- Grüneberg, H. (2). Genetical studies on the skeleton of the mouse. XXIII. The development of brachyury and anury. J. Embryol. exp. Morph. 6:424-443 3 pls. 6 figs.
- Grzimek, B. (1). No room for wild animals. London (Thames & Hudson) 1956, pp. xii + 250 20 pls.
- Grzimek, B. (2). Über das Verhalten von Okapi-Müttern. Säugetierk. Mitt. 6:28-29.

- Grzimek, B. (3). Weisskopfschimpansen. Säugetierk. Mitt. 6 77 2 pls.
- Grzimek, B. (4). Die gegenwärtige Zahl der Nashörner auf der Erde. Säugetierk. Mitt. 6:117-120 1 pl.
- Grzimek, B. (5). Schakale (Canis mesomelas) erwarten Nachgeburt. Säugetierk. Mitt: 6:173.
- Guenther, E. W. Der Zahn eines Waldelefanten aus dem Wattenmar östlich von Borkum. Schr. naturw. Ver. Schleswig-Holst. 29: 35–38 2 figs.
- Guilday, J. E. (1). Individual and geographic variation in *Blarina brevicauda* from Pennsylvania. Ann. Carnegie Mus. 35 1957: 41–68 14 figs. 15 tabs.
- Guilday, J. E. (2). The prehistoric distribution of the opossum. J. Mammal. 39:39-43 1 fig. 2 tabs.
- Guiler, E. R. (1). The thylacine. Aust. Mus. Mag. 12:352-354 1 fig.
- Guiler, E. R. (2). Observations on a population of small marsupials in Tasmania. J. Mammal. 39:44-58 2 pls. 1 tab.
- Guiler, E. R. & Meldrum, G. K. Suspected sheep killing by the Thylacine, *Thylacinas cynocephalus*. Aust. J. Sci. 20: 214-215.
 - Guiler, E. R. see Davies.
- Gunther, W. C. Some dietary effects on the estrous cycle of the female California pocket gopher, *Thomomys* bottoe navus Merriam. Proc. Ind. Acad. Sci. 66: 331-336.
- [Gurvich, A. S.]. [Compensatory variations observed in nerve-elements of the uterus during pregnancy.] C.R. Acad. Sci. URSS 118: 588-591 2 figs. [In Russian].
 - Gussev, V. M. see Dahl.
- Gustavson, K. H. & Haggqvist, G. Die Einwirkung von schwerem Wasser auf das Blutbild der Mäuse. Z. mikr.-anat. Forsch. 63 1957: 388-397.
- Haas, G. (1). Händigkeitsbeobachtungen bei Gorillas. Säugetierk. Mitt. 6:59-62 2 tabs.
- Haas, G. (2). 24-Stunden-Periodik von Grosskatzen im Zoologischen Garten. Säugetierk. Mitt. 6:113-117 4 tabs. 2 figs.

Haas, G. (3). Ein Bambus-Bär im Frankfurter Zoo. Kosmos, Stuttgart 54:405-410 6 figs.

Haddow, A. J. (1). Chimpanzees. Uganda Wild Life 1(3) 18–20.

Haddow, A. J. (2). Chimpanzees. Uganda Wild Life 1 (4): 65-66.

Hafton, S. Hoa med bjørkemusas (Sicista betulina) utbredelse i Trendelag? K. norske vidensk. Selsk. Årbok 1958: 17–20 2 figs.

Haga, R. see Inukai.

Hagen, B. Die Rötelmaus und die Gelbhalsmaus vom Monte Gargano, Apulien. Z. Säugetierk. 23:50-65, 1 fig. 4 tabs.

Haggqvist, G. Uber die Entwicklung der roten Blutkörperchen bei heteroploiden Tieren. Z. mikr. anat. Forsch. 64:3-12 4 figs.

Haggqvist, G. see Gustavson.

Hagmeier, E. M. Inapplicability of the subspecies concept to North American marten. Syst. Zool. 7 (1) 1-7 8 figs.

Hainard, R. A propos du chat sauvage et des carnassiers en général. Schw. Natursch. 24:82-86.

Haines, R. W. Arboreal or terrestrial ancestry of placental mammals. Quart. Rev. Biol. 33: 1-23 16 figs.

Halcrow, J. G. The giant rat of East Africa. Nature, Lond. 181: 649-650.

Hall, B. P. Albino hyrax. Uganda Wild Life 1 (4): 65.

Hall, D. A., Lloyd, P. F. & Saxl, H. Mammalian cellulose. Nature, Lond. 181:470-472 3 figs.

Hall, J. S. & Davis, W. H. A record of homing in the big brown bat. J. Mammal. 39: 292.

Hall, W. H. see Smirk.

Halliday, R. The absorption of antibody from immune sera and from mixtures of sera by the gut of the young rat. Proc. roy. Soc. 148B 930: 92-103.

Halliday, R. see Brambell.

Halm, H. van. Bruinvis bij Bloemendaal. Natura, Amst. 55: 177-178.

Haltenorth, Th. (1). Besteht die Borkum-Unterart des Wildkaninchens (Oryctolagus cuniculus borkumensis, Harrison, 1952) zu Recht? Säugetierk. Mitt. 6: 123-124 1 pl. Haltenorth, Th. (2). Rassehunde-Wildhunde. Herkunft-Arten-Rassen-Haltung. Heidelberg (Carl Winter, Universitätsverlag), Winters nat. Taschenbuch. 28:1-216 80 col. pls. 30 figs.

Haltenorth, Th. (3). Der wiederentdeckte mesopotamische Damhirsch. Kosmos, Stuttgart 54: 298–301 1 pl. 4 figs.

Haltenorth, Th. (4). Klassifikation der Säugetiere. Handb. Zool., Berl. 8 (Lfg. 16) 1 (1-2): 1-40 8 pls.

Haltenorth, Th. see Mohr.

Haltenorth, Th. see Zimmermann.

Hamar, M. A preliminary note on the rodent fauna in the Retezat and Făgăras mountains. Natura, București 10 5:86-92 4 figs. [English summary.]

Hamerton, J. L. (1). Problems in mammalian cytotaxonomy. Proc. Linn. Soc. Lond. 169 Session, 1956-57, 1958: 112-125 9 figs. 2 tabs.

Hamerton, J. L. (2). Developments in mammalian taxonomy. Cytogenetics. Bull. Mammal Soc. Brit. Isles No. 9 15-16. [Private circulation.]

Hamilton, W. J. (1). Life history and economic relations of the opossum (Didelphis marsupialis virginiana) in New York State. Mem. N.Y. State Coll. Agric. 354: 1–48 12 figs. 6 tabs.

Hamilton, W. J. (2). Early sexual maturity in the female short-tailed weasel. Science, 127:1057 1 fig.

Hamilton, W. J. (3). Past and present distribution of marten in New York. J. Mammal. 39: 589-591 1 fig.

Hamilton, W. J. see Cook.

Hamilton, W. J. see Eadie, W. R.

Hampl, A. see Kaman, J.

Hanai, H. see Ohta.

Hanák, V. Barevné anomalie u drobných ssaveů. Cas. Národ. Mus. 126 1957: 144–147 l fig. [German summary.]

Hancock, N. A. see Amoroso.

Hanson, W. R. Failure of mule deer to wean offspring. J. Mammal. 39: 155.

Handa, C. see Nishiwaki.

Hanström, B. Hypophysis (in Hofer & others. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 705–751, 29 figs.).

Hardy, L. B. see Strong.

Hargreaves, A. see Ullmann.

Harland, P. S. E. G. Skeletal variation in wild house mice from Peru. Ann. Mag. nat. Hist. (13) 1:192-196 1 tab.

Harlow, H. F. & Zimmermann, R. R. The development of affectional responses in infant monkeys. Proc. Amer. phil. Soc. 102:501-509 18 figs.

Harman, P. J. see Michelson.

Harris, G. W. The central nervous system, neurohypophysis and milk injection. Proc. roy. Soc. 149B 936: 336-353 5 figs. 1 pl.

Harris, H. see Evans.

Harrison, D. L. (1). Observations on infant jerboas with special reference to the development of the tympanic bulla. J. Mammal. 39: 395-398 2 figs.

Harrison, D. L. (2). Notes on a collection of bats (Microchiroptera) from the Iberian Peninsula. Bonn. zool. Beitr. 1:1-10 1 fig. 3 tabs. 2 pls.

Harrison, D. L. (3). Leisler's bat (Nyctalus leisler's Kuhl) in Kent, with some observations on the presence of the buccal pad in this species. Naturalist No. 864: 5-61 fig.

Harrison, D. L. (4). A note on successive pregnancies in an African bat. Mammalia 22:592-594 1 fig.

Harrison, D. L. (5). Two bats (Microchiroptera) new to the fauna of Tanganyika Territory. Durban Mus. Novit. 5:95-98 2 figs.

Harrison, D. L. (6). A new race of tomb bat *Taphozous perforatus* E. Geoffroy, 1818 from Northern Nigeria, with some observations on its breeding biology. Durban Mus. Novit. 5:143–149 I fig.

Harrison, D. L. & Fleetwood, J. D. L. Welwitsch's bat *Myotis welwitschii* Gray, a species new to the fauna of Kenya Colony. Durban Mus. Novit. 5:111-1151 pl.

Harrison, G. A. The adaptability of mice to high environmental temperatures. J. exp. Biol. 35: 892-901 4 tabs.

Harrison, G. A. see Cain.

Harrison, J. L. (1). Range of movement of some Malayan rats. J. Mammal. 39: 190-206 9 figs. 4 tabs.

Harrison, J. L. (2). Results of markrecapture experiments on small animals. Malay. Nat. J. 12 1957: 82–90 6 figs.

Harrison, J. L. (8). Chimarrogale hantu a new water shrew from the Malay Peninsula with a note on the genera Chimarrogale and Crossogale (Insectivora, Soricidae). Ann. Mag. nat. Hist. (13) 1:282-290 3 figs. 2 tabs. map.

Harrison, R. G. The adrenal circulation in the rabbit. J. Endocrinol. 15 1957: 64-71.

Harrison, R. G. see Brookes.

Harrison, R. J. see Barnett.

Harrison, R. J. see Neal.

Harrisson, T. & Jamuh, G. Pigmy sperm whale (Kogia breviceps) in Borneo. Nature, Lond. 182:543.

Harvey, N. E. & Macfarlane, W. V. The effects of day length on the coatshedding cycles, body weight and reproduction of the ferret. Aust. J. biol. Sci. 2: 187–199, figs.

Hasegawa, Y. On a new Insectivora from the Upper Kuzuü formation in Japan. Sci. Rep. Yokohama nat. Univ. (2) No. 6 1957:65-69 1 pl. 2 figs.

Hass, G. M. see Andresen.

Hata, M. see Ito

Hawbecker, A. C. Survival and home range in the Nelson antelope ground squirrel. J. Mammal. 39:207-215. 1 pl. 4 figs. 1 tab.

Hawthorn, J. & Duckworth, R. B. Fall-out radioactivity in a deer's antlers. Nature, Lond. 182:1294 1 fig.

Hayman, R. W. (1). A new genus and species of West African mongoose. Ann. Mag. nat. Hist. (13) 1:448–452 l fig.

Hayman, R. W. (2). Literature on British Mammals published during 1957. Bull. Mammal Soc. Brit. Isles No. 10 25–29. [Private circulation.]

Hayman, R. W. see Swynnerton.

Hays, H. A. (1). The distribution and movement of small mammals in Central Oklahoma. J. Mammal. 39: 235-244 3 figs. 2 tabs.

Hays, H. A. (2). The effect of microclimate on the distribution of small mammals in a tall-grass prairie plot. Trans. Kansas Acad. Sci. 61: 40-63 map.

Hayward, C. L. & Killpack, M. L. Distribution and variation of the Utah population of the Great Basin pocket mouse. Gt. Basin Nat. 181: 26-30.

Hazelwood, A. Report for 1957. Mammals. Naturalist No. 864:8-10.

Heberer, G. Lebten in Südchina "Riesenaffenmenschen"? Kosmos, Stuttgart 54: 283–285 3 figs.

Hediger, H. Verhalten der Beuteltiere (Marsupialia). Handb. Zool, Berl. 8 (Lfg. 18) Teil 10 (9): 1–28 31 figs.

Heerdt, P. F. van & Sluiter, J. W. Over de verblijfplaats van de Rosse vleermuis in de province Utrecht. Levende Nat. 61: 252–255 1 fig.

Heerdt, P. F. v. see Sluiter.

Hegerova, E. see Štěrba.

Heim de Balsac, H. (1). Persistence inattendue de certains caracteres ancestraux dans la denture de Soricidae (Mammifères Insectivores). C.R. Acad. Sci. Paris 247: 1499-1501 2 figs.

Heim de Balsac, H. (2). La réserve naturelle intégrale du Mont Nimba. XIV. Mammières insectivores. Mèm. Inst. Franç. Afr. Noire No. 53: 301– 337 3 pls 19 figs.

Heim de Balsac, H. & Aellen, V. Les Soricidae de basse Côte-d'Ivoire. Rev. suisse Zool. 65: 921-956 15 figs.

Heim de Balsac, H. & Lamotte, M. La reserve naturelle intégrale du Mont Nimba. XV. Mammifères rongeurs (Muscardinidés et Muridés). Mèm. Inst. Franç. Afr. Noire No. 53: 339-357 2 pls. 1 fig.

Helfer, H. see Mislin.

Helgebostad, A. & Martinsons, E. Nutritional anaemia in mink. Nature, Lond. 181: 1660-1661 1 fig. 1 tab.

Heller, F. (1). Die Fauna in Zotz, L. F. Das Palaeolithikum in den Weinberghöhlen bei Mauern. Quartär Bibliothek 2 1955 : 220–307 3 pls 1 fig. Heller, F. (2). Die fossilen Gattungen Mimomys F. Maj., Cosomys Wil. und Ogmodontomys. Hibb. (Rodentia, Microtinae) in ihren systematischen Beziehungen). Acta zool. Cracov. 2 1957: 219–237 9 figs.

Heller, F. (3). Eine neue altquartäre Wirbeltierfauna von Erpfingen (Schwäbische Alb). Neues Jb Geol. Paläont. Abh. 107: 1-102 3 pls. figs.

Hellwing, S. see Ausländer.

Hemmings, W. A. Protein selection in the yolk-sac splanchnopleur of the rabbit: the total uptake estimated as loss from the uterus. Proc. roy. Soc. 148B 930: 76-83.

Hendrickson, G. O. see Johnson.

Heppes, J. B. (1). The white rhinoceros in Uganda. Afr. Wild Life 12: 273-280 6 figs.

Heppes, J. (2). The white rhino. Uganda Wild Life 1 (4): 29-35 3 figs.

Herlant, M. (1). L'hypophyse et le système hypothalamo-hypophysaire du Pangolin (Manis tricuspis Raf., et Manis tetradactyla L.). Arch. Anat. micr. Morph. exp. 47: 1–23 10 figs.

Herlant, M. (2). Corrélations hypophyso-génitales chez la femelle des chauves-souris. Bull. Soc. zool. Fr. 83: 337-357.

Hermann, G. Beiträge zur Physiologie des Rattenauges. Z. Tierpsychol. 15:462-518 30 figs.

Herold, W. (1). Über die Variabilitat der Molaren-Wurzeln des Oberkiefers bei enigen Apodemus-Arten. Wiss. Z. Humboldt-Univ. Berlin. Math.-Nat. R. 6 1957: 237–244 11 figs. 4 tabs. [English summary.]

Herold, W. (2). Die Variabilität der Zahnwurzeln bein Schläfern (Muscardinidae). Zool. Beitr., Berl. 4 (1): 77–82 2 figs. 1 tab.

Hernandez-C. J. see Borrero.

Herrath, E. von. Experimentelle Untersuchungen über die Beziehungen zwischen Bau und Funktion der Säugermilz. 2. Gegenbaurs Jb., 95 1955: 162–208 6 figs.

Herreid, C. F. Four-thumbed free-tailed bat. J. Mammal. 39:587.

Hershkovitz, P. (1). A geographic classification of Neotropical mammals. Fieldiana, zool. 36:583-620 2 figs. 13 tabs.

Hershkovitz, P. (2). Technical names of the South American marsh deer and pampas deer. Proc. biol. Soc. Wash. 71:13-16.

Hershkovitz, P. (3). Type localities and nomenclature of some American primates, with remarks on secondary homonyms. Proc. biol. Soc. Wash. 71: 53-56.

Hershkovitz, P. (4). A synopsis of the wild dogs of Colombia. Noved. Colomb. No. 3 1957: 157-161.

Hershkovitz P. (5). The metatarsal glands in white tailed deer and related forms of the Neotropical Region. Mammalia 22:537-546 2 tabs.

Herter, K. (1). Über den Haarwechsel eines Hermelins. Zool. Beitr., Berl. 4 (1):135-141 4 figs.

Herter, K. (2). Die Säugetierkundlichen Arbeiten aus dem Zoologischen Institut der Freien Universität Berlin. Z. Säugetierk. 23:1-32 9 figs. 4 pls. 2 tabs.

Hesse, P. R. Identification of the spoor and dung of East African mammals. III. Elephant, giraffe, horse, cattle and pigs. Afr. wild Life 12: 59-63 figs.

Heurtz, M. Premières captures de Rats Musqués [Ondatra zibethica (L.)] au Grand-Duché de Luxembourg.) Arch. Inst. Grand-Ducal Luxemb. Sect. Sci. N.S. 24 1957 : 41-51 5 figs.

Heuvelmanns, B. On the track of unknown animals. London (Rupert Hart-Davis): 1-558 50 pls. 119 figs.

Hewitt, W. The absorption of oleic acid from the small intestine of the rat. Quart. J. micr. Sci. 99: 25-27.

Hewson, R. (1). Moults and winter whitening in the mountain hare, Lepus timidus scoticus, Hilzheimer. Proc. zool. Soc. Lond. 131:99-108.

Hewson, R. (2). Symposium on field study of mammals. Mountain hare. Bull. Mammal Soc. Brit. Isles No. 9 9-11. [Private circulation].

Hey, D. & Brand, D. J. The Knysna elephants. Rep. Dep. Nat. Conserv. Cape Town 14 1957: 29-32.

Hibbard, C. W. (1). A new weasel from the Lower Pleistocene of Idaho. J. Mammal. 39: 245-246 1 fig.

Hibbard, C. W. (2). Summary of North American Pleistocene mammalian local faunas. Pap. Mich. Acad. Sci. 43:3-32 l tab.

Hibbard, C. W. (3). Notes on late Cenozoic shrews. Trans. Kansas Acad. Sci. 60 1957: 327-336 3 figs.

Hibbard, E. A. Occurrence of the extinct moose, *Cervalces*, in the Pleistocene of Michigan. Pap. Mich. Acad. Sci. 43: 33-371 pl. 1 fig.

Hibiya, T. see Nishiwaki.

Hibiya, T. see Ohsumi.

Hildemann, W. H. see Billingham.

Hill, J. E. (1). Some observations on the fauna of the Maldive islands. Part II.—Mammals. J. Bombay nat. Hist. Soc. 55: 3-10.

Hill, J. E. (2). The bat Rhinolophus creaghi and its allies. Sarawak Mus. J. 8 26: 470-475 1 fig.

Hill, J. P. & Watson, K. M. The early development of the brain in marsupials. Preliminary communication. J. Anat. Lond. 92: 493-497.

Hill, W. C. O. (1). The correct scientific name of the weeper capuchin. Proc. 2001. Soc. Lond. 131: 316-318.

Hill, W. C. O. (2). Man's ancestry. New Scient. 4: 300-303 6 figs.

Hill, W. C. O. (3). Pharynx, oesophagus, stomach, small and large intestine. Form and position (in Hoter & others. Primatologia. Handbook of Primatology 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 139-207 20 figs.).

Hill, W. C. O. (4). External genitalia. (in Hofer & others. Primatologia. Handbook of Primatology. 3, (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 630-704, 36 figs.).

Hilleman, H. H. & Gaynor, A. I. An arterio-venous anomaly in the cat. Northw. Sci. 32:122 3 figs.

Hillemann, H. H., Gaynor, A. I. & Stanley, H. P. The genital systems of nutria (*Myocastor coypus*). Anat. Rec. 130: 515-531 8 figs. 1 pl.

Hillemann, H. H. & Minckler, J. A record of tumor occurrence in nutria. Northw. Sci. 32 1:30.

Hjersman, H. A. see Dasmann.

Hofer, H. (1). Über das Bewegungsspiel der Klammeraffen. Natur u. Volk 88: 397–407 9 figs.

Hofer, H. (2). Vergleichende Beobachtungen über die kranio-cerebrale Topographie von Daubentonia madagascariensis (Gmelin, 1788). Gegenbaurs Jb. 99: 26-64 9 figs.

Hofer, H. (3). Über die Falx cerebri der Affen, nebst einigen Bemerkungen über Hirn und Schädel der Primaten. Gegenbaurs Jb. 94 1955 : 275-334 7 figs.

Hofer, H., Schultz, A. H. & Starck, D. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. Basel and New York. (S. Karger). pp. xvii + 824 text. illusts.

Hoffmann, R. S. The role of reproduction and mortality in population fluctuation of voles (*Microtus*). Ecol. Monogr. 28:79-109 7 fig. 20 tabs.

Hoffmeister, D. F. & Winkelmann, R. The os clitoridis in the badger, *Taxidea taxus*. Trans. Ill. Acad. Sci. 50: 233–234 2 figs.

Hoffstetter, R. Caractères ancestraux et phylogénie des édentés Xenarthres: 87–99. Colloques Internat. C.N.R.S. 60 Problèmes actuels de Paléontologie pp. 1–163 Paris, 1956.

Holgate, W., Mole, R. H. & Vaughan, J. Accumulation of strontium-90 in dental tissues. Nature, Lond. 182: 1294-1295 I tab.

Holling, C. S. Sensory stimuli involved in the location and selection of sawfly cocoons by small mammals. Canad. J. Zool. 36: 633-653 4 figs.

Holman, J. The bristles of Czech white thoroughbred pig. Acta Univ. Agric. Silv. Brno. Řada B. Spisy Fac. Vet. 7:183–196 9 figs. 1 tab. [Czech with English summary.]

Holyoke, E. A. & Beber, B. A. Cultures of gonads of mammalian embryos. Science, 128:1082.

Holz, P. L. The okapi—mammal of mystery. Frontiers 22:135-136 illustr.

Homer, B. E. & Taylor, J. M. Breed ing of *Rattus assimilis* in captivity J. Mammal. 39: 301-302.

Hoogerwerf, A. On a new species of the Java deer Rusa timorensis laronesiotes van Bemmel. Penggemar Alam. 36 1-2 1956: 13-28 5 figs. [English summary.]

Hoogstraal, H., Wassif, K. & Kaiser, M. N. Results of the Namru-3 Southeastern Egypt Expedition, 1954. 6. Observations on non-domesticated mammals and their ectoparasites. Bull. Zool. Soc. Egypt No. 13 1957: 52-75 1 fig.

Hooijer, D. A. (1). Sexual differences in the skull of fossil and recent bantengs. Mammalia, Paris 22: 73-75.

Hooijer, D. A. (2). An early Pleistocene mammalian fauna from Bethlehem. Bull. Brit. Mus. (Nat. Hist.) Zool. 3: 265-292 7 tabs. 4 pls.

Hooijer, D. A. (3). Mammals and correlation of the "Black Bones" of the Schelde Estuary with those of the Red Crag. Geol. en Mijnb. 19 1957: 255-256.

Hooijer, D. A. (4). Pleistocene remains of hippopotamus from the Orange Free State. Res. Nat. Mus. Bloemfontein 1:259-266 2 pls. 2 tabs.

Hooijer, D. A. (5). Fossil Bovidae from the Malay Archipelago and the Punjab. Zool. Verh. Leiden No. 38: 1-112 9 pls. 34 tabs.

Hooijer, D. A. see Singer.

Hook, O. Damage to forest trees by voles (New Forest). Bull. Mammal Soc. Brit. Isles No. 10: 19-21. [Private circulation.]

Hooper, E. T. The male phallus in mice of the genus *Peromyscus*. Misc. Publ. Mus. Zool. Univ. Mich. No. 105, 1958; 1-24, 14 pls.

Hooper, J. H. D. Bat erosion as a factor in cave formation. Nature, Lond. 182: 1464.

Hoover, H. (1). The ermine—a weasel with the coat of kings, princes and their kin. Frontiers 22:70-72 illustr.

Hoover, H. (2). The Moose. Audubon Mag. 60: 210-213 ill. Horst, J. T. Ter & Nieuwenhoven, P. J. Van. Onderzoek naar de winterslaap van vleermuizen in de Schenkgroeve te Neerssen (L.). Natuurh. Maandbl. 47:117-122 1 fig. 4 tabs. [English summary.]

Hosokawa, H. & Sekino, T. Comparison of the size of cells and some histological formations between whales and man. Sci. Rep. Whales Res. Inst., Tokyo No. 13: 269-301 17 figs. I tab,

Houck, W. J. Cuvier's beaked whale from Northern California. J. Mammal. 39:308-309 1 pl.

Housse, R. P. R. La sarigüeña, Didelphys azarae (Temminck) recuerdo del Peru. Rev. Univ. Chile 42 2 (An. Acad. Chilen. Cienc. nat. No. 21) 1957: 141–146.

Hrubesch, K. Zahnstudien an tertiären Rodentia als Beitrag zu deren Stammesgeschichte. Über die Evolution der Melissiodontidae, eine Revision der Gattung *Melissiodon*. Abh. bayer. Akad. Wiss. N.F. No. 83 1957: 1–1015 pls. 125 figs.

Hsia, W-p. & Li, C-t. A preliminary study of the different types of old cut-over lands in North-eastern China and their rodent fauna. Acta zool. Sinica 9 1957: 283–290.

Hsieh, H. see Chow.

Hsieh, H. see Hsu.

Hsu, Y., Lee, Y., & Hsieh, H. Mammalian fossils from the Pleistocene cave deposits of Chihchin, Northwestern Kweichow. Acta paleont. Sinica 5 1957: 343–350 l pl. [Chinese with English summary.]

Hsu, Y. see Chow.

Hu, C. C. & Hu, C.-K. On the age of Ho-tuo Coal Series, Keiyuan, Yunnan. Vertebrata Palasiatica 2: 44-46 fig. [Chinese with English summary.]

Hu. C. see Kahlke.

Huggett, A. St. G. Odd points about whales. Fródskaparrit 6 1957: 34-50 11 figs. [Danish, English summary.]

Hughes, A. R. Some ancient and recent observations on hyaenas. Koedoe 1:105-114 1 fig.

Hughes, E. & Mall, R. Relation of the adrenal cortex to condition of deer. Calif. Fish Game 44: 191-196 1 fig. Huisman, T. H. J., Vliet, G. van. & Sebens, T. Sheep haemoglobins. Some genetic and physiological aspects of two different adult haemoglobins in sheep. Nature, Lond. 182:171-172 2 figs. 3 tabs. Sheep haemoglobins. Haemoglobin types in different species of sheep. Nature, Lond. 182:172-174 2 figs. 1 tab.

Hummel, K. P. The inheritance and expression of disorganisation, an unusual mutation in the mouse. J. exp. Zool. 137:389-4173 pls.

Humphries, D. A. Badgers in the Cheltenham area. School. Sci. Rev. 39:416-425 7 pls.

Hunt, T. E. Regeneration of the gastric mucosa in the rat. Anat. Rec. 131:193-211, 3 pls.

Hunter, G. L., Bishop, G. P. & Brown, D. L. The induction of coincident superovulation and oestrus in the ancestrus ewe. J. agric. Sci. 51:129-132 2 tabs.

Hurwitz, H. M. B. see Wasservogel.

Husson, A. M. Notes on Protemnodon agilis papuanus (Peters and Doria) from New Guinea (Mammalia: Marsupialia). Nova Guinea N.S. 9:245—252 6 pls.

Husson, A. M. & Rappard, F. W. Note on the taxonomy and the habits of Dendrolagus ursinus Temminck and D. leucogenys Matschie (Mammalia: Marsupialia). Nova Guinea N.S. 9: 9-144 pls.

Husted, L., Pollock, E. G. & Smart, G. C. The sex bivalent of the Chinese hamster, Cricetulus griseus. Va. J. Sci. N.S. 8 1957: 294-295.

Ichihara, T. Gray whale observed in the Bering Sea. Sci. Rep. Whales Res. Inst., Tokyo No. 13:201-205 2 figs.

Ichihara, T. see Nishiwaki.

Ieta, T. Studies on histological, cytological and cytochemical changes in the submaxillary glands of the mouse by injection of pilocarpine. Okajimas Folia anat. Jap. 31:171-188 3 pls.

Ihjima, S. Cytochemical changes of the submaxillary glands of the mouse after atropine injection. Okajimas Folia anat. Jap. 31:313-323 3 pls. Ihjima, S. & Oono, T. Cytochemical studies of Gll. vestibulares nasi of the cat after adrenalin injection. Okajimas Folia Anat. Jap. 31:325-332 3 pls.

Ijiri, S. & Fujiwara, T. Organic constituents of the fossil teeth in the Order Proboscidea. Proc. Japan Acad. 34:280-283 3 figs.

Imaizumi, Y. Collections of the marine mammal in Japanese Museums. Nat. Sci. & Mus. Tokyo 25 5-6 1958: 1-9 4 figs. [In Japanese.]

Innis, A. C. The behaviour of the giraffe, Giraffa camelopardalis, in the eastern Transvaal. Proc. zool. Soc. Lond. 131: 245–278 6 figs. 9 tabs. 1 pl.

Inukai, T. & Haga, R. Training of dog teams and preparation of dog sledges for the Japanese Antarctic Research Expedition 1956-57. Part I. Antarct. Rec. Tokyo No. 4:23-37 3 figs. 2 pls. 4 tabs. [English abstract].

Irwin, M. R. see Owen.

Ishihara, Y., Saito, T., Itô, Y. & Fujino, M. Structure of sperm and seiwhale insulins and their breakdown by whale pepsin. Nature, Lond. 181: 1468-1469 1 fig.

Ishihara, Y. see Saitô.

Ishiwata, T. see Kuroda.

Ismagilov, M. I. The geographic distribution of rodents in the Betpak-Dala desert. Bull. Soc. Nat. Moscoubiol. 63: 61-69 7 figs. [In Russian with English summary.]

Ito, S. see Nakata.

Ito, T. & Hata, M. Occurrence of vacuole-containing ganglion cells in the ganglion nodosum of the vagus nerve of rodents. Okajimas Folia anat. jap. 31: 367–375 1 pl.

Itô, Y. Studies on crystalline whale insulin. III. N- and C-terminal residues. Bull. Fac. Fish. Hokkaido 8: 238-241.

Itô, Y. see Ishihara.

Itô, Y. see Saitô.

Iwen, F. A. (1). Another Wisconsin record of the prairie spotted skunk. J. Mammal. 39: 296.

Iwen, F. A. (2). Hoary bat the victim of a barbed wire fence. J. Mammal. 39: 438.

Jacob, G. F. & Tappon, N. C. Haemoglobins in monkeys. Nature, Lond. 181:197-1982 figs.

Jacobsohn, D. Mammary gland growth in relation to hormones with metabolic actions. Proc. roy. Soc. 149B 936: 325-329 l pl.

Jaczewski, Z. (1). Reproduction of the European bison, Bison bonasus (L.), in reserves. Acta Theriologica 1 (9): 333–376 3 pls. 25 tabs. [English with Polish and Russian summaries.]

Jaczewski, Z. (2). Free transplantation and regeneration of antlers in fallow deer (*Cervus dama* (L.)]. Bull. Acad. polon. Soc. Sci. Biol. 6:179-182 8 figs.

Jahn, G., Bergersen, B. & Vangstein, E. Int. Whal. Statist., 39:1-75 40:1-56.

Jakway, G. E. Pleistocene Lagomorpha and Rodentia from the San Josecito Cave, Nuevo Leon, Mexico. Trans. Kansas Acad. Sci. 61:313-327 1 fig.

James, D. see Sealander.

Jamieson, M. F. see Bearcroft.

Jamuh, G. see Harrisson.

Janda, M. Die Nahrung des Schwarzwilds, Sus scrofa L., im Mittelgebirgsgebiet von Stiavnica. Säugetierk. Mitt. 6:67-74 2 figs. 3 tabs.

Jeannin, A. & Barthe, M. L'evolution Africaine et la persistance de la faune sauvage. Mammalia, Paris 22: 328-335.

Jennings, W. L. Polydactyly in the eastern pipistrel. J. Mammal. **39**: 437–438.

Jerusalem, C. & Zaki, F. G. Zur Frage der Mitose-Induktion in der Rattenleber. Z. mikr.-anat. Forsch. 64: 321–363 9 figs.

Jewell, P. Poisonous bite of water shrew (Neomys fodiens bicolor Shaw). Trans. Suffolk Nats. Soc. 11:87.

Jex, H. S. Woodchucks at Rillside. Nature Mag., N.Y. 50 1957: 73-78 108 4 figs.

Jirsik, J. Medieval rodents mummies from the Royal Castle in Prague. Mém. Soc. zool. tchéosl. 21 1957: 181– 186 l fig. Jobaert, A. J. (1). La Situtunga. Zooleo No. 38 1957: 242-250 6 figs.

Jobaert, A. J. (2). Le Buffie de Simpson. Zooleo No. 39 1957 : 266–276 6 figs.

Johansson, B. Some biochemical and electrocardiographical data on badgers. Acta zool. Štockh. 38 1957: 205–218 2 figs.

Johnson, A. M. & Hendrickson, G. O. Effects of weather conditions on the winter activity of Mearns cottontail. Proc. Iowa Acad. Sci. 65: 554-558.

Johnson, F. R. see McMinn.

Johnson, J. I. & Michels, K. M. Discrimination of small intervals and objects by raccoons. Anim. Behav. 6: 164-170 1 pl. 4 figs.

Jones, J. K. (1). A new bog lemming (genus *Synaptomys*) from Nebraska. Univ. Kans. Publ. Mus. nat. Hist. 9: 387–388.

Jones, J. K. (2). Pleistocene bats from San Josecito cave, Nuevo Léon, México. Univ. Kansas Publ. Mus. nat. Hist. 9: 389-396 4 figs.

Jones, J. K. (3). The type locality and nomenclatorial status of *Peromyscus maniculatus nebrascensis* (Coues). Proc. biol. Soc. Wash. 71:107-111.

Jones, J. K. & Anderson, S. Noteworthy records of harvest mice in Mexico. J. Mammal. 39:446-447.

Jönsgard, A. Taxation of fin whales (Balaenoptera physalus (L.).) at land stations on the Norwegian West Coast. Norsk Hvalfangsttid. 47:433-439 5 figs.

Jordan, M. see Skowron.

Jordan, P. A. Marking deer with bells. Calif. Fish Game 44: 183-189 1 fig. 1 tab.

Joubert, D. M. Duration of pregnancy and length of the dioestrous cycle in the domestic pig. S. Afr. J. Sci. 54: 183–184

Jouffroy, F. K. & Lessertisseur, J. Notes sur la musculature de la main et du pied d'un Orang-outan (*Pongo pygmaeus* Hoppius). Bull. Mus. Hist. nat. Paris (2) 30:111-122 5 figs.

Judice, R. C. see Metz.

Justice, K. E. & Schaldach, W. J. Dacron as a filling material for small mammal skins. J. Mammal. 39:158

Jyoti, D. see George.

Kahlke, H.-D. (1). Die Cervidenreste aus den altpleistozänen Ilmkiesen von Süssenborn bei Weimar. Berlin (Akademie Verlag) 1956. 1. Die Geweihe und Gehörne, pp. 62, 31 pls, 52 figs. 2. Schädel und Gebisse, pp. 44, 38 pls., 70 figs.

Kahlke, H.-D. (2). Die Cervidenreste aus den Altpleistozänen Tonen von Voigtstedt bei Saugerhausen. Abh. dtsch. Akad. Wiss. Berl. Kl. Chem. Geol. u. Biol. 1956 9 [1958]: 1-51 36 pls. 2 figs. map.

Kahlke, H. D. & Hu, Chang-Kang. On the distribution of *Megaceros* in China. Vertebrata Palasiatica 1 1957: 273-283 1 pl.

Kahmann, H. (1). Die Alpenfledermaus Pipistrellus savii Bonaparte 1837 in den Bayrischen Alpen, und biometrische Mitteilungen über die Art. Zool. Anz. 160: 87–94 l fig.

Kahmann, H. (2). Die Fledermaus Rhinolophus mehelyi Matschie, 1901 als Glied der Säugetierfauna in Tunesien. Zool. Anz. 161: 227-237 3 figs.

Kaikusalo, A. & Skarén, U. (1). Metsäsopulia runsaasti Kuhmossa. Luonnon Tutkija 62: 144–147 2 figs.

Kaikusalo, A. & Skarén, U. (2). Päästäoshavaintoja Kuhmosta (Kn). Luonnon Tutkijä **62**:148–149.

Kaiser, M. N. see Hoogstraal.

[Kalabukov, N. I., Nurgeldyev, O. N. & Skvortsov, G. N.). ["Life forms" of rodents of sand and clayous deserts of Turkmenia]. Zool. Zh. 37: 321-344 8 figs. [In Russian with English summary.]

Kallen, F. C. see Wimsatt.

Kallner, M. Die Muskulatur und die Funktion des Schultergürtels und der Vorder-extremität des Orang-Utans. Gegenbaurs Jb., 97 1956: 554-666 35 figs.

Kaman, J. & Hampl, A. Die Halsmuskeln des Hirsches (Cervus elaphus L.). Acta Univ. Agric. Silv. Brno. Řada B. Spisy Fac. Vet. 7:133-146 3 figs. [Czech with German summary.]

Kamiya, T. How to count the renculi of the cetacean kidneys, with special regard to the kidney of the right whale. Sci. Rep. Whales Res. Inst., Tokyo No. 13:253-267 2 figs. 2 tabs.

Kamiya, T. see Nishiwaki.

Kaplan, W. D. see Ohro.

Karpuleon, F. Food habits of Wisconsin foxes. J. Mammal. 39: 591-593 2 tabs.

Kayser, C. Résistance à l'hypothermie profonde chez les Mammifères hibernants et chez les Mammifères homéothermes. C.R. Soc. Biol. Paris 152:1198-1199.

Kchouk, M. & Durand, M. Quelques dosages chimiques dans le sang des dromadaires en Tunisie. Arch. Inst. Pasteur Tunis 35: 3-37.

Kchouk, M. see Durand.

Keen, E. N. & Goetz, R. H. Cardiovascular anatomy of a foetal giraffe. Acta anat. 31 1957: 562-571 5 figs.

Keilbach, R. Fehlerscheinungen in der Nasenpartie eines neugeborenen Maskenschweines. Zool. Anz. 160 172-175 6 figs.

Keith, L. B. see McCabe.

Kellas, L. M., Lennep, E. W. van & Amoroso, E. C. Ovaries of some foetal and prepubertal giraffes (*Giraffa camelopardalis* (Linnaeus). Nature, Lond. 181: 487-488 1 fig.

Kellas, L. see Amoroso, E. C.

Kelleker, R. T. Concept formation in chimpanzees. Science 128:777-778 1 fig.

Kellogg, W. N. Echo ranging ni the porpoise. Science 128:982-988,6 figs.

Kemp, F. H. see Ardran.

Kennerly, T. E. (1). The baculum in the pocket gopher. J. Mammal. 39:445-446 l fig.

Kennerly, T. E. (2). Comparisons of morphology and life history of two species of pocket gophers. Texas J. Sci. 10: 133-146 3 figs.

Kenny, J. S. see King-Webster.

Kepka, O. Allgemeine faunistische Nachrichten aus Steiermark (V). Mitt. naturw. Ver. Steiermark 88: 170-171. Kermack, K. A. & Mussett, F. The jaw articulation of the Docodonta and the classification of Mesozoic mammals. Proc. roy. Soc. Lond. 149B 935: 204–215 1 fig. 2 pls.

Kettlitz, W. K. A preliminary report on the distribution of certain species of game in the Transvaal. Fauna & Flora. Pretoria No. 6 1955: 125-151 5 figs. map.

Khajuria, H. (1). Notes on the systematics of three leaf monkeys in the collection of the Indian Museum (Zool. Surv.). Rec. Indian Mus. 52 1955: 95–99 1 pl.

Khajuria, H. (2), Catalogue of mammals in the Indian Museum (Zool. Surv.) II. Primates: Cercopithecidae. Rec. Indian Mus. 52 1955:101-127 2 pls.

Khajuria, H. (3). Catalogue of mammals in the Indian Museum (Zool. Surv.). III. Primates: Colobidae. Rec. Indian Mus. 52 (2-4) 1956: 195-220 l pl.

Khajuria, H. (4). Preliminary observations on high altitude fauna of Kashmir with special reference to mammals. Bull. Nation. Inst. Sci. India No. 9 1957: 262–265.

[Khisarova, G. D.]. [Lagurus luteus Pall. from the Alluvium of Central Kazakhstan]. Mat. Faun. Flor. Kazak, 2:80-81. [In Russian.]

Khoroshikh, P. P. see Skalon.

Kidner, M. see Lampkin.

Kihlström, J. E. On some effects of light upon the activity of the male accessory glands in rabbits. Ark. Zool. 11:379-382.

Kilham, L. (1). Territorial behavior in pikas. J. Mammal. 39:307.

Kilham, L. (2). Red squirrels feeding at sapsucker holes. J. Mammal. 39: 596-597.

Killpack, M. L. see Hayward.

Kindahl, M. (1). Some observations on the development of the tooth in *Elephantulus myurus Jamesoni*. Ark. Zool. 11:21-29 12 figs.

Kindahl, M. (2). Notes on the tooth development in *Talpa europaea*. Ark. Zool. 11:187-191 2 figs.

King, A. S. & Smith, R. N. Diseases of the intervertebral disk of the cat. Nature, Lond. 181: 568-569 1 fig.

King, J. A. Maternal behavior and behavioral development in two subspecies of *Peromyscus maniculatus*. J. Mammal. 39:177-190 5 figs.

Kingsbury, P. A. Deer at Ashridge. Trans. Herts. nat. Hist. Soc. 25 1:2-3.

King-Webster, W. A. & Kenny, J. S. Bat erosion as a factor in cave formation. Nature, Lond. 181:1813.

Kinosita, R. see Ohro.

Kirchshofer, R. Freiland- und Gefangenschaftsbeobachtungen an der nordafrikanischen Rennmaus. Z. Säugetierk. 23:33-494 figs. 1 pl.

Kirkman, H. A hypophysectomised, gynandromorphic Syrian hamster. Anat. Rec. 131:213-231 1 fig. 3 pls. 3 tabs.

Kitts, D. B. Nimravides, a new genus of Felidae from the Pliocene of California, Texas and Oklahoma. J. Mammal. 39:368-375 2 figs. 1 pl. 1 tab.

Kitts, W. D. & others. The normal blood chemistry of the beaver (*Castor canadensis*). A. Canad. J. Zool. **36**: 279–283.

Kladetzky, J. Atlas und Epistropheus vom Tapir (Ergänzung zum Beitrag: Zur Entwicklung des Dens epistrophei). Gegenbaurs Jb. 97 1956: 193–201 3 figs.

Klatt, B. Die Schädelgestaltung bei reciproken Kreuzungen von Hunden gegensätzlicher Wuchsform. Z. wiss. Zool. 161:1-38 33 figs.

Kleinenberg, S. E. & Yablokov, A. V. On the morphology of the upper part of respiratory tract in Cetacea. Zool. Zh. 37:1091-1099 10 figs. [In Russian with English summary.]

Klemm, M. Mammalia. In Blunck, H., Handb. der Pflanzenkrankheiten Aufl. 5, Berlin (Parey) Bd. 5, Teil 2, Lfg. 5, pp. 160–365.

Klimstra, W. D. & Corder, E. L. Food of the cottontail in southern Illinois. Trans. Ill. Acad. Sci. 50: 247-256 4 figs. 3 tabs.

Klös, H. G. Schwanzverstümmelung bei einer Löwin. Zool. Gart., Lpz. 25 (1/2): 76–78 2 figs. [Klumov, S. K.] (1). [Coastal localities of Callorhinus ursinus and Enhydra lutris at the Kurile islands, and a tentative determination of their respective number]. C.R. Acad. Sci. URSS 117 1957: 153-156 fig. [In Russian.]

[1958]

[Klumov, S. K.] (2). [The registration of the coast localities of Eumetopias jubatus at the Kurile islands, and a tentative determination of their number]. C.R. Acad. Sci. URSS 117 1957: 345-348 map. [In Russian.]

[Klumov, S. K.] (3). [Save the whales]. Priroda No. 3:36-43 6 figs. [In Russian.]

Knapp, B. H. & Polivanov, S. Anophthalmic albino: a new mutation in the Syrian hamster, *Cricetus (Mesocricetus) auratus*. Amer. Nat. 92: 317-318 fig.

Knobel, R. Present day status of certain ungulates in the Union of South Africa. Mammalia, Paris 22: 498-503.

Knoll, W. Das morphologische Blutbild der Sirenen. Vjschr. naturf. Ges. Zurich 103: 332-333.

Kobayashi, M. On the scale structure of hair in some Japanese rodents. Nat. Sci. & Mus., Tokyo 24 11-12 1957:1-3 2 figs.

Koch, B. & Vasserot, J. Observations concernant un Suncus etruscus capturé aux environs de Banyuls. Vie et Milieu 8 1957 [1958]: 486–490 1 fig.

Koch, W. Über aussterbende Haustierrassen. Zool. Gart., Lpz. 24: 42-44.

Kocher, W. see Deol.

Koenders, J. W. see Vries.

Koenig, L. Beobachtungen über Reviermarkierung sowie Droh-, Kampfund Abwehrverhalten des Murmeltieres (Marmota marmota L.). Z. Tierpsychol. 14 1957: 510–521 8 figs.

Koenigswald, G. H. R. von. Nieuwe gegevens omtrent de Gigantopithecus. Versl. gewone Vergad. Akad. Amst. Afr. Natuurk. 67:84-87 1 fig.

Koeppen, E. Die Spitzmäuse Stassfurts. Mitt. Naturk. u. Vorgesch. Magdeburg 3 1952: 77-79 3 figs.

Kohout, M. Body temperature of the golden hamster. Mém. Soc. zool. tchéosl. 21 1957: 233-243 5 figs. 5 tabs. [Czech with English summary.] Kohout, M. & Petrásek, R. The development of thermo regulation and of changes in the oxygen consumption in the golden hamster (Mesocricetus auratus). Mém. Soc. zool. tchéosl. 21 1957:83-92 3 figs. 2 tabs. [Czech with English summary.]

[Kojamkulova, B. S.]. [Finds of fossil bones of the horse of Prjevalsky (Equus przewalskii Pol.)]. Mat. Faun. Flor. kazak. 2:34-38. [In Russian.]

Kolb, A. (1). Nahrung und Nahrungsaufnahme bei Fledermäusen. Z. Säugetierk. 23:84-95. [English summary.]

Kolb, A. (2). Nabelschnüre zwischen den Kotkrümchen von Fledermäusen. Z. Säugetierk. 23: 96–98.

[Koloss, E. I.] [The ecological morphology of certain eye structures in *Mus mussulus* L.] C.R. Acad. Sci. URSS 121: 358-361 2 figs. [In Russian.]

Kolosváry, G. Das Leben der Tisza, IV. Die Tierwelt der Tisza auf Grund neuerer Sammlungen und Beobachtungen. 13, Säugetiere, Acta biol., Szeged, N. S. 4:233-234.

[Kolpakova, V. A.]. [Sources of sensory innervation of the ovary.] C.R. Acad. Sci. URSS 117 1957: 496–499 3 figs. [In Russian.]

Komai, T. Supplementary notes on the genetics of tortoiseshell male cat. J. Fac. Sci. Hokkaido Univ. (Zool.) 13 1957: 253-258 2 tabs.

Komárek, V. Einige Bemerkungen zur Muskelsubstanz der Brustgliedmassen des Hirsches. Acta Univ. Agric. Silv. Brno Řada B. Spisy Fac. Vet. 7: 147-159 6 figs. 1 phot. [Czech with German summary.]

Konieczna-Marczyńska, B. seę Skow-ron-Cendrzak.

König, C. Zur Kenntnis der Kleinsäugetiere von Ibiza (Balearen). Säugetierk. Mitt. 6:62-67 1 fig. 3 tabs.

Konizeski, R. L. Pliocene vertebrate fauna from the Bitterroot Valley, Montana, and its stratigraphic significance. Bull. geol. Soc. Amer. 69: 345–346.

Koopman, K. F. (1). Land bridges and ecology in bat distribution on islands off the northern coast of South America. Evolution 12:429-440 1 fig.

Koopman, K. F. (2). A fossil vampire bat from Cuba. Breviora No. 90:1-41 pl.

Koopman, K. F. (3). Does Pygoderma occur in North America? J. Mammal. 39:584-585.

Korotkevich, E. L. [On certain structural features of the limbs in the Sarmatian *Chilotherium.*] Rep. Acad. Sci. Ukrain. 4: 467-471 2 figs. [Ukrainian with English summary.]

[Korovina, A. M.]. [Peculiarities in feeding Capreolus]. Moscow Zoop. 2:74-78 2 figs. [In Russian.]

Korschgen, L. J. December food habits of mink in Missouri. J. Mammal. 39:521-527 1 tab.

Kornfield, M. see Griffin.

[Korzhnev, P. A.]. [On the correlation between the peculiarities of blood and the skeleton in the individual development of domestic animals.] Trud. Inst. Morf. Zhiv. 22 1957: 47–52. [In Russian.]

Koski, K. see Garn.

Kostenko, N. N. see Bazhanov.

[Kotov, V. A.] (1). [Occurrence of Allactaga bobrinskii in Kara-Kum]. Priroda No. 8:119. [In Russian.]

[Kotov, V. A.] (2). [On the occurrence of *Berardius bairdii*]. Priroda No. 8: 119. [In Russian.]

Koulmann, J. see Gillet.

Kowalski, K. (1). An early Pleistocene fauna of small mammals from the Kadzielnia Hill in Kielce (Poland). Acta palaeont. polon. 3 1:1-47 24 figs. [English with Polish and Russian summaries.]

Kowalski, K. (2). Pleistocene Microtinae (Rodentia, Mammalia) from Dziadowa Skala-cave in Poland. Acta zool. Cracov. 2: 805–823 3 figs. [Polish with English summary.]

Kowalski, R. Comparative investigations on the pulmonary alveolar lining in mammals. Bull. Soc. Sci. Litt. Poznań No. 13B 1956: 361-373 10 figs.

Kozlov, V. V. Wild boars in Ryazan region. Zool. Zh. 37:142-143. [In Russian with English summary.]

Kraft, H. Untersuchungen am Nasenspiegel wildlebender Wiederkäuer mit besonderer Berücksichtigung artlicher und individueller Merkmale. Säugetierk. Mitt. 6:23–263 pls.

38

Kramer, R. J. Adult brown bears climb trees. J. Mammal. 39:588.

Krassowski, T. Mammalian ova and ovaries in tissue culture. Przegl. Zool. 2:19-28 8 figs.

Kraus, H. Ein Beitrag zur funktionellen Anatomie des Centrum tendineum des Zwerchfells von Hund und Katze. Gegenbaurs Jb. 99:189-232 7 figs.

Krüger, W. (1). Der Bewegungsapparat. 6(1): 1-80 57 figs.; 81-176 53 figs. Handb. Zool., Berl. 8 (Lfg. 13) 14: 1-174.

Krüger, W. (2). Bewegungstypen. Handb. Zool., Berl. **8** (Lfg. 15) 6 (3): 1-56 59 figs.

Kruizinga, P. Two interesting Upper Pleistocene mammalian remains from the Westerschelde. Geol. en Mijnb. 20,: 261-265 2 figs.

Krumbiegel, I. Ein Schwertal (*Orcinus orca*) als Irrgast bei Wangerooge. Säugetierk. Mitt. 6:174–175.

Krumina, M. K. see Afonskaya.

Krutzsch, P. H. & Sulkin, S. E. The laboratory care of the Mexican free-tailed bat. J. Mammal. 39:262-2651 pl.

Krylova, N. V. Some features of the structure of the venous system in the hinder intestine of rodents. Bull. Soc. Nat. Moscou. Biol. 63 5: 23-29 2 figs. [English summary.]

Kryltsov, A. I. Material on moulting in Muridae. I. Moulting in mass species of Microtinae in northern Kazakhstan. Zool. Zh. 37:271-286 7 figs. [Russian with English summary.]

Krzanowski, A. Bat attacking an owl. Przegl. Zool. 2:44-45.

Kubik, J. Ein seltener Fall einer Doppelmissbildung beim Hasen. Acta Theriologica 2:1-10 5 pls.

Küenzi, W. Ein lebender Springtamarin (Callimico goeldii Thos.) in der Schweiz. Mitt. naturf. Ges. Bern N.S. 16: XXXVIII-XL 2 pls. Kühlhorn, F. (1). Körper-und Organgewichte normaler und verhungerter Kapuzineraffen, Cebus apella (Linné, 1758). Säugetierk. Mitt. 6:107-113, tab.

[1958]

Kühlhorn, F. (2). Gefügegesetzliche Untersuchungen bei Beutelratten (*Didelphis paraguayensis* Oken, 1816). Sängetierk. Mitt. 6:156-160.

Kühne, W. G. Rhaetische Triconodonten aus Glamorgan, ihre Stellung zwischen den Klassen Reptilia und Mammalia und ihre Bedeutung für die Reichart'sche Theorie. Paläont. Z. 32:197-235:27 figs.

Kulicke, H. see Reichstein.

Kulik, I. L. Population structure of *Rhombomys opimus* Licht. in the northeastern part of their range. Zool. Zh. 37: 612-618 fig. [In Russian with English summary.]

Kulzer, E. Untersuchungen über die Biologie von Flughunden der Gattung Rousettus Gray. Z. Morph. Ökol. Tiere 47:374-402 23 figs.

Kummer, B. & Neiss, S. Das Cranium eines 103 mm langen Embryos des südlichen See-Elephanten (*Mirounga* leonina L.). Gegenbaurs Jb. 98 1957: 288-346 19 figs.

Kuroda, N. (1). New localities of small Japanese mammals. J. Mammal. Soc. Japan 1 1957: 73-74.

Kuroda, N. (2). A new name for the lesser Japanese mole. J. Mammal, Soc. Japan 1 1957:74. [Japanese with English summary.]

Kuroda, N. & Ishiwata, T. An abnormal example of long-haired yellow marten from Mt. Osore, Aomori Pref., N. Japan. J. Mammal. Soc. Japan 1 1957: 49-50 1 pl. [Japanese with English summary.]

Kurtén, B. (1). The bears and hyenas of the Interglacials. Quaternaria 4 1957: 69-81.

Kurtén, B. (2). Percrocuta Kretzoi (Mammalia, Carnivora) a group of Neogene hyenas. Acta zool. Cracov. 2 1957: 375-404.

Kurtén, B. (3). Pürteitä luolakarhun ekologiesta. Luonnon Tutkija 62:65–69 3 figs.

Kurtén, B. (4). A differentiation index, and a new measure of evolutionary rates. Evolution 12: 146-157 3 figs.

Kurtén, B. (5). Life and death of the Pleistocene cave bear. Acta zool. fenn. 95: 1-59.

Laffargue, M. see Canivenc.

La Motte, L. C. Japanese B encephalitis in bats during simulated hibernation. Amer. J. Hyg. 67 (1): 101-108.

Lamotte, M. see Heim de Balsac.

Lampkin, G. H., Quartermain, J. & Kidner, M. Observations on the grazing habits of grade and zebu steers in a high altitude temperate climate. J. agric. Sci. 50: 211-218 1 fig. 8 tabs.

Lamprey, H. F. Elephant control in Tanganyika, a discussion. Tanganyika Notes Nos. 47-48 1957:145-148.

Lande, O. Chromosome number in the silver fox (*Vulpes fulvus* Desm.). Nature, Lond. 181:1353-1354 1 fig.

Landry, S. O. The function of the entepicondylar foramen in mammals. Amer. Midl. Nat. 60: 100-1124 figs.

Landry, S. O. see Conaway.

Lane-Petter, W. Laboratory animals: problems of confinement and breeding. New Scient. 4:1103-1105, 2 figs.

Lang, E. M. Zur Haltung des Strandwolfes (*Hyaena brunnea*). Zool. Gart., Lpz. 24 (1-2): 81-90 5 figs.

Larina, N. O. On the diagnostics problem of closely related species Apodemus sylvaticus L. and Apodemus tauricus Pall. Zool. Zh. 37: 1719–1732. 5 figs. [Russian with English summary.]

Larson, J. Small mammal collecting in Northern Rhodesia. N. Rhod. J. 3 1957: 339-341 1 fig.

Larthe, Y. Dyes suitable for use in studies of rat movements. J. Mammal. 39: 450-451 1 tab.

Lassaletta, L. de see Sabater Pi.

Latimer, H. B. & Sawin, P. B. (1). Morphogenetic studies of the rabbit. XV. Measurements of the digestive tube and of its parts in normal and dwarf rabbits of race X. Anat. Rec. 129 1957: 1-16.

Latimer, H. B. & Sawin, P. (2). Morphogenetic studies of the rabbit. XIX. Organ size in relation to body size in large race III and in small race X. Anat. Rec. 129 1957: 457-472 4 tabs.

Latychev, N. & Sidorkine, A. Observations sur les terriers du spérmophile (Spermophilopsis leptodactylus Licht) dans la vallée de la rivière Mourghab (Turkménistan, USSR) pendant en saison d'été. Bull. Soc. nat. Moscou Sect. Biol. N.S. 52 1 1947: 35-43 3 figs. [Russian with French résumé.]

Lavocat, R. Classification des Ongulés d'après leur origine et leur évolution. Mammalia, Paris 22:28-40.

Law, T. & Meagher, W. Hypothalamic lesions and sexual behavior in the female rat. Science 128:1626-1627 1 tab.

Laws, R. M. (1). Growth rates and ages of crabeater seals, *Lobodon carcino-phagus* Jacquinot and Pucheran. Proc. zool. Soc. Lond. 130:275-288 5 figs. 2 pls.

Laws, R. M. (2). Recent investigations on fin whale ovaries. Norsk Hvalfangsttid., 47:225-254 16 figs.

Layne, J. N. (1). Observations on freshwater dolphins in the Upper Amazon. J. Mammal. 39:1-22 2 pls. 1 fig. 3 tabs.

Layne, J. N. (2). Notes on mammals of south Illinois. Amer. Midl. Nat. 60: 219-254.

Layne, J. N. & Woolfenden, G. E. Gray squirrels feeding on insects in car radiators. J. Mammal. 39:595-596.

Layne, J. N. see Redmond.

Lazarus, M. The toxicity and relative acceptability of some poisons to the wild rabbit, *Oryctolagus cuniculus* (L.). C.S.I.R.O. Wildl. Res. 1 1956: 96-100.

Lea, L. M. & Poulot, R. Sur les autoradiographies au Ca⁴⁵ des os longs et croissance. Les mécanismes de l'apposition osseuse sous-periostée. Arch. Biol., Paris 69:455-465 l pl.

Leaf, A. see Maffly.

Leakey, L. S. B. (1). Some East African Pleistocene Suidae. Foss. Mamm. Africa 14:1-132 31 pls.

Leakey, L. S. B. (2). Note on an aberrant lower third molar of Sus cristata. S. Afr. J. Sci. 54:134 2 figs.

Leakey, L. S. B. (3). Recent discoveries at Olduvai Gorge, Tanganyika. Nature, Lond. 181: 1099-1103 8 figs.

Leakey, L. S. B. & Whitworth, T. Notes on the genus Simopithecus, with a description of a new species from Olduvai. Coryndon Mem. Mus. Occ. Pap. No. 6 1-14 10 pls. 4 tabs.

Lechleitner, R. R. (1). An extra molar in *Erethizon*. J. Mammal. **39**: 447-448.

Lechleitner, R. R. (2). Certain aspects of behavior of the black-tailed jack rabbit. Amer. Midl. Nat. 60: 145-155.

Lee, Y. see Hsu.

Lehman, J. P. L'Evolution des vertébrés et l'origine de l'homme. Nature, Paris No. 3284 : 497-499 5 figs.

Lehmann, E. v. (1). Die Heterogenität des europäischen Rehs. Zur Diskussion des "Rehwildproblems" in der deutschen Jagdpresse. Z. Jagdwissensch. 3 1957: 53-63 7 figs.

Lehmann, E. von. (2). Die Ausl wirkung der Bergmann'schen Regeinnerhalb der Gruppe der holarktischen Cerviden. Säugetierk. Mitt. 6:49-51.

Lehmann, E. v. (3). Zum haarwechsel deutscher Kleinsäuger. Bonn. zool. Beitr. 9:10-22 5 figs. 1 tab.

Lehmann, E. von. (4). Chevreuils d'Asie et d'Europe. Contribution à l'étude du genre Capreolus. Mammalia, Paris 22: 262-270 2 figs. 4 tabs.

Lehmann, E. von (5). Zur Kleinsäugerfauna des Hohen Venus. Decheniana 111 1:9-17.

Lehmann, H. see Bangham.

Lennep, E. W. van see Kellas.

Lensink, B. M. see Wijngaarden.

Les, E. P. see Yoon.

Lessertisseur, J. Doit-on distinguer deux plans de muscles interosseux a la main et au pied des Primates? Ann. Sci. nat. (Zool.) (11) 20: 77-104 11 figs.

Lessertisseur, J. see Jouffroy.

Leutscher, A. The edible doormouse in Britain. Countryside N.S. 18: 222-224 1 fig.

Levine, L. Studies on sexual selection in mice. I. Reproductive competition between albino and black-agouti males. Amer. Nat. 92: 21-26 1 pl. Levy, G. W. & Bevan, W. A failure to find social facilitation of audiogenic seizures in the rat. Anim. Behav. 6: 43-44.

Lewis, O. J. The development of the blood vessels of the metanephros. J. Anat., Lond. 92:84-97 2 pls. 2 figs.

Lewis, O. J. see Barnett.

Libby, W. L. Records of the pika in the Tanana Hills, Alaska. J. Mammal. 39:448-449.

Liers, E. E. Early breeding in the river otter. J. Mammal. 39:438-439.

Likhachev, G. N. A survey of the number of foxes in the area of the Tula Abatis. Bull. Soc. Nat. Moscou biol. 63 (1):15-21. [In Russian with English summary.]

Lincoln, F. C. Saving North America's endangered species. Oryx 4:365-372.

Lindroth, C. H. The faunal connections between Europe and North America. New York, (John Wiley & Sons Inc.) 1957, pp. 344 61 figs.

Line, C. see Rook.

Lineham, E. J. Dogs work for man. Nat. geogr. Mag. 114: 190-233 figs.

Ling, H. see Aul.

Linn, I. Symposium on field study of mammals. Carnivores. Bull. Mammal Soc. Brit. Isles No. 9 4-7. [Private circulation.]

Linnartz-Niklas see Tischendorf.

Liotti, F. S. Ricerche comparative sull' attività catalasica (ossiforo di spirito) del sangue nelle varie classi dei vertebrati. Riv. Biol. 50 1:43–57. [English summary.]

Lipkow, J. Unterkühlung von Mäus embryonen. Naturwissenschaften 45:322.

Lipp, W. Leber, Gallenblase und Gallenwege. (in Hofer & others Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 383– 445 27 figs.).

Litchfield, J. B. Blood pressure in infant rats. Physiol. Zoöl. 31:1-6.

Little, C. E. Coat color genes in rodents and carnivores. Quart. Rev. Biol. 33: 103-137 3 tabs.

Lloyd, P. F. see Hall.

Lloyd-Evans, L. see Davis.

LoBue, J. P. & Darnell, R. M. An improved live trap for small animals. J. Mammal. 39: 286-290 1 fig. 2 tabs.

Lochte, Th. Cuticulabilder des Hundehaares und ihre Deutung. Zool. Anz. 160: 79-87 31 figs.

Lockley, R. M. Seal marking. Nature in Wales 4:536-543 map.

Löhe, B. Zur Anatomie des Giraffenherzens, (Giraffa capensis tippelskirchi Matschie). Gegenbaurs Jb. 98:483-497 5 figs.

Lörcher, E. 25 Jahre Homo steinheimensis. Kosmos, Stuttgart 54: 344-346 5 figs.

Louch, C. D. Adrenocortical activity in two meadow vole populations. J. Mammal. 39:109-116 2 figs. 3 tabs.

Lowe, C. E. Ecology of the swamp rabbit in Georgia. J. Mammal. 39: 116-127 2 figs. 6 tabs.

Lucier, C. V. see Pruitt.

Luck, C. P. The vitreous body of Galago crassicaudatus asisymbanus. Nature, Lond. 181:719.

Lukens, P. W. Jr. see Davis.

Lukyanova, I. v. see Tupikova.

Luppa, H.-W. Ein Beitrag zur Kenntnis des Vorderdarmes der Bisamratte (Ondatra zibethica L.) und einiger muriden Nager (Microtus arvalis Pall.; Arvicola terrestris L.; Clethrionomys glareolus Schreb.; Apodemus flavicollis (Melch.). Wiss. Z. M.-Luther Univ. Halle-Wittenburg. Math. Nat. Kl. 7: 249–266 14 figs.

Lyman, C. P., Weiss, L. P., O'Brien, R. C. & Barbeau, A. A. The effect of hibernation on the replacement of blood in the golden hamster. J. exp. Zool. 136 1957: 471-485 2 figs.

Lyon, M. F. (1). Hereditary hair loss in the tufted mutant of the house mouse. J. Hered. 47 1956:101-103 1 fig.

Lyon, M. F. (2). Twirler: a mutant affecting the inner ear of the house mouse. J. Embryol, exp. Morph. 6: 105-116 1 pl. 3 figs.

Lyons, W. R. Hormonal synergism in mammary growth. Proc. roy. Soc. 149B 936: 303-325 1 fig. 2 pls.

Macarovici, N. Mammifères fossiles du sarmatien de Pâun (Jassy). An. Sti. Univ. "A. I. Cuza" Iasi. Sti. nat. N.S. (2) 4 1:143-154 2 pls.

Madden, D. A. see Andresen.

[Makarova, L. A.]. [First find of the remains of Equus stenonis in Kazakhstan]. Mat. Faun. Flor. Kazak. 1 1955: 29-39 10 figs. [In Russian.]

Malenkov, I. I. On the distribution of Gazella subgutturosa Guld. and Canis aureus L. in Fergana Valley. Zool. Zh. 37: 629-630. [Russian with English summary.]

Mall, R. see Hughes.

Marcoci, G.-V. see Dornesco.

Marcoci, G. V. & Popa, M. (1). Contribution à la description du crâne du phoque de la Mer Noire, Monachus monachus (Herm.). Bul. Sti. Acad. Republ. rom. Sect. Biol. 9 1957: 165–183 10 figs. 1 tab. (Rumanian with French summary.]

Marcoci, G. V. & Popa, M. (2). Contribution à la description du crâne de Monachus monachus Herm., le phoque de la mer Noire. Rev. Biol. București 2 1957: 277-295 10 figs.

McCabe, R. A. & Keith, L. B. The effectiveness of expanded aluminium foil in preventing rabbit damage. Trans. Wisc. Acad. Sci. 46:305-314.

McCarley, H. Ecology, behavior and population dynamics of *Peromyscus nuttalli* in eastern Texas. Texas J. Sci. 10:147-171 2 figs. 5 tabs.

McClung, R. M. & G. S. America's first elephant. Nature Mag., N.Y. 50 1957: 400-404 442 6 figs.

McDougall, E. I. see Ashton.

McDowell, S. B. Jr. The Greater Antillean insectivores, Bull. Amer. Mus. nat. Hist. 115:113-214 46 figs. 2 tabs.

McFarland, W. N. see Norris.

Macfarlane, W. V. see Harvey.

Machado, A. B. M. Sex recognition in new-born mice. Rev. bras. Biol. 17 1957: 521-523 1 fig.

McHugh, T. Social behaviour of the American buffalo (Bison bison bison). Zoologica, N.Y. 43:1-40 1 fig. 3 pls. 10 tabs. McIntosh, W. B. Whiteside, a new mutation in *Peromyscus*. J. Hered. 47 1956: 28-32 1 fig.

McKeever, S. Goosebeak whale from North Carolina. J. Mammal. 39:440.

McKeever, S., Gorman, G. W., Chapman, J. F., Galton, M. M. & Powers, D. K. Incidence of leptospirosis in wild mammals from south-western Georgia, with a report of new hosts for six serotypes of leptospires. Amer. J. trop. Med. Hyg. 7:646-655 1 fig. 4 tabs.

Mackerras, M. J. Catalogue of Australian mammals and their recorded parasites. I-IV. Proc. linn. Soc. N.S.W. 83:101-160.

Mclaren, A. & Biggers, J. D. Successful development and birth of mice cultivated in vitro as early embryos. Nature, Lond. 182:877-878.

McLaren, A. see Biggers.

McLaren, A. & Michie, D. (1). An effect of the uterine environment upon skeletal morphology in the mouse. Nature, Lond. 181:1147-1148 1 tab.

McLaren, A. & Michie, D. (2). Factors affecting vertebral variation in mice. 4. Experimental proof of the uterine basis of a maternal effect. J. Embryol. exp. Morph. 6: 645-659 1 pl. 3 figs.

McLaren, I. A. (1). The biology of the Ringed Seal (*Phoca hispida* Schreber) in the Eastern Canadian Arctic. Bull. Fish. Res. Board Canad. No. 118: vii + 97 31 figs.

McLaren, I. A. (2). Some aspects of growth and reproduction of the bearded seal, *Erignathus barbatus* (Erxleben). J. Fish. Res. Bd. Can. 15:219-227 3 figs.

McLaughlin, C. A. A new race of the pocket gopher *Geomys bursarius* of Missouri. Contr. Sci. No. 19:1-4.

MacLeod, C. F. see Beer.

McMinn, R. M. H. The action of colchicine on the intestinal epithelium of the cat and dog. Quart. J. micr. Sci. 99: 289-293 1 tab.

McMinn, R. M. H. & Johnson, F. R. (1). Epithelial regeneration and wound healing in the oesophagus of the cat. J. Embryol. exp. Morph. 6:288-296 3 pls.

McMinn, R. M. H. & Johnson, F. R. (2). Repair of wounds of the mucosa in the rectum of the cat. J. Embryol. exp. Morph. 6: 509-517 3 pls.

McNally, J. Damage to Victorian exotic pine plantations by native animals. Austr. Forestry 19:87-99 2 pls.

Maffly, L. H. & Leaf, A. Water activity of mammalian tissues. Nature, Lond. 182:60-61 2 figs.

Maguire, F. S. see Gleeson.

Malbrant, R. & Quijoux, P. Présence du Céphalophe à dos jaune (Cephalophus sylvicultor (Afzelius)) au Tchad. Mammalia 22: 591–592.

Malhotra, S. K. What constitutes a "network" in mammalian neurones? Curr. Sci. 17: 27-28 2 figs.

Manker, E. The last of the reindeer Lapps. Nat. Hist. N.Y. 67:71-81 illustr.

Mann, G. Clave de determinacion para las especies de Mamiferos Silvestres de Chile. Invest. Zool. Chil. 4 1957: 89-126.

Mansfield, A. W. The breeding behaviour and reproductive cycle of the Weddell Seal (Leptonychotes weddelli Lesson). Sci. Rep. F.I.D.S. No. 18: 1-41 6 pls. 17 figs.

Manville, R. H. (1). Odd items in bobcat stomachs. J. Mammal. 39: 439.

Manville, R. H. (2). Concerning platypuses. J. Mammal. 39:582-583.

Marches, G. A propos de quelques rongeurs de la République Populaire 2 1956:65–91 14 figs. [Roumanian with French résumé.]

Marchlewski, T. The inheritance of a behaviour trait in the domestic dog. Folia biol. Kraków, 6:239-244.

Mari, M. S. The abominable snowman. Turtox News 35 1957:172-173 1 fig.

Mariappa, D. (1). External characters of a foetal Indian elephant. Indian vet. J. 32 1955: 8-17 5 pls.

Mariappa, D. (2). The anatomy of a foetal Indian elephant Parts 1-IV. Indian vet. J. 32 1955: 94-104 170-202 322-329 407-430 18 pls.

[Marikovski, P. I.]. [Contribution to knowledge of tracks of wild Ussurian mammals]. Trud. dalnevost. Fil. Akad. Nauk. SSSR. Zool. 3 (6) 1956: 327–336 10 figs. [In Russian.]

Markov, G. (1). Beitrag zur Erforschung der Säugetiere im Gebiet des Wassersammelbeckens der Talsperre "Stalin", Kreis Samokov. Bull. Inst. zool. Acad. bulg. Sci. 4–5 1955: 251–276. [Russian with German summary.]

Markov, G. (2). Untersuchungen über die Systematik von Citellus citellus L. Bull. Inst. 2001. Acad. bulg. Sci. 6 1957: 463–490 6 figs. [Russian with German summary.]

Markus, C. U. Vergleichende Untersuchungen über den Sexual cycles weiblicher Rötelmäuse (Clethrionomys glareolus, Schreber 1780) und Feldmäuse (Microtus arvalis, Pallas 1778). Wiss, Z. M. Luther Univ. Halle-Wittenburg. Math.-Nat. R. 6:1021–1031 19 figs.

Marlow, B. J. (1). Mammals of New Guinea. Aust. Mus. Mag. 12: 388-393 5 figs.

Marlow, B. J. (2). Chloral hydrate narcosis for the live capture of mammals. C.S.I.R.O. Wildl. Res. 1 1956: 63-65.

Marlow, B. J. (3). A survey of the marsupials of New South Wales. C.S.I.R.O. Wildl. Res. 3:71-114 34 figs.

Marlow, B. J. (4). A recent record from New South Wales of the rufous rat-kangaroo, Aepyprymnus rufescens (Gray) (Macropodidae). C.S.I.R.O. Wildl. Res. 2 1957: 166–167 1 fig.

Martinsons, E. see Helgebostad.

Masing, V. Die Wirbeltiere der Endla-Hochmoore. Loodus Seltsi, Tallinn 50 1957: 141–152 7 figs. [German summary.]

Mason, R. Foods of the Australian opossum (*Trichosurus vulpecula*, Kerr) in New Zealand indigenous forest in the Orongorongo Valley, Wellington. N.Z.J. Sci. 1:590—613.

Masu, K. Deformed lower jaw of sperm whale. Sci. Rep. Whales Res. Inst., Tokyo No. 13:211-212 1 pl.

Matsumoto, K. see Nagasaki.

Matsuo, M. see Tagawa.

Mathé, G. see Rosa.

Matthes, H.-W. Die mitteleozäne Säugerfauna des Geiseltales und ihre verwandtschaftlichen Beziehungen. Wiss, Z. M. Luther Univ. Halle-Wittenburg, Math.-Nat. R. 7:37-61 22 figs.

Matthews, L. H. (1). The biology of whales. New Scient. 4:1426-1427 3 figs.

Matthews, L. H. (2). Calving time of grey seals. Nature, Lond. 182: 1325-1326.

Matthews, L. H. see Amoroso.

Matthey, R. (1). La position des genres Ellobius Fischer et Prometheomys Satunin dans la systématique des Microtinés—Le point de vue chromosomique. Rev. suisse Zool. 65: 377–383 7 figs.

Matthey, R. (2). Cytologie comparée, taxonomie et évolution des campagnols (Microtinae). Bull. Soc. neuchatel Sci. nat. (3) 81: 176-177.

Matthey, R. (3). Un nouveau type de détermination chromosomique du sexe ches les mammières Ellobius lutescens 'Th. et Microtus (Chilotus) oregoni Bachm. (Muridés-Microtinés). Experienta 14: 240–241 2 figs.

Matveeva, A. I. see Polezhaev.

Maurus, M. Temperaturwahl und Wahltemperatur einheimischer Mäuse. Zool. Jb. (Allg. Zool.) 68:335–368 7 figs.

Maxwell, B. E. see Pike.

Mayer, W. V. & Bernick, S. Comparative histological studies of the stomach, small intestine, and colon of warm and active and hibernating arctic ground squirrels, Spermophilus undulatus. Anat. Rec. 130:747-757 2 pls.

[Mazhuga, P. M.] (1). [Certain peculiar traits in the structure of blood vessels in mammals and birds, and the factors by which they are underlain.] C.R. Acad. Sci. URSS 117 1957: 707-709. [InRussian.]

Mazhuga, P. M. (2). Some morphofunctional peculiarities of blood vessels in mammals and birds. Zool. Zh. 37: 899-914. [Russian with English summary.]

Meagher, W. see Law.

Medina Padilla, G. see Mondolfi.

Medzihradsky, J. Über die lymphatische Drainage der Milzpulpa. Z. mikr.-anat. Forsch. 64:448–465 13 figs.

Meester, J. (1). A litter of Rattus namaquensis born in captivity. J. Mammal. 39: 302-304.

Meester, J. (2). Variation in the shrew genus *Myosorex* in southern Africa. J. Mammal. **39**: 325-339 2 figs 2 tabs.

Meester, J. (3). The fur and molts in the shrew, Myosorex cafer. J. Mammal. 39:494-498 3 figs. 1 tab.

Meester, J. (4). A mammal survey of the S.A. Lombard Nature Reserve (1954). Fauna & Flora, Pretoria No. 6 1955: 45-57 5 figs.

Meinertz, Th. (1). Beitrag zur Kentnis vom Bau des Magens beim Dugong. Gegenbaurs Jb. **97** 1956: 202–219 12 figs.

Meinertz, T. (2). Das Facialisgebiet beim Elch (*Cervus alces*). Gegenbaurs Jb. 96 1956: 523-598 29 figs.

Meissner, H.-O. Der Bali-Tiger—ein Märchen? Säugetierk Mitt. 6:13-17.

Meldrum, G. K. see Guiler.

Meltzer, M. R. & Folk, G. E. A method for correlating bladder emptying and total activity in rodents. J. Mammal. 39: 454-455 l pl.

Mettler, L. E. see Bender.

Mettzer, M. R. see Folk.

Metz, G. E., Judice, R. C. & Finerty, J. C. Occurrence of neurons in the sciatic nerves of albino rats. Anat. Rec. 130:197-2052 pls.

Meyer, I. Beiträge zur Kenntnis der Fusssohlenbehaarung bei den *Lagomorpha*. Zool. Anz. **160**: 7-20 9 figs.

Meyer-Holzapfel, M. Bouquetins en captivité. Mammalia, Paris 22: 90-103 2 pls 4 tabs.

Mezhzherin, V. A. On feeding habits of Sorex araneus L. and S. minutus L.]. Zool. Zh. 37:948-953. [Russian with English summary.]

Micha, M. Le Rhinocéros Blanc. (Ceratotherium simum cottoni (Lydekker)). Zoo. Antwerp 23 (4):111-115 4 figs.

Michael, R. P. Sexual behaviour and the vaginal cycle in the cat. Nature, Lond. 181:567-568 2 tabs.

Michie, D. see Biggers.

Michie, D. see McLaren.

Michels, K. M. see Johnson.

Michels, K. M. see Thackray.

Michelson, A. M., Russell, E. S. & Harman, P. J. Dystrophia muscularis: a hereditary primary myopathy in the house mouse. Proc. nat. Acad. Sci. Wash. 41 1955: 1079-1084 6 figs.

[1958]

Miles, P. M. Field Notes. Mammals. Nature in Wales 4:643-644.

Miller, R. S. (1). A study of a wood mouse population in Wytham Woods, Berkshire. J. Mammal. 39:477-493 5 figs. 7 tabs.

Miller, R. S. (2). The Munsell system of color notation. J. Mammal. 39: 278-286 3 figs. 1 tab.

Miller, R. S. (3). Rate of incisor growth in the mountain pocket gopher. J. Mammal. 39: 380-385 1 fig. 1 tab.

Miller, W. J. Anti-lens sera as a mutagen in rabbits, J. exp. Zool. 137: 463-477 1 tab.

Millot, P. Les groupes sanguins chez les Ongulés. Mammalia, Paris 22:58-67.

Minckler, J. see Hilleman.

Mirigliano, G. (1). Sulla fauna della Grotta dei Pipistrelli presso Matera. Arch. zool. (ital.) Napoli 42 1957: 33-84 6 figs. 1 pl.

Mirigliano, G. (2). Avanzi di Mammiferi quaternari provenienti dalle "Grotte ossifere" del territorio di Matera. Arch. zool. (ital.) Napoli 42 1957: 87–104 9 figs.

Mislin, H. & Helfer, H. Vergleichende quantitativ-anatomische Untersuchungen an glatten Muskelzellen der Flughautgefasse. Rev. suisse Zool. 65: 384–389.

Misonne, X. Faune du tertiaire et du pleistocene inferieur de Belgique. (Oiseaux et mammifères). Données paléontologiques. Bull. Inst. Sci. nat. Belg. 34 (5): 1–36.

Mitzopoulos, M. K. Die Verbreitung der Pikermistufe auf der Insel Euboea. Prakt. Akad. Athens 27 1953: 278–287 5 figs.

Miyazaki, I. (1). Fin whales and whaling operations in the East China Sea. Norsk Hvalfangsttid. 47: 21-26 l fig.

Miyazaki, I. (2). Survey of whaling operations from shore based stations in Japan 1956 and 1957. Norsk Hvalfangsttid. 47:597-606 2 figs.

Mnushkin, L. B. see Bazhanov.

Moczarski, Z. & Gedyminowa, T. Fragment of aurochs skull from Popowice, province of Poznań. Przegl. zool. 1 1957: 215–217 6 figs. 1 tab. [In Polish.]

Moghe, M. A. & Owers, N. The role of cytochemistry in the identification of the placenta of Suncus murinus. Proc. zool. Soc. Calcutta, Mookerjee Memor. Vol. 1957: 191-193.

Mogler, R. K.-H. Das endokrine System des syrischen Goldhamsters (Mesocricetus auratus auratus Waterhouse) unter Berücksichtigung des naturlichen und experimentellen Winterschlafs. Z. Morph. Okol. Tiere 47: 267-308.

Mohr, E. Zur Kenntnis der Hirschebers, Babirussa babyrussa Linné 1758. Zool. Gart. Lpz. 25:50-69 22 figs.

Mohr, E. & Haltenorth, T. Saugetiere. Eine Auswahl von 192 Einzeldarstellungen auf 192 Tafeln in 7- bis 8-farbigem Offsetdruck nach Originalen von W. Eigener, F. Murr, K. Grossmann, H. Vogel. Hamburg (Kronen-Verlag Erich Cramer) 1958.

Mondolfi, E. & Medina Padilla, G. Contribución al conocimento del "perrito de agua" (Chironectes minimus Zimmermann). Mem. Soc. Cienc. nat. La Salle 17 1957: 141-155 5 figs.

Monroe, C. W. see Andresen.

Monteiro, M. P. Inervacao dos dentes mandibulares no *Bradypus tri*dactylus L. Pap. Rep. Zool. Sec. Agric. S. Paulo 13:155–160 5 figs.

Montgomery, G. G. Some aspects of the sociality of the domestic horse. Trans. Kansas Acad. Sci. 60 1957: 419-424 3 tabs.

Moody, P. A. Serological evidence on the relationships of the musk ox. J. Mammal. 39:554-559 1 fig. 1 tab.

Moog. F. & Lutwak-Mann, C. Observations on rabbit blastocysts prepared as flat mounts. J. Embryol. exp. Morph. 6:57-67 1 pl.

Moore, J. C. (1). New striped tree squirrels from Burma and Thailand. Amer. Mus. Novit. No. 1879:1-6 2 tabs.

Moore, J. C. (2). A new species and a redefinition of the squirrel genus *Prosciurillus* of Celebes. Amer. Mus. Novit. No. 1890: 1-5.

Moore, J. C. (3). A beaked whale from the Bahama Islands and comments on the distribution of Mesoplodon densirostris. Amer. Mus. Novit. No. 1897: 1-12 2 tabs. 6 figs.

Moore, J. C. (4). New genera of East Indian squirrels. Amer. Mus. Novit. No. 1914: 1-5.

Moore, N. W. & Rowson, L. E. A. Freemartins in sheep. Nature, Lond. 182:1754-1755 1 fig.

Mooser Barendun, O. Una zebra fosil de la mesa central de Mexico. An. Inst. Biol. Univ. Mex. 28: 359-363 1 fig.

Morgan-Davies, A. M. The threat to the Ceylon elephant. Oryx 4:363-364.

Mori, M. The skeleton and musculature of *Zalophus*, Okajimas Folia anat. Jap. 31: 203–284 54 figs. 4 pls.

Morice, J. Animaux marins comestibles des Antilles françaises. Rev. Trav. Inst. Pêches marit. 22 (1): 85–104. (Cetacea p. 103).

Morris, B. The yolk-sac of the mole Talpa europaea. Proc. zool. Soc. Lond. 131: 367-387 1 tab. 3 pls.

Morris, D. Pictures by chimpanzees. New Scient. 4:609-611 6 figs.

Morris, I. G. The effects of heterologous sera on the uptake of rabbit antibody from the gut of young mice. Proc. roy. Soc. 148B 930: 84-91.

Morris, I. G. see Brambell.

Mossman, A. S. Winter records of bats in Alaska. J. Mammal. 39:585.

Mossman, H. W. Endotheliochorial placentation in the rodents, *Castor* and *Pedetes*. Proc. zool. Soc., Calcutta, Mookerjee Memor. Vol. 1957:183-186 1 pl.

Mottl, M. Bericht über die neuen Menschenaffenfunde aus Österreich, von St. Stefan im Lavanttal, Kärnten. Carinthia II 67 1957: 39-84 12 figs. 5 tabs. Müller, H. P. Observations faites sur une Musaraigne étrusque Suncus etruscus, capturés le 15 octobre 1956 à l'oued Chaffrou, près d'El Bathan. Proc.-Verb. Soc. Sci. nat. Tunis 1956, 7-9, 1956: LI-LII.

Müller, R. Vergleichende Untersuchungen über die Grossenverhältnisse des Ohrlabyrinths einheimischer Säugetiere. Gegenbaurs Jb., 98:498–523 6 figs.

Muller-Using, D. see Zimmermann.

Mumford, R. E. Population turnover in wintering bats in Indiana. J. Mammal. 39: 253-261 1 fig.

Mumford, R. E. & Cope, J. B. Summer records of *Myotis sodalis* in Indiana. J. Mammal. 39: 586-587.

Mumford, R. E. see Cope.

Munro, J. A. Distribution of the harvest mouse in British Columbia. Canad, Fld. Nat. 72: 146.

Murray, P. D. F. The monotremes. Aust. Mus. Mag. 12:286-288 1 fig.

Musacchia, X. J. Observations on a newborn litter of *Citellus undulatus*, J. Mammal. **39**: 594–595.

Musil, R. Die morphologische und metrische Charakteristik der Mammut von Předmostí. Cas. moravsk. Mus. Sci. nat. 43: 95–100. [Czech with German summary.]

Mussett, F. see Kermack.

Myant, N. B. see Osorio.

Myers, K. (1). Some observations on the use of sight counts in estimating populations of the rabbit, *Oryctolagus* cuniculus (L.). C.S.I.R.O. Wildl. Res. 2 1957: 170-172.

Myers, K. (2). Further observations on the use of field enclosures for the study of the wild rabbit, *Oryctolagus cuniculus* (L.). C.S.I.R.O. Wildl. Res. 3:40-49 1 fig. 3 tabs. 1 pl.

Myers, K. & Poole, W. E. Sexual behaviour cycles in the wild rabbit, Oryctologus cuniculus (L.). C.S.I.R.O. Wildl. Res. 3:144-145.

Myers, K. & Mykytowycz, R. Social behaviour in the wild rabbit. Nature, Lond. 181: 1515-1516. Mykytowycz, R. (1). Contact transmission of infectious myxomatosis of the rabbit, *Oryctolagus cuniculus* (L.). C.S.I.R.O. Wildl. Res. 3:1-6 1 fig. 1 tab.

Mykytowycz, R. (2). Social behaviour of an experimental colony of wild rabbits, *Oryctolagus cuniculus* (L.). I. Establishment of the colony. C.S.I.R.O. Wildl. Res. 3:7-25 6 figs. 4 tabs.

Mykytowycz, R. and Rowley, I. Continuous observations of the activity of the wild rabbit, Oryctolagus cuniculus (L.), during 24-hour periods. C.S.I.R.O. Wildl. Res. 3: 26-31 1 fig. 1 tab.

Mykytowycz, R. see Myers.

Nabi, S. A. A. Protection of game in the Sudan, Sudan Notes 37 1956: 119-121.

Nagasaki, F. & Matsumoto, K. Homing tendency of the bachelor seals to their native rookeries. Bull. Tokai Fish. Res. Lab. 18 1957: 15–19.

Naik, R. M. see George.

Nakajima, Z. On the occurrence of the quaternary mammalian fauna from the limestone fissures near Shiriya-Zaki, Shimokita Peninsula, Aomon Prefecture, Japan (No. 2). Misc. Rep. res. Inst. nat. Resourc. No. 46-47: 37-39. [English summary].

Nakata, G. & Ito, S. Studies on the commensal rats in Kyoto City. I. On the annual succession of the composition of rat population and pregnancy rate. Zool. Mag., Tokyo 67: 202–209 5 figs. [In Japanese. English summary.]

[Nasimovich, A. A.]. [The part played by the condition of the snow cover in the life of hoofed animals on the territory of the USSR.] Moscow 1955 402 pp. [N.V. In Russian.]

Nasu, K. see Takahisa.

Neal, E. G. The reproductive cycle of the badger (*Meles meles*). Bull. Mammal Soc. Brit. Isles No. 10 15-17. [Private circulation.]

Neal, E. G. & Harrison, R. J. Reproduction in the European badger (Meles meles L.). Trans. zool. Soc. Lond. 29:67-120 5 figs. 5 pls.

Negus, N. C. Pelage stages in the cottontail rabbit. J. Mammal. 39: 246-252 1 fig. 1 tab.

Nehls, J. Morphologische Studien an Nebennieren von Pferden verschiedener Altersklassen. Z. mikr.-anat. Forsch. 64: 498–547 26 figs.

Neiss, S. see Kummer.

Nelson, M. M. see Wright.

Nemoto, T. & Nasu, K. Thysanoëssa macrura as a food of baleen whales in the Antarctic. Sci. Rep. Whales Res. Inst., Tokyo No. 13:193-199 5 figs.

Nelson, B. C. see Anderson.

Neronov, V. M. see Tupikova.

[Nestrenkova, T. A.]. [On the breeding, feeding and rearing hippopotamus.] Moscow Zoop. 2:69-74 3 figs. [In Russian.]

New, J. G. Dyes for studying the movements of small mammals. J. Mammal. 39: 416-429 8 tabs.

Nicander, L. Notes on the distribution of the mitochondria in the young spermatids of some mammals. Acta zool., Stockh. 38 1957: 277-281.

Nickel, R. Otto Zietzschmann. Anat. Anz. 105:412–425.

Nichols, J. T. Food habits and behavior of the gray squirrel. J. Mammal. 39: 376–380.

Nicholson, A. J. see Wilkie.

Nieuwenhoven, P. J. van see Horst.

[Nikitin, V. N.]. [The way to long-evity]. Priroda No. 2:39-45 figs. [In Russian.]

Nikolai, N. Über die oberflächliche Facialismuskulatur des Schweines (Sus scrofa). Gegenbaurs Jb. 93 1954: 321–363 12 figs.

Nishimura, H. & Shikata, A. The maldevelopment of the fetuses of mice treated with gonadotropic hormone before the conception. Okajimas Folia anat, Jap. 31:195-202 1 pl.

Nishiwaki, M. & Handa, C. Killer whales caught in the coastal waters off Japan for recent 10 years. Sci. Rep. Whales Res. Inst., Tokyo No. 13.: 85-96 6 figs. 8 tabs.

Nishiwaki, M. & Kamiya, T. (1). A beaked whale Mesoplodon stranded at Oiso Beach, Japan. Bull, jap. Soc. sci. Fish. 24: 445–448 7 figs.

Nishiwaki, M. & Kamiya, T. (2). A beaked whale Mesoplodon stranded at Oiso Beach, Japan. Sci. Rep. Whales Res. Inst., Tokyo No. 13:53–83 13 figs. 17 pls.

Nishiwaki, M. & Kamiya, T. (3). A beaked whale *Mesoplodon* stranded at Oiso Beach, Japan. Norsk Hvalfangsttid. 47: 440-457 12 figs.

Nishiwaki, M. & others (1). Age study of sperm whale based on reading of tooth laminations. Sci. Rep. Whales Res. Inst., Tokyo No. 13:135-153 11 figs. 2 pls. 3 tabs.

Nishiwaki, M. & others. (2). Age studies of fin whale based on ear plug. Sci. Rep. Whales Res. Inst., Tokyo No. 13:155-169 8 figs. 3 tabs.

Nishiwaki, M. see Ohsumi.

Nolte, A. Beobachtungen über das Instinktverhalten von Kapuzineraffen (Cebus apella L.) in der Gefangenschaft. Behaviour 12:183-207 2 pls.

Norris, F. Sectional Report, 1957. Mammals. Trans. Lincs. Nat. Un. 14 1957: 121-122.

Norris, K. S. & McFarland, W. N. A. new harbor porpoise of the genus Phocoena from the Gulf of California. J. Mammal. 39: 22-39 4 pls. 2 tabs.

Nouvel, J. Remarques sur la fonction génitale et la naissance d'un okapi. Mammalia, Paris 22:107-110.

Nouvel, J., Bullier, P. & Ringard, J. Rapport sur la mortalité et la natalité enregistrées au Parc Zoologique du Bois de Vincennes pendant l'année 1957. Bull. Mus. Hist. nat. Paris (2) 30: 241-254 7 tabs. [Mammals, p. 241.]

Nouvel, J., Pasquier, M. A., Rinjard, J. & Chauvier, G. Inventaire actuel des collections d'Ongulés vivants du Muséum. Mammalia, Paris 22:348-352.

Novick, A. (1). Notes on an additional example of the fruit bat, *Scotonycteris ophiodon* Pohle. Postilla, New Haven, No. 34: 1-5.

Novick, A. (2). Orientation in palaeotropical bats. J. exp. Zool. 137: 443-459: 1 pl.

Novick. A. see Griffin.

Novikov, G. A. Relation between stenoky and ecological plasticity in birds and mammals. Vestn. Leningr. Univ. No. 21 1957: 65-74. [Russian with English summary.]

Noyes, R. W., Walton, A. & Adams, C. E. Capacitation of rabbit spermatozoa. Nature, Lond. 181:1209-1210

Nurgeldyev, O. N. see Kalabukov.

Nurumov, T. N. see Bazhanov.

Obolensky, S. I. Materials towards the study of mammals of the Central Kazakhstan. Dwellings of Alticola strelsovi Kastseh. Bull. Soc. nat. Moscou. Sect. Biol. N.S. 52 1 1947: 45-47 2 figs. [Russian with English summary.]

Oboussier, H. Zur Kenntnis der Wuchsform von Wolf und Schakal im Vergleich zum Hund. Gegenbaurs Jb. 99:65–108 11 figs.

Obrenović, L. J. Sur la durée de la vie de la souris par rapport au degré de l'hypothemié. Bull. Acad. serbe Sci. math. nat. N.S. 18 Sci. nat. 5 1957: 27–29.

O'Brien, R. C. see Weiss.

[Odinetz, R. N.]. [Metabolism in the milk gland of the cow during lactation]. Trud. Inst. Zool. Parasit. Frunze 6 1957: 215-229. [In Russian.]

Oettingen-Spielberg, T. zu. Neue Tapir funde aus dem Oberoligocan von Gaimersheim bei Ingolstadt. Neues Jb. Geol. Paläont., Abh. 106: 261–276 1 pl. 4 figs.

Oettlé, A. G. see Davis, D. H. S.

Oey, H. P. & Feen, P. J. van der. Some remarks on *Hipposideros speoris* and *Hipposideros larvatus* (Chiroptera, Rhinolophoidea). Beaufortia 6:225– 241 2 figs. 3 tabs.

Ogilvie, C. S. (1). The binturong or bear-cat. Malay. nat. J. 13: 1-32 pls.

Ogilvie, C. S. (2). The arrow-tailed flying squirrel. Malay. nat. J. 12:149-152 2 pls.

ōhara, K. (1). Die vergleichendhistologische Untersuchung der apokrinen Schweissdrüsen der weiblichen äusseren Genitalien. I. Histologische Untersuchung. Okajimas Folia anat. Jap. 31: 295–304 2 pls. 3 tabs.

Öhara, K. (2). Die vergleichendhistologische Untersuchung der apokrinen Schweissdrüsen der weiblichen äusseren Genitalien. II. Eine rekonstruierte Untersuchung durch die Wachsmodelle. Okajimas Folia anat. Jap. 31: 305–311 4 figs. 4 pls.

Ohno, S., Kaplan, W. D. & Kinosita, R. Heterochromatic regions and nucleolus organisers in chromosomes of the mouse, *Mus musculus*. Exper. Cell Res. 13 1957: 358–364 7 figs.

Ohsumi, S. A descendant of Moby Dick, or a white sperm whale. Sci. Rep. Whales Res. Inst., Tokyo No. 13: 207-209 3 pls.

Ohsumi, S., Nishiwaki, M. & Hibiya, T. Growth of fin whale in the Northern Pacific. Sci. Rep. Whales Res. Inst., Tokyo No. 13:97-133 21 figs. 13 tabs.

Ohsumi, S. see Nishiwaki.

Ohta, Y., Hanai, H., Sawa, H. & Fujimoto, T. Cubical anatomy of several ducts and vessels by injection method of acrylic resin. IV. On the vascular system of the spleen in rat and mouse. Okajimas Folia anat. jap. 31:407-417 3 pls.

Okada, M. (1). Histology of the mammary gland. IV. Comparative morphology of the degenerative lymphoid cells in the mammary tissues, lymphoid organs and gut of mice. Tohoku J. agric. Res. 91: 1-215 pls.

Okada, M. (2). Histology of the mammary gland. V. Effect of ACTH on the lymphoid cell counts in the mammary glands of lactating mice and rats. Tohoku J. agric. Res. 91:23-352 pls.

Olivier, G. (1). Notes sur la biologie du Cerf (*Cervus elaphus*). Mammalia, Paris 22: 245–250.

Olivier, G. (2). Observations sur la biologie du chevreuil (*Capreolus capreolus*). Mammalia, Paris 22: 251-260.

Olivier, G. & Pineau, H. (1). Croissance prénatale comparée du Macaque et de l'Homme. C.R. Acad. Sci. Paris 246: 1292-1294.

Olivier, G. & Pineau, H. (2). Croissance prénatale du *Macacus rhesus*, Bull. Mus. Hist. nat. Paris (2) **30**:407-413 4 figs.

Olrog, C. C. Notas mastozoologicas sobre la colleccion del Instituto Miguel Lillo (Tucuman). Acta zool, lilloana 16:91-95.

Olsen, S. J. (1). Some problematical carnivores from the Florida Miocene. J. Paleont. 32:595-6025 figs.

Olsen, S. J. (2). The fossil carnivore Amphicyon intermedius from the Thomas Farm Miocene. Part I: Skull and dentition. Bull. Mus. comp. Zool. Harv., 118: 157-172 5 pls.

Olsen, S. J. (3). The bog lemming from the Pleistocene of Florida. J. Mammal. 39: 537-540 2 figs.

Olsson, R. The subcommissural organ. Stockholm (I. Haeggström): pp. 16.

Olsufjev, N. G. see Dunayeva.

Omura, H. (1). North Pacific right whale. Sci. Rep. Whales Res. Inst., Tokyo No. 13:1-52:8 pls. 27 figs. 18 tabs.

Omura, H. (2). Note on embryo of Baird's beaked whale. Sci. Rep. Whales Res. Inst., Tokyo No. 13: 213-214 2 figs.

Oono, T. see Ihjima.

Orbach, J. Nonvisual functioning of occipital cortex in the monkey. Proc. nat. Acad. Sci. Wash. 41 1955: 264-267 l tab.

Orr, R. T. Keeping bats in captivity. J. Mammal. 39: 339-344 1 tab.

Ortmann, R. Anal region. (in Hofer & others. Primatologia. Handbook of Primatology. 3, (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe pp. 355–382 19 figs.)

Osogoe, B. see Tagawa.

Osorio, C. & Myant, N. B. Thyroxinebinding protein in the serum of rabbit foetuses. Nature, Lond. 182:866-867 1 fig.

Ostby, H. Catch of small whales 1957. Norsk Hvalfangsttid. 47:377–385.

Osumi, S. see Nishiwaki.

Owen, D., Stormont, C. & Irwin, M. R. Studies on blood groups in the American bison (buffalo). Evolution 12:102-110.

Owers, N. see Moghe.

Oxnard, C. E. see Ashton, E. H.

Vol. 95

Paaver, K. Über zwei Unveröffentlichte Mammutfunde in der Estnischen S.S.R. Loodus. Seltsi, Tallinn. 50 1957: 305–310. [German summary.]

Paaver, K. see Aul.

Paaver, K. L. Finding subfossil bones of *Felis silvestris* Schreb. in Estonia. Zool. Zh. 37: 1259-1261 map fig. [In Russian with English summary.]

Packard, R. L. (1). The taxonomic status of *Peromyscus allex* Osgood. Proc. biol. Soc. Wash, 71:17-19.

Packard, R. L. (2). New subspecies of the rodent *Baiomys* from Central America. Univ. Kansas Publ. Mus. nat. Hist. 9:397-404 2 tabs.

Packard, R. L. (3). Myotis keenii septentrionalis in South Dakota. J. Mammal. 39:150.

Packard, R. L. (4). Carnivorous behavior in the Mexican ground squirrel. J. Mammal. 39: 154.

Page, F. J. T. Symposium on field study of mammals. Deer—observation methods. Bull. Mammal Soc. Brit. Isles No. 9 12-14. [Private circulation.]

[Pakizh, V. I.]. [Distribution of Citellus citellus L. in Moldavian S.S.R. and certain data on its bionomics]. Zool. Zh. 37:105–119 3 figs. [Russian with English summary.]

Panouse, J. B. see Dorst.

Panuska, J. A. & Wade, N. J. Hibernation in *Mesocricetus auratus*. J. Mammal. 39:298-299 1 tab.

Paradiso, J. L. The common blackfish in Virginia coastal waters. J. Mammal. 39: 440-441.

Parmalee, P. W. Evidence of the fisher in central Illinois. J. Mammal. 39:153.

[Parovschikov, V. Y.]. [Ringing marten]. Priroda No. 1:115-116 fig. [In Russian.]

Parsons, P. A. A balanced four-point linkage experiment for linkage group XIII of the house mouse. Heredity 12:77-95.

Pascual, R. Sobre la presencia del genero *Toxodon* Owen en la formacion de Chapadmalal. Rev. Mus. Cienc. nat. Mar de Plata 1 1957: 19–28 4 figs.

Pasquier, M. A. see Nouvel.

Patterson, B. (1). A new genus of Erethizontid rodents from the Colhuehuapian of Patagonia. Breviora No. 92: 1-4 1 fig.

Patterson, B. (2). Affinities of the Patagonian fossil mammal Necrolestes. Breviora No. 94:1-14 1 fig.

Patterson, B. & Simons, E. L. A new barylambdid pantodont from the late Paleocene. Breviora No. 93:1-8 3 figs.

[Pavlynchenko, V. M.]. [Sable and squirrel in Eastern Siberian taiga]. Priroda No. 8: 104-105. [In Russian.]

Paynter, K. J. & Pudy, G. A study of the structure, chemical nature and development of cementum in the rat. Anat. Rec. 131:233-251 1 fig. 2 pls.

Pecchiai, L. see Bonadonna.

Pearson, O. P. A taxonomic revision of the rodent genus *Phyllotis*. Univ. Calif. Publ. zool. **56**:391–496 8 pls. 21 figs.

Perkal, J. Analyse morphologique d'un groupe d'equidés. Zool. polon. 8 (1) 1957: 35-52 3 figs. 8 tabs.

Perkowska, E. Some properties of the chromatin of neutrophiles in vertebrates. Bull. Acad. polon. Sci. Sér. Sci. Biol. 6:227-231 4 tabs.

Perret, J. see Aellen.

Peshev, Ts. Systematic and biological investigations on *C. citellus* L. in Bulgaria. Bull. Inst. zool. Acad. bulg. Sci. 4-5 1955: 277-327. [N.V.].

Peterson, R. F. see Van Deusen, H. M.

Petrásek, R. The oxygen consumption of the golden hamster (Mesocricetus auratus). Mém. Soc. zool. tchéosl. 21 1957: 300–310 8 figs. 6 tabs. [Czech with English summary.]

Petrásek, R. see Kohout.

Petronijević, Ž. & Thenius, E. (1). Über den ersten Nachweis von Indricotherien (= Baluchitherien; Rhinocerotidae, Mammalia) im Tertiär von Europa. Anz. öst. Akad. Wiss. 94: 153-155.

Petronijević, Ž. & Thenius, E. (2). Über das Vorkommen von Indricotherien (Baluchitherien) im Tertiär von Ivangrad (Berane) in Montenegro. Glas. srpsk. Akad. Nauka No. 231: 61-74 2 figs. (German summary.)

Petrov, O. W. Estimation data for ermine's extremities adaptations. Vestn. Leningr. Univ. No. 21:73-78 5 tabs. [English summary.]

Petrusewicz, K. Differences in male and female quantitative dynamics in confined populations of mice. Bull. Acad. polon. Sci. Sér. Sci. Biol. 6:233–236 3 figs. 1 tab.

Petter, G. A propos de quelques petits éléphants de forêt attribués a *Loxo*donta cyclotis Matschie. Mammalia Paris 22: 575-590 5 figs. 2 tabs.

Petter, J. J. & Petter-Rousseaux, A. Les Lémuriens malgaches et leur protection. Terre et la Vie 105:45-68 2 pls.

Petter, J. J. see Caram.

Petter-Rousseaux, A. Variations cycliques de la morphologie des organes génitaux externes femelles chez certains Strepsirhini. C.R. Soc. Biol Paris 152: 951-953 4 figs.

Petter-Rousseaux, A. see Petter.

Petzsch, H. (1). Reflexionen zur Phylogenie der Capridae in allgemeinen und der Hausziege im besonderen. Wiss. Z. M. Luther Univ. Halle-Wittenburg. Math.-Nat. R. 6: 995-1019 33 figs.

Petzsch, H. (2). Erster belegter Fund eines melanistischen Hamsters (*Cricetus Cricetus*) aus der Umgebung von Dresden. Säugetierk. Mitt. 6: 78-79.

Petzsch, H. (3). Steppenkatzen-Hauskatzen-Blendlinge im Zoo Halle. Säugetierk. Mitt. 6:162-165 2 figs.

Petzsch, H. & Witstruk, K. L. Beobachtungen an daghestanischen Turen (Capra caucasica cylindricornis Blyth) im Berg-Zoo Halle. Zool. Gart., Lpz. 25 (1/2): 6–29 15 figs.

Peyre, A. (1). La formule chromosomique du desman des Pyrénées, Galemys pyrenaicus K. Bull. Soc. zool. Fr. 82:434-437 1 pl. 6 figs.

Peyre, A. (2). Histogenèse vaginale chez le desman (Galemys pyrenaicus K.). C.R. Acad. Sci. Paris 247: 1903–1905.

Peyre, A. (3). Evolution des gonoductes (canaux de Wolff et de Muller) Chez l'embryon femelle de Desman (Galemys pyrenaicus K.). C.R. Acad. Sci. Paris 247: 2448-2451. Pfeifer, H. Über den Torus Mandibularis der Nagetiere. Gegenbaurs Jb. 93 1954: 400-424 8 figs.

Pfeiffer, E. W. The reproductive cycle of the female mountain beaver. J. Mammal. 39:223-235 2 pls. 3 figs. 1 tab.

Pfützenreiter, F. Zur Ernährung des Eichhörnchens (Sciurus vulgaris fuscoater). Säugetierk. Mitt. 6:29.

Phillips, W. W. A. (1). Some observations on the fauna of the Maldive Islands. Part I.—Introduction. J. Bombay nat. Hist. Soc. 55:1-3 2 pls.

Phillips, W. W. A. (2). A note on the flying fox (Pteropus hypomelanus maris) of Addu Atoll, Maldive Islands. J. Bombay nat. Hist. Soc. 55: 334-337.

Pickvance, T. J. A note on the pine marten (*Martes martes*) in Worcestershire. Proc. zool. Soc. Lond. 131: 326-327.

Pidoplichko, I. G. see Abelentzev.

Piechocki, R. Tollwütige Wildkatze aus dem Harz. Säugetierk, Mitt. 6: 122.

Pietsch, L. R. The beaver in Illinois. Trans. Ill. Acad. Sci. 49 1957: 193-201 2 figs. 4 tabs.

Pike, G. C. & Maxwell, B. E. The abundance and distribution of the northern sea lion (Eumetopias jubata) on the coast of British Columbia. J. Fish. Res. Bd. Can. 15: 5-17 2 figs.

Pilkington, J. M. & Purser, A. F. Fibre medullation in blackface lambs and hogs. J. Agric. Sci. 51: 257-264 l fig. 7 tabs.

Pineau, H. see Olivier.

Pirlot, P. L. (1). Enquete faunistique permanente. Folia sci. Afr. centr. 3 1957: 75–77.

Pirlot, P. L. (2). Albinism among wild African rodents. J. Mammal. 39: 448.

Pisi, E. see Fautrez.

Piveteau, J. Pierre Teilhard de Chardin (1881-1955). Bull. Soc. géol. Fr. (6) 7 6: 787-809 portrait.

Platzer, W. Die Arteria carotis interna im Bereiche des Keilbeines bei Primaten. Über den sogenannten "Carotis-Siphon." Gegenbaurs Jb. 97 1956: 220-248 16 figs. Pohle, H. see Zimmermann.

Pohl, L. L'antilope-chevre du Japon. Terre et la Vie 105 : 221-222.

Pokrovskaya, G. A. On the nervous cells and the ganglions of the nervus caroticus internus. Vestn. Leningr. Univ. 9:103-108 4 figs. [Russian with English summary.]

Polder, E. Recent locality records for some Iowa mammals. Proc. Iowa Acad. Sci. 65: 559-564.

Polezhaev, L. V. The restoration of the regeneration capacity in mammals. The regeneration capacity in mammals and man. Folia biol. Kraków, 6:203– 238 5 pls. [Russian, with English summary.]

[Polezhaev, L. V., Matveeva, A. I. & Vorobieva, V. I.]. [On the regeneration of dental tissue in dogs]. C.R. Acad. Sci. URSS 120: 212-215 Pl. [In Russian.]

Polivanov, S. see Knapp.

Polyak, S. The vertebrate visual system. Its origin, structure, and function and its manifestations in disease with an analysis of its role in the life of animals and in the origin of man. Preceded by a historical review of investigations of the eye, and of the visual pathways and centers of the brain. Chicago (University Press), 1957 pp. xviii + 1390 18 pls. frontis. (col.), 546 figs.

Ponlot, R. see Lea.

Poole, W. E. see Myers.

Poots, L. Ergänzende daten zur Fauna der Fledermäuse der Estnischen SSR. Loodus. Seltsi, Tallinn 50 1957: 311–314 1 fig. [German summary.]

Popa, M. see Marcoci.

[Popov, L. A.]. [Walrus locations in Peschan Islands.] Priroda 9:102-103 2 figs. [In Russian.]

Poppleton, F. Elephant birth. Uganda Wild Life 1 (2): 26–27.

Postel, E. Annexe au rapport "Nector." I—Cétacés. Rapp. Comm. int. Médit. 14: 310-311.

Poulsen, H. see Anderson.

Pournelle, G. H. Wild dogs of the world. Zoonooz 31 (3): 3-6 illustr.

Powers, D. K. see McKeever.

Poy, R. K. F. P. Electron microscopy of the marsupial renal glomerulus. Aust. J. exp. Biol. med. Sci. 35 1957: 437-447 9 figs.

Prakash, I. The breeding season of the rhesus monkey *Macaca mulatta* (Zimmerman) in Rajasthan. J. Bombay nat. Hist. Soc. 55:154.

Pritchard, J. J. see Girgis.

[Pronina, I. G.]. [A new Desmostylid, Kronokotherium brevimaxillare gen. nov., sp. nov., from Miocene deposits of Kamchatka]. C.R. Acad. Sci. URSS. 117 1957: 310–312 2 figs. [In Russian.]

Pruitt, W. O. Jr. & Lucier, C. V. (1). On the relative efficiency of two kinds of traps. J. Mammal. 39:157 1 tab.

Pruitt, W. O. & Lucier, C. V. (2). Winter activity of red squirrels in interior Alaska. J. Mammal. 39:443-444 1 fig.

Psarianos, P. Über das Vorkommen von Hippopotamus auf Kephallina (Griechenland). Prakt. Akad. Athens 28 1953 [1954]: 408–412 1 fig.

Psarianos, P. & Thenius, E. Über Elephas (Archidiskodon) meridionalis (Elephant, mammal) von Euboea (Griechenland). Prakt. Akad. Athens 28 1953 [1954]: 413-424 1 fig.

Psenner, H. Wurfzeiten einheimischer Schlafmäuse. Säugetierk. Mitt. 6:29-30

[Pshenitzki, P. D.]. [The method of rearing the young generation of domestic animals.] Trud. Inst. Morf. Zhiv. 22 1957: 53-63. [In Russian].

Pucek, Z. Untersuchungen übe-Nestentwicklung und Thermoregular tion bei einem Wurf von Sicista betulina Pallas. Acta Theriologica 2: 11-54 10 figs. 4 pls. 7 tabs.

Puck, T. T. The mammalian cell as microorganism. D. Rudnick, [Ed]. Rhythmic and synthetic processes in growth. Princeton, N.Y. 1957: 3–174 pls. 2 figs.

Pudy, G. see Paynter.

Pujiula, P. J. Las glándulas salivares en el embrión de *Mus musculus* (ratita) de 17 días. Rev. Acad. Cienc. Madrid 52:87–92 3 pls.

Pullen, B. E. see Findley.

Purser, A. F. see Pilkington.

[Pyatrovski, Y. T.]. [Distribution of Citellus suslica in Belorussia and history of its distribution in the area]. Vesn. Akad. Nauk. Beloruss. S.S.R. 1:119–122). [In Belorussian.]

Pynnönen, A. Muutamien nisäkästen esüntymisestä Rautalammen emäpitäjässä ja Konnevedellä. Luonnon Tutkija 61 1957:113–116.

Quarles, W. Roodieren in Scandinavie. Uitroeien of bescherman? Levende Nat. 61:145-150 4 figs.

Quartermain, J. see Lampkin.

Quevedo, W. C. & Chase, H. B. An analysis of the light mutation of coat color in mice. J. Morph. 102: 329-345 11 figs.

Quijoux, P. see Malbrant.

Quimby, G. I. Mastodons and men in the Upper Great Lakes area. Bull. Chicago nat. Hist. Mus. 29 7:6-7 3 figs.

Quinn, J. H. New Pleistocene Asinus from Southwestern Arizona. J. Paleont. 32:603-610 2 figs.

Rab. C. J. De nertsfokkerij in Nederland. Tijdschr. Diergeneesk, Utrecht 82 1957:115-118 2 figs. [Dutch with English summary.]

Rabaey, M. see Verriest.

Radmilli, M. A., Romagnoli, L. & Tongiorgi, E. Il deposito eolico sul versante occidentale del promontorio di Ansedonia e la fauna fossile dell grotta Rose Mary. Atti Soc. tosc. Sci. nat. 62A 1 1955: 73-87 2 fig.

Rakovskaya, E. M. see Tupikova.

Rapp, W. F. A provisional check-list of the mammals of Nebraska. Nebraska State Dept. Health, Lincoln, 1957: 1-13.

Rappard, F. W. see Husson.

[Rastvorova, A. M.]. [On testis innervation in mammals]. C.R. Acad. Sci. URSS 121:734-737 9 figs. [In Russian.]

Ray, C. E. (1). A list, bibliography, and index of the fossil vertebrates of Florida. Sp. Pub. Fla. geol Surv. No. 3 1957: 1-175.

- Ray, C. E. (2). Fusion of cervical vertebrae in the Erethizontidae and Dinomyidae. Breviora No. 97:1-11 2 figs.
- Ray, C. E. (3). Additions to the Pleistocene mammalian fauna from Melbourne, Florida. Bull. Mus. Comp. zool. Harvard 119: 421-449 5 figs.
- Redman, J. P. & Sealander, J. A. Home ranges of deer mice in southern Arkansas. J. Mammal. 39:390-395 I tab.
- Redmond, J. R. & Layne, J. N. A consideration of the metabolic rates of some shrew tissues. Science 128 1508-1509 l fg.
- Reed, C. A. Observations on the burrowing rodent *Spalux* in Iraq. J. Mammal. 39:386-389 1 pl.
- Reed, C. A. & Downs, T. A fossorial mammal of unknown affinities from the Middle Miocene fauna of Nevada. J. Mammal. 39: 87-91 l fig.

Reichrath, S. see Topeiu.

- Reichstein, H. & Kulicke, H. Elfenbein, eine neue Farbmutante bei der Rötelmaus, Clethrionomys glareolus Schreb. Z. Säugetierk. 23:115.
- Reid, B. L. Some cytological features of epididymal cells in the rat. Quart. J. micr. Soc. 99: 295-313 3 pls.
- Reig, O. A. Sobre una nueva especie del género "Chapalmatherium (Rodentia, Hydrochoeridae)," del Plioceno del Rio Quequén Salado. Physis, B. Aires 21: 32-40 3 figs.
- Reimers, N. F. On some peculiarities of census taking of birds and small mammals under the conditions of mountainous taiga in the south of Central Siberia. Zool. Zh. 37:1214-1222 figs. [In Russian with English summary.]
- Reinbach, W. Das Cranium eines Embryos des Gürteltieres Zaedyus minutus (65 mm. Sch.-St.). Gegenbaurs Jb. 95 1955 : 79–141 30 figs.
- Reineck, M. & H.-E. Junge Seehunde, ein Aufzuchtproblem. Natur u. Volk 88:37-44 9 figs.
- Reinwaldt, E. (1). Über-und unterzählige Schneidezähne bei Musteliden. Säugetierk. Mitt. 6:97-100 3 figs.

- Reinwaldt, E. (2). Om större skogmusens (Apodemus flavicollis Melch) färgmönster. Fauna och Flora 53: 1-8 3 figs. 1 tab. [German summary.].
- Reitalu, J. Observations on the sex chromatin in the rat. Hereditas 44: 488-494 2 figs. 1 pl.
- Reményi, A. K. Revision of the subfossil Canidae finds of Hungary, [Abstr.]. Acta biol. Acad. Sci. hung. Suppl. No. 2:11-12.
- Rémillard, G.-L. Histochemical and microchemical observations on the lipids of the interscapular brown fat of the female vespertilionid bat Myotis lucifugus lucifugus. Ann. N.Y. Acad. Sci. 72: 1-68 32 figs.
- Rendall, R. Risso's dolphin in Orkney. Scot. Nat. 69 1957:192-193.
- Requate, H. Zur nacheiszeitlichen Geschichte der Säugetiere Schleswig-Holstein. Bonn. zool. Beitrag 8: 207– 229.
- Rey, R. Note préliminaire sur le gisement fossilifère de Joursac (Cantal). C.R. Soc. géol. Fr. 1957: 325-327.
- Reynolds, H. G. The ecology of the Merriam kangaroo rat (Dipodomys merriami Mearns) on the grazing lands of southern Arizona. Ecol. Monogr. 28:111-127 10 figs.

Rezinko, D. S. see Semenov.

- Richard, P.-B. Les pattes du bièvre (Castor fiber). Mammalia 22: 566-574
- Richter, H. (1). Zur Wintervermehrung der Ährenmaus (Mus m. musculus L.) und der Feldmaus (Microtus arvalis Pallas) in Mittelmecklenburg. Arch. Fr. Naturg. Mecklenburg 3 1957:133-140 9 tabs.
- Richter, H. (2). Zur Kleinsäuger-Fauna der Umgebung von Waren (nach Gewöllfunden). Arch. Fr. Naturg. Mecklenburg 3 1957: 141–151 1 fig. 1 tab.
- Richter, W. (3). Über die Wirkung starken Feldmausbefalls (*Microtus arva*lis Pallas) auf den Pflanzenbestand des Dauergrünlandes und der Åcker. Abh. naturw. Ver. Bremen 35: 322–334.

Ride, W. D. L. see Ardran.

Riedesel, M. L. & Folk, G. E. Serum electrolyte levels in hibernating mammals. Amer. Nat. 92:307-312 1 fig. Rinjard, J. see Nouvel.

Ripley, S. D. Comments on the black and square-lipped rhinoceros species in Africa. Ecology 39: 172-174.

Ritcey, R. W. & Edwards, R. Y. Parasites and diseases of the Wells Gray moose herd. J. Mammal. 39: 139-145 l tab.

Rivoire, J. Situation de la pêche à la baleine. Nature, Paris No. 3276: 151.

Roberts, A. The mammals of the Wonderboom Nature Reserve. Fauna and Flora, Pretoria No. 6 1956: 125–139 9 figs.

Roberts, R. C. see Bowman.

Robinette, W. L. Unusual dentition in mule deer. J. Mammal. 39:156-157.

Robinson, P. F. see Wilber.

Robinson, R. (1). Partial albinism in Syrian hamster. Nature, Lond. 180 1957: 443-444.

Robinson, R. (2). Genetic studies of the rabbit. Bibliogr. genet. 17:229-558 4 figs. 33 tabs.

Robinson, R. (3). Mosaicism in mammals. Genetica 29:120-1451 fig., 3 tabs.

Rohrs, M. (1). Okologische Beobachtungen an wildlebenden Tylopoden Südamerikas. Verh. dtsch. zool. Ges. 1957 [1958]: 538-554 6 figs.

Röhrs, M. (2). Allometrische Studien in ihrer Bedeutung für Evolutionsforschung und Systematik. Zool. Anz. 160:277-294 12 figs.

Romagnoli, L. see Radmilli.

Romankowowa, A. Generic and specific differences of the autopodial skeleton in rodents (Simplicidentata). Zool. polon. 8 1957 (1958): 271–282 6 figs. [In Polish with English summary.]

Rood, J. P. (1). Habits of the short-tailed shrew in captivity. J. Mammal. 39:499-507.

Rood, J. P. (2). Notes on a captive mole. J. Mammal. 39: 583-584.

Rook, J. A. F. & Baich, C. C. Magnesium metabolism in the dairy cow. II. Metabolism during the spring grazing season. J. agric. Sci. 51:199-207 2 figs. 4 tabs.

Rook, J. A. F., Balch, C. C. & Line, C. Magnesium metabolism in the dairy cow. I. Metabolism on stall rations. J. agric. Sci. 51:189-198 4 tabs.

Ropelewski, A. The common porpoise (*Phocaena phocaena* L.) as a by-catch in the Polish Baltic fisheries. Prace morsk. Inst. ryback. No. 9 1957: 427-437 3 figs. [In Polish, English summary.]

Rosa, J., Schapira, G., Dreyfus, J. C. Grouchy, J. de., Mathé, G., & Bernard, J. Different heterogeneities of mouse haemoglobin according to strains. Nature, Lond. 182:947-948, 1 fig. 1 tab.

Rosati, P. Prime osservasioni sulla struttura delle ghiandole sudoripare del cavallo (*Equus caballus*). Boll. Soc. ital. Biol. sper. 32 7–8 1956: 664.

Rosenblatt, J. D. & Aronson, L. R. The influence of experience on the behavioural effects of androgen in prepuberally castrated male cats. Anim. Behav. 6:171–182 2 figs. 3 tabs.

Rosenblatt, J. S. & Aronson, L. R. (2). The decline of sexual behaviour in male cats after castration with special reference to the role of prior sexual experience. Behaviour 12:285-338 7 figs.

Rothbard, M. J. Utilization of brown fat during the latter stages of pregnancy in mice: histological analysis. Amer. midl. Nat. 59: 246-253 9 figs.

Rothfels, K. H. & Siminovitch, L. The chromosome complement of the rhesus monkey (*Macaca mulatta*) determined in kidney cells cultivated in vitro. Chromosoma 9:163-175 3 figs. 3 tabs.

Rothschild, M. A further note on the increase of hares (*Lepus europaeus*) in France. Proc. zool. Soc. Lond. 131: 328-329 tab.

Rouck, A. de. see Verriest.

Routil, R. see Exner.

Rowan, W. Photoperiodism in vertebrates. Proc. 1st Internat. Photobiol. Congr. Amst. 1954 1956: 46-51.

Rowe, F. P. Some observations on harvest mice from the corn ricks of a Hampshire farm. Proc. zool. Soc. Lond. 131: 320–323 2 tabs.

Rowe, F. P. see Crowcroft.

Rowley, I. (1). Coprophagy in the rabbit, *Oryctolagus cuniculus* (L.) in Tasmania. C.S.I.R.O. Wildl. Res. 1 1956: 33.

Rowley, I. (2). Individual marking of the rabbit *Oryctolagus cuniculus* (L.). C.S.I.R.O. Wildl. Res. 1 1956: 40-44 1 fig.

Rowley, I. (3). Field enclosures for the study of the wild rabbit, *Oryctolagus* cuniculus (L.). C.S.I.R.O. Wildl. Res. 1 1956: 101-105.

Rowley, I. (4). Field enclosure experiments on the technique of poisoning the rabbit, *Oryctolagus cuniculus* (L.). I. A study of total daily take of bait during free-feeding. C.S.I.R.O. Wildl. Res. 2 1957: 5-18 6 figs.

Rowley, I. (5). Observations on evening rabbit activity in relation to weather and sunset. C.S.I.R.O. Wildl. Res. 2 1957: 168–169 1 fig.

Rowley, I. (6). Behaviour of a natural rabbit population poisoned with "1080". C.S.I.R.O. Wildl. Res. 3:32–39 3 figs. 1 pl.

Rowley, I., see Mykytowycz.

Roy, E. von. Einige Bemerkungen zur Systematik der Paarhufer. Säugetierk. Mitt. 6:150-153.

Rowson, L. E. A. see Moore.

Rozhkov, A. A. see Semenov.

Rubenkov, A. A. see Tzikin.

Runge, O. Foreløbig meddelelse om det fynske egern. Flora og Fauna 63 1957: 109-110 1 fig.

Ruschi, A. Algumas observacões sobre alimentacão dos quiropteros, Phyllostomus hastatus hastatus (Pallas); Molossus rufus E. Geoffroy, Chrotopterus auritus australis (Thomas) e Noctilio leporinus leporinus (Linnaeus). Bol. Mus. Biol. Santa Teresa. Biol. No. 14 1953: 1–5.

Russell, E. S. see Michelson.

Russell, L. B. see Sarvalla.

Russell, L. S. (1). Paleocene mammal teeth from Alberta. Bull. nat. Mus. Can. No. 147 1957: 96-103 1 pl.

Russell, L. S. (2). A horse astragalus from the Hand Hills conglomerate of Alberta. Nat. Hist. Pap., Ottawa No. 1:1-32 figs.

Russell, W. L. Shortening of life in the offspring of male mice exposed to neutron radiation from an atomic bomb. Proc. nat. Acad. Sci. Wash. 43 1957: 324–329 2 tabs.

Rustamov, A. K., Sukhinin, A. N. & Shcherbina, E. I. Population density and reproduction of predatory birds and foxes in connection with population density of rodents in southern Turkmenia. Zool. Zh. 37: 917-924. [Russian with English summary.]

Rutte, E. Die Fundstelle altpleistozäner Säugetiere von Randersacker bei Würzburg. Geol. Jb. **73**: 737–754 2 pls.

Ruyer, R. Hasard et finalite dans la genealogie de l'homme. Bull. Soc. Sci. Nancy N.S. 17:127-138.

Ryder, M. L. (1). Some observations on the glycogen of the wool follicle. Quart. J. micr. Sci. 99: 221-228 1 pl.

Ryder, M. L. (2). Follicle arrangement in skin from wild sheep, primitive domestic sheep and in parchment. Nature, Lond. 182: 781-783 4 figs.

Ryder, M. L. (3). Animal bones in archaeology. New Scient. 3:27-29 3 figs.

Ryziewicz, Z. (1). O znalezieniv szkieletv pojedynczego osobnika niedźwiedzia jaskiniowego (*Ursus spelaeus*) w grocie pod Kopa Magury (Tatry). Spraw. wrocł. Tow. Nauk. 9 1954[1957]: 104.

Ryziewicz, Z. (2). O ssakach mioceńskich znalezionych w okolicach Opola. Spraw. wrocł. Tow. Nauk. 9 1954 [1957]: 105.

Ryziewicz, Z. (3). Skeleton of a cave bear (*Ursus spelaeus* Rosenmüller) from a cave under the Mount Kopa Magury in the Tatra, Poland. Acta palaeont. polon. 2 1957:183-224. [Polish with English summary.]

Sa E Melo Cristino, J. J. Statut des ongulés en Guinée Portugaise. Mammalia, Paris 22: 387–389 1 fig.

Sabater Pi, J. & Lassaletta, L. de. Beitrag zur Kenntnis des Flachlandgorillas (*Gorilla gorilla* Sauvage u. Wyman). Z. Säugetierk. 23:108-114 3 figs 2 pls. Saint-Girons, M.-C. (1). Les mammifères des Pyrénées-Orientales. I.—Observations sur quelques Mammifères récueilles dans la région de Banyuls et plus particulièrement le Mulot Apodemus flavicollis. Vie et Milieu 8: 287-296 5 tabs.

Saint-Girons, M.-C. (2). Notes sur quelques mammifères provenant du Massif du Carlitte. Vie et Milieu 9: 133-135.

Saint-Girons, M.-C. & Deboutteville, C. D. Le plus petit Mammifère de France: la Pachyure étrusque. Nature, Paris No. 3283: 447-448 1 fig.

Saint-Girons, M.-C. see Durup.

Sairnov, V. S. see Eberzin.

Saitô, T., Ishihara, Y., Itô, Y. & Sasaki, T. Studies on crystalline whale pepsin. III. Analysis of amino acid by paper chromotography. Bull. Fac. Fish. Hokkaido 8:220-223 2 figs. tab.

Saito, I. see Ishihara.

Sanborn, C. C. & Crespo, J. A. El murcielago blanquizco (*Lasiurus cinereus*) y sus subespecies. Bol. Mus. Argent. Cienc. Nat. "Bernardino Rivadavia," No. 4 1957: 1-13.

Santapan, H. see Ali.

Sano, M. A new cell type of the mouse anterior pituitary: its relation to the cyclic variations during the oestrous cycle. Okajimas Folia anat. jap., 31: 18-27 2 figs. 5 tabs.

Sarvalla, P. A. & Russell, L. B. Steel, a new dominant gene in the house mouse. J. Hered. 47 1956: 123-128 3 figs.

Sasaki, T. see Saitô.

Sather, J. H. Biology of the Great Plains muskrat in Nebraska. Wildl. Monogr. No. 2:1-35 13 figs. 9 tabs.

Sato, A. The separation of 6 sublines of EM mouse concerned with coat colour. Misc. Rep. Yamashina Inst. Orn. Zool. No. 11 1957: 36-39 1 fig.

Sauer, M. Der Musculus mylohyoideus und seine Innervierung bei unseren Haussaugetieren. Wiss. Z. Humboldt Univ. Berlin. Math. Nat. R. 6 1957: 537–562 33 figs. [English summary.]

Saulescu, N. Le gibier et la chasse dans la République Populaire Roumaine. Ocrotirea Nat. Bucuresti, 2 1956:159-171 8 figs. Sawa, H. see Ohta.

Sawin, P. see Latimer.

Saxl, H. see Hall.

Schaldach, W. J. see Justice.

Schapira, G. see Rosa.

Scharoun, J. see Benton.

Schäuffelen, O. Über den Nahrungserwerb von Pinche-Affchen, Marikina oedipus (Linné, 1758). Säugetierk. Mitt. 6: 159–160.

Scheffer, V. B. (1). Seals, sea lions and walruses. A review of the Pinnipedia. Stanford, Cal. (Univ. Press) pp. x + 179 16 pls. 15 figs.

Scheffer, V. B. (2). Long life of a river otter. J. Mammal. 39:591.

Scheffer, V. B. (3). Do fossorial rodents originate mima-type microrelief? Amer. midl. Nat. 59:505-510 2 figs.

Schloeth, R. (1). Über die Mutter-Kind-Beziehungen Camargue-Rind. Säugetierk. Mitt. 6:145-150 4 figs. [French summary.]

Schloeth, R. (2). Cycle annuel et comportement social du Taureau de Camargue. Mammalia, Paris 22: 121– 137 3 fig.

Schmidt, Th. Der Wolf der rheinischer Wälder. Bonn, zool. Beitrage 8:197–206.

Schneider, K. M. (1). Mit Löwen und Tigern unter einem Dach. Wittenberg-Lutherstadt (A. Ziemsen Verlag) 2nd Aufl. 1957, pp. 136 32 pls. text illust.

Schneider, K. M. (2). Einige Bilder von Hirtenhunden aus Turkmenien und Usbekistan. Zool. Gart. Lpz. 25:70-7612 figs.

Schneider, R. (1). Zur Entwicklung des Chondrocraniums der Gattung Bradypus. Gegenbaurs Jb. 95 1955: 209-301 42 figs.

Schneider, R. (2). Vestibulum oris und Morphologie der Mundspeicheldrüsen. (in Hofer & others Primatologia. Handbook of Primatology. 3 (1) Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 5-40 27 figs.).

Schneider, R. (3). Zunge und weicher Gaumen. (in Hoter & others. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 61–126 36 figs.). Schober, W. Durch Schwanzverknotung verunglückte Gelbhalsmaus (Apodemus flavicollis). Säugetierk. Mitt. 6 76–77 1 fig.

Scholander, P. F. Counter current exchange. A principle in biology. Hvalr. Skr. No. 44:1-24-11 figs.

Schuilenburg, H. L. see Wijngaarden, A. van.

Schuller, L. Dackelbeiniges Rotfuchs-Q. Säugetierk. Mitt. 6:121-122 1 pl.

Schultz, A. H. (1). Acrocephalooligodactylism in a wild chimpanzee. J. Anat. Lond. 92:568-579 4 figs.

Schultz, A. H. (2). Cranial and dental variability in Colobus monkeys. Proc. zool. Soc. Lond. 130:79-105 1 pl. 4 figs.

Schultz, A. H. (3). Palatine ridges. (in Hofer & others. Primatologia. Handbook of Primatology. 3, (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 127–138 3 figs. 3 tabs.).

Schultz, A. H. see Hofer.

Schuurman, J. A. Boskat. Penggemar Alam 37 1957: 28-30.

Scott, H. Biographical research in High Simien (northern Ethiopia), 1952– 53. Proc. linn. Soc. Lond. 170: 1-91 17 pls. 6 figs. map. [Mammals p. 15.]

Scott, J. P. Animal behavior. Chicago (Univ. Press) pp. xi + 281 16 pls. text-illustr.

Scullica, L. Morphologische Untersuchungen über die arterio-venösen Anastamosen des Kaninchenauges. Acta anat. 34: 269–284 8 figs.

Sealander, J. A. & James, D. Relative efficiency of different small mammal traps. J. Mammal. 39:215-223 tabs.

Sealander, J. A. see Redman.

Seaman, G. A. see Bond.

Sebens, T. see Huisman.

Seki, Y. Observations on the spinal cord of the right whale. Sci. Rep. Whales Res. Inst., Tokyo No. 13: 231-251 15 figs.

Sekino, T. see Hosokawa.

Serfaty, A. see Boyer.

Semenov, N. M., Agafonov, A. V., Rezinko, D. S. & Rozhkov, A. A. Effect of severe winter in 1955-1956 on some mammals in Prae-Sarpin steppes. Zool. Zh. 37:1223-1227. [In Russian with English summary.]

Serafinska, J. & W. Einige seltenere oder weniger bekannte Säugetierformen aus dem Nida-Tal. Acta zool. Cracov. 2 1957: 207–217. [Polish with German summary.]

Serafiński, W. Nyctalus noctula (Schreber, 1774) i Nyctalus noctula princeps Ognev, 1923 w Europie środkowej i wschodniej. Acta Theriol. 1: 309–331 2 figs. 11 tabs. (Polish, Russian and German summaries).

Sergeant, D. E. Dolphins in Newfoundland waters. Canad. Fld. Nat. 72:156-159 2 figs.

Serber, B. J. A cytological study of the anterior pituitary gland of the normal gonadectomized and thyroid deficient hamster (*Mesocricetus auratus*). Anat. Rec. 131: 173-191 1 pl.

Setooka, S. (1). Quantitative Untersuchung der Schweissdrüsen bei den Säugetieren. Okajimas Folia anat. Jap. 31:103–116 2 figs. 12 tabs.

Setooka, S. (2). Die Entwicklung der Schweissdrüsen in der behaarten Haut des Hundeembryos. Okajimas Folia anat. Jap. 31:117-125 3 pls.

Svertzov, N. A. Vertical and horizontal distribution of Turkestan animals. Moscow, 1953 pp. 268 text illust. [In Russian.]

Sferco, A. see Bonadonna.

[Shakhnazarov, G. M.]. (1). [Material on the study of growth of cattle.] Trud. Inst. Morf. Zhiv. 22 1957:144-156 3 figs. [In Russian.]

Shakhnazarov, G. M. (2). Evaluation method of total development level of rabbit embryos. J. gen. Biol. Moscow, 19:54-65.9 figs. 7 tabs. [Russian with English summary.]

Shalash, M. R. Reproduction in the buffalo-cow: pH of the vaginal secretions. J. agric. Sci. 51:70-71 2 tabs.

Sharma, D. R. (1). The caudal and perineal musculature of the house shrew Suncus murinus Linn. Ann. Mag. nat. Hist. (12) 10:713-718.

Sharma, D. R. (2). Studies on the anatomy of the Indian insectivore, Suncus murinus. J. Morph. 102:427-553 88 figs.

Sharma, D. R. & Verma, K. K. The hyoid region of Hemiechinus auritus and Paraechinus micropus (Mammalia: Insectivora). Ann. Mag. nat. Hist. (13) 1:527-536 4 figs.

Sharp, W. M. see Creed.

Shcherbina, E. I. see Rustamov.

Shebbeare, E. O. (1). Origin of dogs. J. Bengal nat. Hist. Soc. 29:84-88.

Shebbeare, E. O. (2). The birth of Soondar Mooni. Anim. Kingd. 61: 133-136.

Shepard, W. Hedgehogs with two litters. Proc. I. of Wight nat. Hist. archaeol. Soc. **5**: 85-86.

Sheppard, R. Two vanishing animals of India. J. Bengal nat. Hist. Soc. 29: 94-96.

Shih, P.-C. see Tcheng.

Shikata, A. see Nishimura.

Shimoisumi, J. On the Japanese dormouse in Shimokita Peninsula. Misc. Rep. res. Inst. nat. Resourc. Nos. 46-47:108-109 2 figs. [English summary.]

Shippee, E. A. & Egoscue, H. J. Additional mammal records from the Bonneville Basin, Utah. J. Mammal. 39:275-277.

Shirlaw, D. W. see Duckworth.

Shnitnikov, V. N. [Animals and birds of our country]. Moscow, 1957 pp. 254 16 pls. text. illust.

Short, B. F. A dominant felting lustre mutant fleece-type in the Australian merino sheep. Nature, Lond. 181: 1414-1415 1 fig. 2 tabs.

Shorten, M. (Mrs. Vizoso) Damage caused by squirrels in Forestry Commission areas, 1954–6. Forestry, Lond. 30 1957: 151–172 2 figs.

Shotwell, J. A. Evolution and biogeography of the aplodontid and mylagaulid rodents. Evolution 12:451-484 24 figs.

Shull, E. M. Notes on the four-horned antelope *Tetracerus quadricornis* (Blainville). J. Bombay nat. Hist. Soc. 55: 339-340.

Shull, R. L. & Alfin-Slater, R. B. Tissue lipids of Dystrophia muscularis, a mouse with inherited muscular dystrophy. Proc. Soc. exp. Biol. Med. 97: 403–405

Shulov, A. Observations on parturition of *Hyaena striata* L. Mammalia 22:595-597.

[Shumkina, O. B.]. [On the early stages of development of the Karakul lamb.] Trud. Inst. Morf. Zhiv. 22 1957:157-162. [In Russian.]

Sidman, R. L. Histochemical studies on photoreceptor cells. Ann. N.Y. Acad. Sci. 24: 182–195 13 figs.

Sidorkine, A. see Latychev.

Sigogneau, D. Remarque sur la signification, au point de vue évolutif, de l'operculisation du territoire central du néopallium. C.R. Acad. Sci. Paris 247: 2172-2173.

Sikes, S. K. The calving of the hinds. Sylvicapra grimmia var. coronata. The grey duiker. Niger. Fld. 23:55-66 7 figs.

Silvers, W. K. Origin and identity of clear cells found in hair bulbs of albino mice. Anat. Rec. 130:135– 144 2 pls. 1 tab.

Siminovitch, L. see Rothfels.

Simons, E. L. see Patterson.

Simpson, G. G. A new Casamayoran astrapothere. Res. Mus. Cienc. nat. Mar del Plata 1 1957: 11-18 6 figs.

Simpson, R. De E. The coyote in Southwestern Indian traditions. Masterkey 32:43-54 1 fig.

Singer, R. & Hooijer, D. A. A Stegolophodon from South Africa. Nature, Lond. 182:101-102 4 figs.

Singh, K. G. Eastern limit of the Himalayan ibex Capra ibex sibirica Pallas. J. Bombay nat. Hist. Soc. 55: 341-342.

Sirlin, J. L. & Edwards, R. G. The labelling of mammalian spermatozoa with radioactive tracers. J. exp. Zool. 137: 363-388 3 figs. 1 tab.

Sirlin, J. L. see Edwards.

Siroechkovski, E. E. Alteration of geographical appearance of the water reservoirs in Terek-Sulak plain as a factor affecting the distribution and population density of the ondatra. Zool. Zh. 37:1244-1251 map. [Russian with English summary.]

- Sisk, M. O. A study of the sudoriparous glands of the little brown bat, Myotis lucifugus lucifugus. J. Morph. 101 1957: 425-455 2 figs. 3 pls.
- Skalon, V. N. & Khoroshikh, P. P. Domestic elks on the rock pictures in Siberia. Zool. Zh. 37:441-446 14 figs. [In Russian with English summary.]

Skarén, U. see Kaikusalo.

- Skead, C. J. (1). A preliminary account of the fauna and flora of the Provincial Wild Life Farm de Hoop. The Mammals. Rep. Dep. Nat. Conserv. Cape Town 14 1957: 53-55.
- Skead, C. J. (2). Mammals of the Uitenhage and Cradock Districts C.P. in recent times. Koedoe 1:19-59.
- Skorkowski, E. (1). Studies on the development of horses during the first year of life. IV. Development of the skull. Roczn. Nauk Rolnic. 71B-2 1957: 211-321 10 figs. [Polish with English summary.]
- Skorkowski, E. (2). Kraniometrische Analyse der in Halle (Saale) vermessenen Pferdeschädel. Wiss. Z. M. Luther Univ. Halle-Wittenburg. Math.-Nat. R. 7:85-88 4 tabs.
- Skowron, S. & Jordan, M. Ontogenetic changes in natural resistance of the golden hamster to colchicine. Folia biol. Kraków 6:191-193.
- Skowron-Cendrzak, A. & Konieczna-Marczyńska, B. The influence of parabiosis and splenectomy on changes in the leucocyte count in mice. Folia biol. Kraków 6:175-185 4 figs. 1 tab.
- Skowron-Cendrzak, A. & Spisak-Plonka, I. Skin homografts in the Golden Hamster. Folia biol. Kraków 6: 187-189 I fig.
- [Skrobov, V. D.]. [Acclimatization of some fur bearing animals and commercial fish in the USSR.]. Priroda 11: 100-104. [In Russian.]

Skvortsov, G. N. see Kalabukov.

- Slådek, J. Steppeniltis—Putorius eversmanni Lesson—auf der Nordseite der Belaer Tatra. Biologia, Bratislava 13:621-624 l fig. [Czech with German summary.]
- **Šlais, J.** Entwicklung und Bau des Ohrmuschelknorpels der Ratte. Mém. Soc. zool. tchéosl. **21** 1957: 25–43 9 figs. 2 tabs.

- Slee, J. The morphology and development of ragged—a mutant affecting the skin and hair of the house mouse. II. Genetics, embryology and gross juvenile morphology. J. Genetics 55 1957: 570-584 1 pl. 2 figs. 4 tabs.
- Slen, S. B. Effect of trauma on wool growth. Nature, Lond. 182:13221 tab.
- Slijper, E. J. (1). Walvissen. Amsterdam. (Centen's Uilgeversmaatschappij) pp. 524–228 figs.
- Slijper, E. J. (2). Das Verhalten der Wale (Cetacea). Handb. Zool., Berl. 8 (Lfg. 15) 10 (14): 1-32 40 figs.
- Slijper, E. J. (3). De ademhaling van de Walvisachtigen. Vakbl. Biol. 38:114-125 3 figs.
- Slipper, E. J. (4). Birth in Ungulates. Mammalia, Paris 22: 104-106.

Slijper, E. J. see Goudappel.

- Slonim, A. D. Feeding reflexes and food specialisation in mammals. J. gen. Biol. 19:439-448. [Russian with English summary.]
- Sluiter, J. W. & Heerdt, P. F. v. Observations écologiques sur quelques colonies estivales de chauve-souris des grottes de France. Notes biospéol., Paris 13:111-120 4 pls. 4 figs.

Sluiter. J. W. see Heerdt.

- Smirk, F. H. & Hall, W. H. Inherited hypertension in rats. Nature, Lond. 182: 727-728 1 fig.
- [Smirnov, P. K.] (1). [Peculiar features observed in the heat-exchange of *Micromys minutus* Pall.]. C.R. Acad. Sci. URSS 117 1957:717-719. [In Russian.]
- [Smirnov, P. K. (2). [The 24-hour cycle of activity of *Micromys minutus* Pall.] C.R. Acad. Sci. URSS 117 1957: 892-893. [In Russian.]
- Smith, A. U. Resuscitation of frozen mammals. New Scient. N.S. 4:1153-1155 3 figs.
- Smith, C., Wharton, T. J. & Gerhardt, A. M. Studies on the thymus of the mammal. XI. Histochemical studies of thymus, spleen and lymph node in normal and irradiated mice. Anat. Rec. 131: 369-387 2 pls.

Smith, H. M. Evolutionary lines in tooth attachment and replacement in reptiles. Their possible significance in mammalian dentition. Trans. Kansas Acad. Sci. 61: 216-225 8 figs.

Smith, E. & Goodpaster, W. Homing in nonmigratory bats. Science 127: 644.

Smith, R. E. Natural history of the prairie dog in Kansas. Misc. Publ. Mus. nat. Hist. Univ. Kans. No. 16: 1-36 4 pls. 9 figs.

Smith, R. N. see King.

Smith, W. W. Melanistic Rattus norvegicus in southwestern Georgia. J. Mammal. 39:304-306 1 tab.

Snell, R. S. see Bischitz.

[Soldatenkov, P. F.]. [Conditioned reflecting regulation in the basic functions of ruminants]. Adv. mod. Biol. Moscow 45:65-79. In Russian.]

[Sosnovski, I. P.] (1). [On Ailuropoda metanoleucas]. Priroda No. 4:116–117 figs. [In Russian.]

[Sosnovski, I. P.] (2). [Carnivorous species in Chinese fauna]. Priroda No. 11:98–100 2 figs. [In Russian.]

(Sosnovski, I. P.] (3). [Some observations on *Neomys fodiens*]. Moscow Zoop. 2:64-68 3 figs. [In Russian.]

Southern, H. N. (1). Symposium on field study of mammals. Introduction and small rodents. Bull. Mammal Soc. Brit. Isles No. 9:3-4. [Private circulation.]

Southern, H. N. (2). The short-tailed vole in woodland. Bull. Mammal Soc. Brit. Isles No. 10:19. [Private circulation.]

Southwick, C. H. Population characteristics of house mice living in English corn ricks; density relationships. Proc. zool. Soc. Lond. 131:163-175 2 figs. 9 tabs.

Soysa, F. W. A. The protection of the wild elephant. Loris 8 (1): 40-42.

Spanuth, H. Vom Rattenbeschwörer zum Kammerjäger. Beitr. Naturk. niedersachs. 11:49-55 6 figs.

Spence, T. F. see Ashton, E. H.

Spencer, H. E. P. (1). Mammalian bones from Suffolk river beds. Trans. Suffolk Nat. Soc. 10: 239-241.

Spencer, H. E. P. (2). The Mammalia of the Stutton brickearth. Trans. Suffolk Nat. Soc. 10:242.

Spencer, H. E. P. (3). Suffolk Mammalia from river gravel: Barham. Trans. Suffolk Nat. Soc. 10:295-297.

Spisak-Plonka, I. see Skowron-Cendrzak.

Sprague, J. M. The distribution of dorsal root fibres on motor cells in the lumbosacral spinal cord of the cat, and the site of excitatory and inhibitory terminals in monosynaptic pathways. Proc. roy. Soc. 149B, 937:534-5567 figs. 2 pls. 6 tabs.

Sprankel, H. Zur Zytologie des subfornikalen Organes bei Affen. Verh. dtsch. zool. Ges. 1957 [1958]: 444–451 8 figs.

Sriramachari, S. see Dikshit.

Staats, J. Behaviour studies on inbred mice: a selected bibliography. Anim. Behav. 6:77-84.

Stains, H. J. A clue to spring molt in raccoons as revealed in analysis of scats. Trans. Ill. Acad. Sci. 50: 257–258 l fig.

Stanley, H. P. see Hillemann.

Starck, D. (1). Bauchraum und Topographie der Bauchorgane. (in Hofer & others. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 446-506 20 figs.)

Starck, D. (2). Beitrag zur Kenntnis der Armtaschen und anderer Hautdrüsenorgane von Saccopteryx bilineata Temminck 1838 (Chiroptera, Emballonuridae). Gegenbaurs Jb. 99: 3-25 8 figs.

Starck, D. & Frick, H. Beobachtungen an äthiopischen Primaten. Zool. Jb. (Syst.) 86: 41-70 8 figs.

Starck, D. see Hofer.

Stebbings, R. see Gilbert.

Stein, G. H. W. Über den Selektionswert der Simplex-Zahnform bei der Feldmaus, *Microtus arvalis* (Pallas). Zool. Jb. (Syst.) 86: 27-34 2 figs.

Steinbacher, G. (1). Zur Fortpflanzungsbiologie des Braunbären (*Ursus a. arctos*). Säugetierk. Mitt. 6:27-28.

Steinbacher, G. (2). Einige Beobachtungen bei der Geburt von Cameliden. Säugetierk. Mitt. 6:120-121.

Steinbacher, G. (3). Trächtigkeitsdauer beim Weissbart-Gnu (Connochaetes taurinus). Säugetierk. Mitt. 6: 173.

Stephan, H. Vergleichend-anatomische Untersuchungen an Insektivoren-gehirnen. I. Hirnform, palaeoneocorticale Grenze und relative Zusammensetzung der Cortexoberfläche: 77–1226 figs. II. Oberflächenmessungen am Allocortex in Hinblick auf funktionelle und phylogenetische Probleme: 123–1422 figs. Gegenbaurs Jb. 97 1956.

Stephens, M. N. The natural history of the otter. A report to the Otter Committee. London (UFAW): pp. 854 pls. 4 figs.

Štěrba, O. & Hegerovă, E. Muskeln der Beckengliedmasse beim Hirsch. Acta Univ. Agric. Silv. Brno. Řada B. Spisy Fac. Vet. 7: 161–169 4 phots. [Czech with German summary.]

Steslicka, W. Among the Old World monkeys. Przegl. zool. 1 1957:124– 1354 figs. [English summary.]

Stettler, P. H. Meine amerikanischen Flughörnchen, Glaucomys volans L. Aquar. Terrar. Z. 11: 248–252 2 figs.

Stirton, R. A. (1). A new Koala from the Pliocene Polankarinna fauna. Rec. S. Aust. Mus. 13 1957:71-81 2 figs.

Stirton, R. A. (2). Tertiary marsupials from Victoria, Australia. Mem. nat. Mus. Melb. No. 21 1957: 121–134 6 figs.

Stöcker, L. Trigeminusmuskulatur und Kiefergelenk von *Elephas maximus* L. Gegenbaurs Jb. 98 1957: 35–76 14 figs.

Stohl, G. Über die Stellung der Lagomorpha im System der Säugetiere. Zool. Anz. 161: 309–316 7 figs.

Stormont, C. see Owen.

Storr, G. M. Are marsupials "second class" mammals? W. Aust. Nat. 6: 179-183.

Straile, W. E. Atypical guard-hair follicles in the skin of the rabbit. Nature, Lond. 181:1604-1605 3 figs.

Straus, W. L. & Arcadi, J. R. Urinary system. (in Hofer & others. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 507– 541 11 figs.).

Straus, W. L., Jr. & Cave, A. J. E. Pathology and the posture of Nean-derthal man. Quart. Rev. Biol. 32 1957: 348-363 7 figs.

Strauss, F. Erfahrungen mit einer Feldhasenzucht. Rev. suisse Zool. 65: 434–441.

Strauss, F. see Bloch.

Street, P. British chinchilla farming. New Scient. 4:964-966 2 figs.

[Strelkov, P. P.]. [Material on hibernation places of bats in the European part of Russia]. Trud. zool. Inst. 25: 255-303 17 figs. [In Russian.]

Strinati, P. &. Aellen, V. Confirmation de la présence de Rhinolophus mehelyi Matschie dans le sud de la France. Mammalia Paris 22:527-536 1 fig. 1 tab.

[Stroganov, S. U.] (1). [Review of status and geographical distribution of the pygmy shrew (Sorex tscherskii Ognev). Uch. zap. Tomsk. Gos. Univ. No. 12 1949: 187–188. [N.V.]

[Stroganov, S. U.] (2). [Materials on the systematics of Siberian mammals]. Tr. Biol. Inst. West. Sib. Branch Acad. Sci. U.S.S.R. 1 zool. 1956: 3-10. [N.V.]

[Stroganov, S. U.] (3). [New species for the Siberian fauna]. Tr. Biol. Inst West Siberian Branch Acad. Sci. USSR 1, Zool. 1956:11-14. [N.V.]

Stroganov, S. U. (4). [Insectivores of Siberia]. Acad. Sci. U.S.S.R. West-Siber. Branch, Moscow, 1957:1-267 1 col. pl. 111 figs. In Russian.]

(Stroganov, S. U. & Turyeva, V. V.). [New subspecies of *Clethrionomys*]. Bull. Soc. Nat. Moscow biol. 53 (6) 1948:51-52. [In Russsian.]

[Stroganova, A. S.]. [On the ecology of the Caucasian squirrel *Sciurus* (*Tenes*) anomalus Güld, 1792]. Trud. zool. Inst. 25: 304-320 6 figs. [In Russian.]

Strong, L. C. & Hardy, L. B. A new "Luxoid" mutant in mice. J. Hered. 47 1956: 277-284 3 figs.

Sukhinin, A. N. see Rustamov.

Sulkin, S. E. see Krutzsch.

Suomalainen, P. Hibernation, the natural hypothermia of mammals. Triangle 2 1956: 227-233 3 figs.

Suomalainen, P. & Uuspää, V. J. Adrenaline noradrenaline ratio in the adrenal glands of the hedgehog during summer activity and hibernation. Nature, Lond. 182:1500-1501 1 fig. 2 tabs.

Sutton, R. W. A Manitoba record of the gray fox. J. Mammal. 39:439-440.

Suzuki, M. see Uda.

Svihla, A. Subfreezing body temperatures in dormant ground squirrels. J. Mammal. 39: 296-298 1 tab.

Sviridenko, P. A. Method of establishing the number of progeny in a brood of rodents according to placental stains. Bull. Soc. Nat. Moscou biol. 63 (2):49-54. [Russian with English summary.]

Swift, L. W. Faunal protection in relation to grazing use of semi arid lands of the western United States. Terre et la Vie 105:390-395.

Swynnerton, G. H. Fauna of the Serengeti National Park. Mammalia, Paris 22: 435-450 2 maps.

Swynnerton, G. H. & Hayman, R. W. Additions to the checklist of Tangan-yika mammals. J. E. Afr. nat. Hist. Soc. 23: 9-10.

Symons, H. W. & Weston, R. D. Studies on the humpback whale (Megaptera nodosa) in the Bellingshausen Sea. Norsk Hvalfangsttid. 47:53-81 8 pls. 5 figs.

Syuzyumova, L. M. Certain problems of general immunological reactivity of the organism of calves. J. gen. Biol. Moscow 19: 76–81 2 figs. [Russian with English summary.]

Szunyoghy, J. Die Präparierung von Bälgen der Säugetiere und Vögel für wissenschaftliche Sammlungen. Allät. Kozlem. 46: 287–296 5 figs. [German summary.]

Taber, R. D. & Dasmann, R. F. The black-tailed deer of the chaparral. Calif. Fish Game Bull. 8:1-163 49 figs. 39 tabs. Tagawa, N. Matsuo, M. & Osogoe, B. On the behavior of the bone marrow elements transplanted into the double-ligated segment of the artery. Okajimas Folia anat. Jap. 31:189-193 1 pl.

Takamura, K. Cytochemical studies on Gll. vestibulares nasi of cat. Okajimas Folia anat. Jap. 31:127-134 3 pls.

Takeda, Y. (1). On the origin of the tissue mast cell. Okajimas Folia anat. Jap. 31:143-159 7 pls.

Takeda, Y. (2). Studies on the mast cells in gingival tissue. Okajimas Folia anat. jap. 31:377-400 2 pls.

Talmage, R. V. see Enders.

Tamsitt, J. R. The baculum of the *Peromyscus truei* species group. J. Mammal. 39:598-599 1 fig.

Tappen, N. C. Responses of African monkeys to native stratagems. J. Mammal. 39:584.

Tappen, N. C. see Jacob.

Tasaki, I. & Chang, J. J. Electric response of glia cells in cat brain. Science 128:1209-1210, 1 fig.

Tatarinov, K. A. (1). Finding of a shrew of the genus *Blarina* in the Ukraine, Rep. Acad. Sci. Ukr. No. 1:81-84 3 figs. [Russian, English summary.]

Tatarinov, K. A. (2). Cave-dwelling hyenas from the Opolyte Quaternary deposits. Rep. Acad. Sci. Ukr. No. 7: 797-800 2 figs. [Russian, English summary.]

Taylor, J. I. The position of wild ungulates in Nigeria. Mammalia, Paris 22: 394-398.

Taylor, J. M. see Horner.

Taylor Page, F. J. see Bagnall-Oakeley.

Tcheng, K. T. & Shih, P. C. Observations on the structure of the kidney of the otter, Lutra lutra chinensis Gray. Acta zool. Sinica 10:125-129 2 pls. [Chinese with English summary.]

Teeri, A. E., Virchow, W., Colovos, N. F. & Greeley, F. Blood composition of white-tailed deer. J. Mammal. 39: 269-274 2 tabs.

Tembrock, G. (1). Spielverhalten beim Rotfuchs. Zool. Beitr., Berl. 3:423-496 18 figs. 1 pl. Tembrock, G. (2). Zur Aktivitätsperiodik bei *Vulpes* und *Alopex*. Zool. Jb. (Allg. Zool.) 68: 297-324 11 figs.

Tener, J. S. The distribution of muskoxen in Canada. J. Mammal. 39: 398-408 2 tabs.

Tener, J. S. see Banfield.

Thackray, R. I. & Michels, K. M. Externally-aroused drives in the racoon. Anim. Behav. 6:160-163.

Thenius, E. (1). The whale in Austria—a witness of the past. Norsk Hvalfangsttid. 47: 172–176.

Thenius, E. (2). Geweihjugendstadien des eiszeitlichen Riesenhirsches, Megaceros giganteus (Blum.), und ihre phylogenetische Bedeutung. Acta zool. Cracov. 2:707-721 6 figs.

Thenius, E. & Bürge, H. Los mamiferos suramericanos en perspectiva historica. Rev. Acad. colomb. 10 1957: 123-130 3 figs.

Thenius, E. see Petronijević.

Thenius, E. see Psarianos.

Thiel, A. Inselorgan. (in Hofer & others. Primatologia. Handbook of Primatology. 3 (1). Verdauungstrakt. Urinogenitalorgane. Endokrine Organe. pp. 814–824 4 figs.).

Thomas, L. Les Sarigues. Nature, Paris No. 3273: 3-8 6 figs.

Thomas, W. D. Observations on the breeding in captivity of a pair of low-land gorillas. Zoologica N.Y. 43:95-103 3 pls. 2 figs.

Thorne, O. (1). A low-cost laboratory mouse cage drinking fountain. Bull. Thorne Ecol. Res. Sta. No. 5 1958: 1-44 figs.

Thorne, O. (2). Shredding behavior of the white-footed mouse, *Peromyscus maniculatus osgoodi*, with special reference to nest building, temperature, and light. Bull. Thorne Ecol. Res. Stat. No. 6: 1-75 20 figs. 15 tabs.

Thorneycroft, G. V. African palmcivet. Afr. wild Life 12:81.

Thurlow, W. G. The yellow necked field mouse at Stowmarket. Trans. Suffolk Nats' Soc. 10: 297-300 map 2 tabs.

Tiemeier, O. W. see Bronson.

Timofeyev, M. A. Ecological role of ants when applying grain baits to control susliks, Zool. Zh. 37:866-873. [Russian with English summary.]

Tindal, J. S. see Benson.

Tinker, H. see Dunn.

Tischendorf, F. Über die Hippopotamidenmilz. Z. mikr.-anat. Forsch. 64: 228-257 20 figs.

Tischendorf, F. & Linnartz-Niklas, A. Autoradiographische Untersuchungen an Milz und Lymphknoten verschiedener Säugetiere. Anat. Anz. 105: 400–411.

Tobien, H. Cuon Hodg. und Gulo Frisch (Carnivora, Mammalia) aus den altpleistozänen Sanden von Mosbach bei Wiesbaden. Acta zool. Cracov. 2 1957: 433–450 3 pls.

[Tomilin, A. G.] (1). Some data on the thermoregulation in *Muscardinus avellanarius* change of the respiration character and body temperature during dormancy and activity. Zool. Zh. 37: 120-130 15 figs. [Russian with English summary.]

[Tomilin, A. G.] (2). [Peculiarities in behaviour of Cetacea]. Priroda No. 1:108-110 figs. [In Russian.]

Tomkins, I. R. A Georgia specimen of the manatee. J. Mammal. 39:154.

Tomlinson, J. D. W. see Barnett.

Tong, E. H. (1). Notes on the breeding of Indian rhinoceros, *Rhinoceros unicornis* at Whipsnade Park. Proc. zool. Soc. Lond. 130: 296-299.

Tong, E. H. (2). Père David's deer, 1957. Proc. zool. Soc. Lond. 131: 318-319 tab.

Tongiorgi, E. see Radmilli.

Topachevsky, V. A. New data on the occurrence Scirtopoda telum, Alactagulus acontion, Dicrostonyx torquatus, Lagurus lagurus and Lagurus luteus in the Pleistocene of the Ukrainian SSR. Rep. Acad. Sci. Ukr. No. 9: 1010-1014 2 figs. [Russian, English summary.]

Topciu, V., Elias, M. I., Reichrath, S., Frásine, I. N. & Bogdan, I. Le Citellus citellus comme réservoir de virus dans la leptospirose. Stud. Cercet. St. Timisoara. Ser. St. Agric. 4 3-4 1957; 51-54 4 tabs. [Roumanian, French résumé.]

Tortonese, E. Il cetaceo odontócete Ziphius cavirostris G. Cuv. nel Golfo di Genova. Doriana 2 (71) 1957: 1-7 2 figs.

Tour, G. D. de la. Preservation de la faune dans les plaines semi-arides du Paraguay et de l'Argentine. Terre et la Vie 105:411-422.

Tour, G. N. de la & Finterbusch, C. A. Preservation de la faune dans les zones semi-arides des cordilleres des Andes Chiliennes-Argentines. Terre et la Vie 105: 423-429 tab.

Tratz, E. P. (1). Noch ein Urgehörn. Säugetierk. Mitt. 6:27.

Tratz, E.-P. (2). Ein Beitrag zum Kapitel "Rohrwolf", Canis lupus minor Mojsisovics, 1887. Säugetierk. Mitt. 6:160–162 l fig.

[Trofimov, B. A.] (1). [Work of V. O. Kovalevski on paleontology of entelodonts]. In Kovalevskii, V. O. Collected scientific works, Moscow 2 1956: 281–286 2 figs.

[Trofimov, B. A.] (2). [Origin, history and evolution of some primitive ruminants]. In Kovaleski, V. O. Collected scientific works, Moscow 2 1956: 287-299 6 figs.

Troughton, E. Furred animals of Australia. Sydney (Angus & Robertson) 6th edition 1957, pp. xxxii, 376, 25 pls. col.

Trumler, E. Beobachtungen an den Böhmzebras des "Georg von Opel-Freigeheges für Tierforschung e V." Kronberg im Taunus. I. Das Paarungsverhalten. Säugetierk. Mitt. 6: Sonderheft: 1–48 29 figs.

Truyois, J. see Crusafont.

Truyols Santonja, J. Los mamiferos fosiles de la coleccion Palet y Barba (Museo de Sabadell). Notas Inst. geol. Esp. 50: 299–322.

Truyols-Santonja, J. see Crusafont-Pairó.

Tsouras, J. I. On the function and main connections of the Substantia Nigra of midbrain in *Macaea mulatta*. Prakt. Akad. Athens 29 1954 [1955]: 383-410 7 figs. [Greek, English summary.]

Tucker, R. (1). A comparative study of lipomatosis in the salivary glands of mammals with special reference to the Echidna. Austr. J. Zool. 6:115-1512 pls.

Tucker, R. (2). Shape and function in present-day craniology. Proc. zool. Soc. Calcutta, Mookerjee Memor. Vol., 1957: 207-220 1 pl. 5 figs.

Tuliar, R. M. New record of California grizzly bear. J. Mammal. 39: 151-153 1 pl.

Tupikova, N. V. Duration of placental scars in *Lagurus lagurus*. Zool. Zh. 37:308-311 figs. [Russian with English summary.]

Tupikova, N. V., Lukyanova, I. V., Neronov, V. M. & Rakovskaya, E. M. Experience in quantitative description and mapping of the animal population of small mammals in the mountain steppes of Altai. Bull. Soc. Nat. Moscou. Biol. 63 5: 145-146.

Tupinier, Y. Faune des grottes de Nuits-Saint-Georges. Bull. mens. Soc. linn. Lyon 27: 289–293.

Turček, F. J. (1). The ecological distribution of birds and mammals of the transition-zone (ecotone) near Banska Štiavnica (Slovakia, Č.S.R.). Biol. Práce, Bratislavé 4 8:5-43. 1 fig 10 pls. 3 maps. [English summary.]

Turček, F. J. (2). Gehölze, Vögel und Säugetiere in einigen Strauch-und Buschwerkstreifen in Feldem. Biol. Práce, Bratislavé 4 8:45-67 1 fig. 3 pls. 7 tabs. [German summary.]

Turček, F. J. (3). Albinistische Feldmaus, (*Microtus arvalis incognitus*). Säugetierk. Mitt. 6:30.

Turnbull, W. D. Notice of a late Wisconsin Mastodon. J. Geol. 66: 96-97.

Turnbull-Kemp, P. St. J. Albinism in the common or Hottentot mole-rat, Cryptomys hottentotus Lesson, 1826. Nature, Lond. 182:63.

Turyeva, V. V. see Stroganov.

[Tzikin, N. U. & Rubenkov, A. A.]. [Remote hybridization of cattle.] Priroda 7:104-106 4 figs. [In Russian.]

Uda, M. & Suzuki, M. Studies of the relation between the whaling grounds and the hydrographic conditions. III. Sci. Rep. Whales Res. Inst., Tokyo No. 13:215-222 21 figs.

Udagawa, T. A white hare at the foot of Mt. Fuji. Misc. Rep. Yamashina Inst. Orn. Zool. No. 11 1957: 35. [In Japanese, English summary.]

Ulmer, F. A. Africa's wild horses. America's First Zoo. 10: No. 1.

Ullmann, E. von and Hargreaves, A. New coat colours in domestic cats. Proc. zool. Soc. Lond. 130:606-609.

[Urgandzhyan, T. G.]. [On the problem of the function of the salivary glands in dogs]. Izv. Akad. Nauk. Armyan S.S.R. biol. agr. 11 3:3-9. [In Russian.]

[Uspenski, S. M.]. [Narwhals in central Arctic]. Priroda No. 3:107-108. [In Russian.]

Utkin, L. G. see Baevsky.

Utrecht, W. L. v. Temperaturregulierende Gefässsysteme in der Haut und anderen epidermalen Strukturen bei Cetaceen. Zool. Anz. 161: 77–82 3 figs.

Uuspää, V. J. see Suomalainen.

[Vaigacher, A. Z.]. [An occurrence in the Arctic beyond the 81st parallel]. Priroda 6:115-116 fig. [In Russian.]

Vamburkar, S. A. The male genital tract of the Indian megachiropteran bat Cynopterus sphinx gangeticus And. Proc. zool. Soc. Lond. 130:57-77 2 pls. 10 figs.

Van Deusen, H. M. & Peterson, R. F. Chiroptera of New Guinea. Nat. Hist. New York 67: 452-459 illust.

Van Gelder, R. G. (1). But they all smell like skunks... Anim. Kingd. 61:153-157 illust.

Van Gelder, R. G. (2). Skunks—variation on a natural theme. Anim. Kingd. 61:1958:176-181.

Van Gelder, R. G. (3). Echo-location failure in migratory bats. Trans. Kansas Acad. Sci. 59 1956: 220-222.

Vangstein, E. see Jahn.

Vasserot, J. see Koch.

Vauk, G. Einige Bemerkungen zum Vorkommen und Verhalten der Wanderratte, Rattus norvegicus (Berkenhout, 1769) auf der Insel Helgoland. Säugetierk. Mitt. 6: 74–76.

Vaz Ferreira, R. Etologia terrestre de Arctocephalus australis (Zimmermann) ("lobo fino") en las Islas Uruguayas. Trab. Isl. Lobos No. 2 1956: 1-22 text illust. Veenstra, A. J. F. The behaviour of the multimammate mouse, Rattus (Mastomys) natalensis (A. Smith). Anim. Behav. 6:195-206 1 pl. 3 figs.

Veggetti, A. see Bortolami.

Velich, R. Notes on mammals from eastern Nebraska. J. Mammal. 39: 147-148.

Vella, F. Haemoglobin types in ox and buffalo. Nature, Lond. 181: 564-565 1 fig.

Vereshchagin, N. K. & Burchak-Abramovich, N. O. The past distribution of the beaver (Castor fiber L.) in the Caucasus and the possibilities of its restoration in this country. Zool. Zh. 37:1874-1879.

Verhey, C. J. see Deinse.

Verheyen, W. Bijdrage tot de Craniometrie van *Colobus badius* (Kerr 1792). Ann. Mus. Congo belge, Zool. 8vo **62**: 1-94 4 pls. 7 figs.

Verma, K. K. see Sharma.

Verme, L. J. Localized variation in masked shrew abundance. J. Mammal. 39:149-150.

Verriest, G., Rabaey, M. & Rouck, A. de. Une souche de souris depourvues d'epithelium sensoriel retinien. Biol. Jaarb. 26:64-68 4 figs.

Verschuren, J. (1). Ecologie et biologie des grands mammifères (Primates, Carnivores, Ongulés). Exploration du Parc National de la Garamba. Fasc. 9. Inst. Parcs Nation. Congo Belge, Brussels: 1–225 2 pls. 93 figs.

Verschuren, J. (2). Le statut actuel des grands ongulés du Congo Belge et du Ruanda-Urundi principalement dans les parcs nationaux du Congo Belge. Mammalia, Paris 22: 406-417.

Vibe, Chr. The musk ox in East Greenland. Mammalia, Paris 22:168-174 3 figs. 1 pl.

Vierling, R. Ein Beitrag zur topografischen Lage der Nuclei supraoptici, paraventriculares und postoptici magnocellulares beim Rind. Anat. Anz. 105: 384–390.

Villa, R. B. (1). El acto de tomar la sagre en los murcielagos hematofagos (Familia Desmodontidae). An. Inst. Biol. Univ. Mex. 28:339-343 3 figs. Villa, R. B. (2). El mono araña (Ateles geoffroyi) encontrado en la costa de Jalisco en la region central de Tamaulipas. An. Inst. Biol. Univ. Mex. 28:345–347.

Villalta Comella, J. F. & Crusafont, M. Un nuevo ovicaprino en la fauna villafranquiense de Villaroya (Logrono): Int. Quaternary Ass., 4th Congr., Rome-Pisa, Actes 1, 1956: 426-432 figs. [N.V.].

Villemin, M., L'elevage des animaux a fourrure en France. Aspect actuel et perspectives d'avenir. Bull. Soc. Sci. Nancy N.S. 17: 82–89.

Villiers, A. Preservation de la faune sauvage dans la zone Sahelienne de l'Ouest Africain. Terre et la Vie 105: 314-321.

Villiers, A. et al. Préservation de la faune sauvage en région semi-aride. Compte rendu du Symposium de Caracas de l'Union Internationale pour la Conservation de la Nature et de ses ressources. Terre et la Vie 105:1-439.

Vincent, R. E. Observations of red fox behaviour. Ecology 39: 755-757.

Vinogradov, B. S. On the structure of external genitalia in white-toothed shrews (genus *Crocidura*, Insectivora, Mammalia) as a classificatory character]. Zool. Zh. 37:1236-1243 9 figs. [Russian with English summary.]

Virchow, W. see Teeri.

Vizoso, Mrs. see Shorten.

Vliet, G. van see Huisman.

Voelckel, J. La répartition des espèces R. norvegicus et R. rattus a Douala. Méd. trop. $18:677-682\ 2$ maps.

Vogel, S. Fledermausblumen und Blumenfledermäuse im tropischer Amerika. Umschau 58: 761–763 9 figs.

[Vorobeichik, A. A.]. [Remains of mammals from the deposits of the Aral suite on the Ayaguz River.] Mat. Faun. Flor. Kazak. 2:28-33 fig. [In Russian.]

Vorobieva, V. I. see Polezhaev.

[Vorontsov, N. N.] (1). [The structure of the stomach and the relative development of the different segments of the intestine in Cricetinae (Rodentia, Mammalia) from the Palaearctic region and

the New World]. C.R. Acad. Sci. URSS 117 1957: 524-529 2 figs. [In Russian.]

Vorontzov, N. N. (2). [Importance de l'etude des compositions chromosomes pour la systématique des mammiféres]. Bull. Soc. Nat. Moseow biol. 63 (2): 5–36 4 figs. [In Russian with French summary.]

[Vorontsov, N. N.] (3). [A new species of fat-tailed gerbil (*Pygerethmus vinogradovi*) from Zaissan's Valley and some notes on jerboas of the genus *Pygerethmus* Gloger (Dipodidae, Rodentia, Mammalia)]. Zool. Zh. 37:96-104 8 figs. [Russian with English summary.]

[Vorontzov, N. N.]. (4). [Structure of tongue in palaearctic Cricetinae]. Trud. zool. Inst. 25:321-335 4 figs. [In Russian.]

Voskoboinikov, M. E. see Bazhanov.

Vries, H. de. & Wijngaarden, A. van. Recente gegevens over de verspreiding van een aantal zoogdiersoorten in Nederland. Wageningen, 1957:1-33.

Vries, H. de. Insekteneters and Knaagdieren, determinatietabel voor de nederlandse Insectivora, Lagomorpha en Rodentia. Wageningen, Holland: 1–15 15 figs.

Vries, H. de & Koenders, J. W. Over enkele gevallen van zg. olifantstanden bij kleine knaagdieren. Levende Nat. 61:236–238 8 figs.

Wachtendorf, W. Untersuchungen uber die Bekämpfung der Erdmaus Microtus agrestis mittels Giftköder. Z. angew. Zool. 45:483-495 4 tabs. [English summary.]

Wade, N. J. see Panuska.

Wade, P. Breeding season among mammals in the lowland rain-forest of North Borneo, J. Mammal. 39: 429– 433 I fig. 3 tabs.

Walker, C. A. Studies in the environmental physiology of cattle in Northern Rhodesia. I. The relation between the changes in the haemoglobin index with age and the development of the heat toleration coefficient. J. agric. Sci. 51:119-122 3 tabs.

Walker, L. W. Arizona's window on wildlife. Nat. geogr. Mag. 113:240-250 illustr.

Wallace, M. E. New linkage and dependance data from ruby and jerker in the mouse. Heredity 12:453-462.

Walther, F. Zum Kampf- und Paarungsverhalten einiger Antilopen. Z. Tierpsychol. 15:340-380 38 figs.

Walton, A. see Noyes, R. W.

Warner, D. W. & Beer, J. R. Birds and mammals of the Mesa de San Diego, Puebla, Mexico. Acta zool. Mexicana 2 1957: 1-21.

Warren, F. L. see Evans.

Warwick, B. L., Berry, R. O. & Davis, S. P. Inheritance of recessive black in sheep. J. Hered. 48 1957: 255-258 4 figs.

Washburn, R. G., Gilmore, L. O. & Fechneimer, N. S. The chemical composition of cattle hair. I. The fat, ash and nitrogen content. Ohio J. Sci. 58:150-152 2 tabs.

Wasservogel, E. & Hurwitz, H. M. B. An automatic feeding battery for small animals. Anim. Behav. 6:112-1131 pl.

Wassif, K. see Hoogstraal.

Watson, K. M. see Hill, J. P.

Weber, W. A. see Beidleman.

Weir, T. The island of seals. Country-side N.S. 18: 282-286 4 figs.

Weiskrantz, L. Sensory deprivation and the cat's optic nervous system. Nature, Lond. 181:1047-1050 5 figs.

Weiss, I. Vergleichend kernvolumetrische Untersuchungen an Cricetus cricetus, Cricetulus barabensis griseus and dem angeblich tetraploiden Mesocricetus auratus. Z. mikr. anat. Forsch. 64:44-58 9 figs.

Weiss, L. P. see Lymon.

Weisse, U. Phasenkontrastuntersuchungen über fixierungsbedingte, morphologisch fassbare Veränderungen an peripheren Nervenfasern. Z. mikr.anat. Forsch. 64: 267–295-21 figs.

Welling, W. & Bekkum, D. W. van. Different types of haemoglobin in two strains of mice. Nature, Lond. 182: 946-947 2 figs. 1 tab.

Wells, L. H. A reconsideration of some mandibular profiles. S. Afr. J. Sci. 54:55-58 4 figs.

Wells, P. H. see Buchholz.

Wernert, P. see Gillet.

Weston, R. D. see Symons.

Wethington, J. F. Experimental studies on neurosecretion in the cat. Anat. Rec. 130:157-175 2 pls.

Wettstein, O. Zum ersten Nachweis des Baumschläfers aus Nordtirol v. H. Psenner. Säugetierk, Mitt. 6: 122.

Wettstein-Westersheimb, O. (1). Bemerkenswertes über die Säuger Österreichs auf Grundlage des Catalogus faunae Austriae. Jahrb. Österr. Arbeitskr. Wildtierforsch. Graz. 1956: 9–15.

Wettstein-Westersheimb, O. (2). Das erste schädliche Auftreten von Microtus agrestis (Erdmaus) in Österreich. Jahrb. Österr. Arbeitskr. Wildtierforsch. Graz, 1957:51-53.

Wharton, C. H. An ecological study of the kouprey, *Novibos sauveli* (Urbain). Monogr. Inst. Sci. Tech. Manila, 1957 pp. 1-111 16 figs. 11 pl. [N.V.].

Wharton, T. J. see Smith.

White, M. J. D. An interpretation of the unique sex-chromosome mechanism of the rodent, *Ellobius lutescens* Thomas. Proc. 200l. Soc., Calcutta Mookerjee memor. Vol. 1957: 113-114.

White, R. B. The Wolverine. One of nature's most maligned animals. Audubon Mag. 60: 66-67 84-85.

Whitehead, G. K. The muntjac in Britain. J. Bombay nat. Hist. Soc. 55:158-159.

Whiteley, H. J. (1). Giant compound hair follicles in the skin of Rabbit. Nature, Lond. 181:850 3 figs.

Whiteley, H. J. (2). Studies on hair growth in the rabbit. J. Anat. Lond. 92:563-567 2 pls. 1 fig.

W[hitley], G. P. Retirement of Mr. Ellis Troughton. Aust. Mus. Mag. 12:338-339 1 fig.

Whitworth, T. Miocene ruminants of East Africa. Fossil Mammals of Africa, No. 15 British Museum (Natural History): 1-50, 18 figs.

Whitworth, T. see Leakey.

Wienman, A. N. With elephants and pannikans in Ceylon. Oryx 4: 317-321.

Wijngaarden, A. van (1). The rise and disappearance of continental vole plague zones in the Netherlands. Versl. Landb. Onderz. No. 63.15, 1957: 1-21 map.

Wijngaarden, A. van (2). Insecticides or biological measures in the control of the continental vole, *Microtus arvalis* (Pallas), in orchards. Med. Direct. Twinbouw 20 1957: 369-374. [English summary.]

Wijngaarden, A. van (3). De muskusrat, Ondatra zibethica (L), in Limburg, een rectificatie. Nat. Maandbl. 47: 45-47.

Wijngaarden, A. van & Lensink, B. M. Possibilities for the development of a mammal fauna in the future southern Ijssellake polders. Versl. Meded. Plant. Dienst. No. 130 1956: 186-211.

Wijngaarden, A. van & Schuilenburg, H. L. De resultaten van de rossevleermuisenquête 1957. Levende Nat. 61:77-82 2 figs. map.

Wijngaarden, A. van see Vries.

Wilber, C. G. & Robinson, P. F. Aspects of blood chemistry in the whitetailed deer. J. Mammal. 39:309-311 1 tab.

Wilkie, F. & Nicholson, A. J. Food of porpoises in waters off Japan. J. Mammal. 39:441-443 1 tab.

Willemse, J. J. The innervation of the muscles of the trapezius-complex in giraffe, okapi, camel and llama. Arch. néerl. Zool. 12 1958: 532-536.

Williams, C. D. Exploratory behavior of stock and inbred albino rats. Quart. J. Fla Acad. Sci. 19 1956: 57–60 1 fig. I tab.

Williams, J. H. The Ceylon Elephant. Loris 8 (1): 38-40.

Williams, R. B. Onchocerca in an Alaskan moose. J. Mammal. 39:449–450.

Willnow, R. Besonderheiten im oberflächenmikroskopischen Bild der lebenden Igellunge. Z. mikr.-anat. Forsch. 64: 458–555 7 figs.

Wilson, N. Another instance of bat versus ant. J. Mammal. 39:438.

Wilson, N. see Cope.

Wilson, R. W. A new multituberculate from the Paleocene Torrejon fauna of New Mexico. Trans. Kansas Acad. Sci. 59 1956: 76-84 1 fig. 1 tab.

Wimsatt, W. A. The allantoic placental barrier in Chiroptera: a new concept of its organization and histochemistry. Acta anat. 32:141-186 1 pl. 25 figs.

Wimsatt, W. A. & Kellen, F. C. The unique maturation response of the graafian follicles of hibernating vespertilionid bats and the question of its significance. Anat. Rec. 129 1957:115-131 2 figs. 1 tab.

[1958]

Winkelmann, J. R. see Hoffmeister. Witstruk, K. L. see Petzsch.

Witting, O. Le lynx (Lynx lynx L.), monument de la nature. Ocroteria Nat., București 2 1956: 135-139 2 figs. [Roumanian with French résumé.]

Wolinski, Z. see Grabianska.

Won, P. O. & Woo, H. J. On the mammals from Dagelet Island (1). National Forest Exp. Stat., Min. Agric. For. Korea, 1956: 1-1811 figs. [English summary.]

Won, P. O. & Woo, H. C. Mammals of Quelpart Island. J. Appl. Zool. 1: 5-13 1 fig. 7 tabs 1 pl.

Woo, H. C. see Won.

Woo, H. J. see Won.

Woo, J. (1). The first discovery of *Dryopithecus* teeth in China and its significance. Acta palaeont. Sinica 6: 117-121 2 figs. [Chinese with English summary p. 121.]

Woo, J. (2). New materials of Dryopithecus from Keiyuan, Yunnan. Vertebrata Palasiatica 2:37-43 1 pl. 2 figs. [English with Chinese summary.]

Woo, J. & Chow, M. New materials of the earliest primate known in China—Hoanghonius stehlini. Vertebrata Palasiatica 1 1957: 267-272 2 pls. figs.

Wood, A. E. Speciation and evolutionary rates in Eocene rodents. Proc. zool. Soc., Calcutta, Mookerjee Memor. Vol., 1957: 223–227 1 fig.

Wood, A. S. "Snowball" in a spruce. Nature Mag., N.Y. 50 1957:136.

Wood, J. E. Age structure and productivity of a gray fox population. J. Mammal. 39:74-86 1 fig. 8 tab.

Woodruff, M. F. A. Transplantation immunity and the immunological problem of pregnancy. Proc. roy. Soc. 148B 930:68-75 2 pls.

Woods, D. H. The Knysna elephants. Afr. wild Life 12: 119-124 4 figs.

Woods, J. T. The extinct marsupial genus *Palorchestes* Owen. Mem. Qd. Mus. 13:177-193 5 figs. Woolfenden, G. E. see Layne.

Worthington, E. B. The scientific basis for conservation. Mammalia, Paris 22: 323-327.

Wright, H. V., Asling, C. W., Dougherty, H. L., Nelson, M. M., & Evans, H. M. Prenatal development of the skeleton in Long-Evans rats. Anat. Rec. 130: 659-672 3 pls.

Wüstenfeld, E. Experimentelle Untersuchungen zum Problem der Schallanalyse im Innenohr. Z. mikr.-anat. Forsch. 63 1957: 327–387 25 figs.

Wyburn, G. M. The capsule of spinal ganglion cells. J. Anat. Lond. 92:528-533 5 pls.

Yablokov, A. V. (1). The Cetacean dental structure and form of teeth. Bull. Soc. Nat. Moscou. biol. 63 (2): 37-48 6 figs. [Russian with English summary.]

Yablokov, A. V. (2). On the morphology of the digestive canal of Odontoceti. Zool. Zh. 37:601-611 6 figs. [Russian with English summary.]

Yablokov, A. V. see Kleinenberg.

[Yakovenko, M. Y.]. [Young whales among the ice]. Priroda No. 2:106. [In Russian.]

Yanushko, P. A. Population dynamics of Cervus elaphus brauneri (Scharlemagne). Zool. Zh. 37:1228-1235. [Russian with English summary.]

Yeates, N. T. M. Foetal dwarfism—an effect of high atmospheric temperature during gestation. J. agric. Sci. 51:84-89 2 figs. 3 pls. 3 tabs.

Yin, T. Wild elephants in Burma. J. Bombay nat. Hist. Soc. 55:337.

Yoon, C. H. & Les, E. P. Quivering, a new first chromosome mutation in mice. J. Hered. 48 1957: 176-180 3 figs.

Youatt, W. G. & Erickson, A. W. Notes on hematology of Michigan black bears. J. Mammal. 39:588-589 I tab.

Youngman, P. M. Geographic variation in the pocket gopher, *Thomomys bottae*, in Colorado. Publ. Mus. nat. Hist. Univ. Kansas 9: 363-384 7 figs.

[Zakharin, K. A.]. [On the systematics of *Microtus guentheri schidlovskii* Arg.]. Dokl. Akad. Nauk. Armyan SSR **26**:125-128. [In Russian.]

Zaki, F. G. see Jerusalem.

Zänkert, A. Hausgenosse Maulwurf. Kosmos, Stuttgart 54:362–367 7 figs.

Zanobio, B. Reperti istomorfologici sull'innervazione dei condotti epatico e coledoco in alcuni mammiferi. R.C. Inst. Lombardo, 92B: 258-264 2 pls.

Zarzycki, J. O budavie histologicznej niektórych narzadów wewnetrznych zubna, Bison bonasus L. Zool. polon. 8 (1) 1957: 53-61 2 pl. [Polish with English summary.]

Zavarsin, A. A. see Dondua.

Zbyszewski, G. Le Burdigalien de Lisbonne. Comun. Serv. geol. Portug. 38 1957: 91-226 19 pls. [Mammals 197-199.]

Zeeb, K. Paarungsverhalten von Primitivpferden in Freigehegen. Säugetierk. Mitt. 6:51-59.

Zeiner, F. N. Two cases of coronary venous drainage by a persistent left superior vena cava in cat. Anat. Rec. 129 1957: 275-277.

Zimmermann, A. Über die Carpalvibrissen der Hauskatze. Allat. Kosl. 46 1957: 139–145. [German summary.]

Zimmermann, K. Selektionswert der simplex-Zahnform bei der Feldmaus? (Eine Entgegnung). Zool. Jb. (Syst.) 36: 35-40 1 fig.

Zimmermann, K., Freye, H.-A., Gaffrey, G., Haltenorth, Th., Muller-Using, D. & Pohle, H. Zur liste der deutschen Namen für deutsche Säugetiere. Säugetierk. Mitt. 6: 124-126.

Zimmermann, R. see Harlow.

Zippelius, H.-M. (1). "Karawanen" bei der Feldspitzmaus. Kosmos, Stuttgart 54: 2-6 9 figs.

Zippelius, H.-M. (2). Aus dem Leben der Gelbhalsmaus. Kosmos, Stuttgart 54:55-58 7 figs.

Živković, S. see Davidović.

Zuckerman, S. see Ashton, E. H.

Zuhrt, R. Zahnfleischerkrankung beim Igel als Todesursache. Zool. Gart., Lpz. 24 (1-2): 74-80 6 figs.

Zumpt, F. Die Klippschliefer Südafrikas. Kosmos, Stuttgart **54**: 328–330 5 figs. [Zvorikin, V. P.]. [Morphological grounds in differences between the capacity of hearing of the dog and of the monkey]. Adv. mod. Biol. Moscow 44 3(6) 1957: 349–361 9 figs. [In Russian.]

Zwillenberg, H. H. L. Die mikroskopische Anatomie der Milz der Furchenwale. Acta. anat. 32:24-39 1 pl.

II.—SUBJECT INDEX

GENERAL LITERATURE AND HISTORY

Text Books and General Works.—Zoogeography, Darlington, P. J.; General account of mammalian genera and species, Klemm; Colour plates of mammals, Mohr & Haltenorth; Comprehensive study of visual system, Polyak; Account of echolocation, Griffin; Unknown or unidentified animals, Heuvelmans; Text book of primate anatomy, Hofer & others; Review of Pinnipedia, Scheffer (1); Domestic and wild dogs, Haltenorth (2); Account of elephants, Carrington; General account of whales and whaling, Slijper (1); Budker (1).

Faunal Works.—European and N. American faunal connections, Lindroth; Belgium, Frechkop (1); Tertiary fauna of Belgium, Misonne; Zoogeography of Sweden, Curry-Lindahl (1); Faunal list of Swedish Lapland, Curry-Lindahl (3); Esthonian mammals monographed, Aul & others; Faunal list for Palestine, Bodenheimer; Ukraine, Abelentzev & Pidoplichko; Insectivores of Siberia, Stroganov (4); Biogeography in Ethiopia, Scott, H.; Fauna of Serengeti National Park, Swynnerton; Popular account New Guinea mammals, Brongersma: Marsupials of New South Wales, Marlow (3); Bats of coastal island of N. South America, Koopman (1); S. American Checklist, Cabrera (1); Key to Chilean mammals, Mann.

History.—History of discovery of Megalonyx and Megatherium, Boyd, J.P.; Mediaeval bestiary mammals, Anon (4);

Early history of big game in Cape Province, Skead (2); History of black tailed deer in California, Taber & Dasmann; First elephant exhibited in U.S.A., McClung & McClung.

Obituaries.—A. H. Booth, Anon (2); Teilhard de Chardin, Piveteau; Frank Kingdon-Ward, Bor; Dr. Malcolm A. Smith, Grandison; J. Stevenson-Hamilton, Anon (15); Zietzschmann, O., Nickel.

Bibliographies and Biography.—Bibliography of behaviour studies on inbred mice, Staats; British mammal literature, 1957, Hayman (2); Retirement of E. Troughton, Whitley.

Taxonomy and Classification.—Vespertilio murinus Linnaeus 1758 placed on official List, Direction 98; Validation of Lophiotherium Gervais, 1850, Opinion 530; Analysis of taxonomic affinity, Cain & Harrison; Remarks on secondary homonymy, Hershkovitz (3); Importance of chromosome studies in relation to systematics, Vorontzov (2); Geographical classification of Neotropical mammals and definitions of zoogeographical terms, Hershkovitz (1); Techniques for classification of African mammals, Ansell (2); Classification of marsupials with lists and keys, Haltenorth (4); Duplex convergent resemblance in *Phascogale*, Finlayson (2); Primate classification, Fiedler (in Hofer & others); Characters, taxonomy and key of Pinnipedia, Scheffer (1); Assessment of taxonomic characters, classification of 'Ungulata,' Frechkop (2); Evolution and classification of "Ungulata," Lavocat; Classification of Bovidae, Roy; Taxonomy of domestic cattle, Bohlken (1); Generic names South American deer, Hershkovitz (2); Revised classification of fossil Artiodactyla, Crusafont-Pairo (2).

Museums and Collections.—Work of Berlin Zoological Institute, Herter (2); Catalogue of Indian Museum, Khajuria (2) (3); Exhibit of vertebrate and human evolution in Paris Museum, Lehman; Catalogue of Rhinocerotoidea in Museum of Geological Institute, Strasbourg, Gillet & others; Need for improved African collections, Ansell (2) (3); Marine mammals in Japanese Museums, Imaizumi.

Zoological Gardens.—Platypus in captivity, Fleay (1); General account of

Leipzig zoo mammals, Schneider (1); List of ungulates in zoological gardens of Paris Museum, Nouvel & others; Lions bred in Polish Zoological Gardens, 1952–55, Grabianska & Wolinski; Giant panda in Frankfurt Zoo, Haas (3); Indian rhinoceros births in captivity, Ali & Santapau (2); Rearing hippos, Nestrenkova; Register of world herd of Père David's deer, Tong (2); Ibex in captivity, Meyer-Holzapfel; Musk-oxen in Copenhagen Zoo, Anderson & Poulsen.

Vernacular Names.—German names for local mammals, Zimmermann & others.

STRUCTURE

General.—Mammalian anatomy, Ellenberger & others; Locomotory apparatus, Krüger (1); Handbook of primate anatomy, Hofer & others [Eds]; Anatomy of Suncus murinus, Sharma (2); Feet of beaver, Richard; External characters of foetal Indian elephant, Mariappa (1); Anatomy of foetal Indian elephant, Mariappa (2).

Integumentary and Epidermal Structures.—Sudoriparous glands in bats, Sisk; Wing pouch and throat gland in Saccopteryx, Stark (2); Structure of sole hairs in lagomorphs, Meyer; Compound hair follicles of rabbit, Whiteley (1); Atypical hair follicle in rabbit, Straile; Amelanotic cells in albino mouse hair bulb, Silvers; Vibrissae of house mouse, Dun (2); Hair scale structure in some Japanese rodents, Kobayashi; Carpal vibrissae in cat. Zimmermann, A .: Microscopic structure of hair in canids, Lochte; External characters of "chestnuts" of horse, ass and their hybrids, Bonadonna & others; Bristle structure in pig, Holman; Aberrant fleece-type in Merino sheep, Short; Wool fibres of hill sheep, Pilkington & Purser; Hair follicles of sheep, Ryder (2); Rhinarial characters of certain ruminants, Kraft.

Osteology: General.—Traction epiphyses, Barnett & Lewis; Sesamoid bones of Simplicidentata, Romankowowa; Locomotory apparatus, Krüger (1); Meckel's cartilage, Friant (2); Comparative study of hip joint, Ehler; Entepicondylar foramen in humerus, Landry; Skeleton of Zalophus, Mori; Hyoid of hedgehogs, Sharma & Verma; Fusion of cervical vertebrae in some hystrico-

morph rodents, Ray (2); Domestication changes in locomotive apparatus of rabbits, Bantje; Baculum in Microtinae, Dearden, L. C.; Baculum of Peromyscus truei group, Tamsitt: Skeletal variation in Mus. Harland: Genetical variations of Mus skeleton, a review, Deol (1); Skeletal variation in strains of Mus, Deol (2); Vertebral variation in Mus, McLaren & Michie (2); Locomotory adaptation in ermine, Petrov; Skeletal features of Eubalaena, Omura (1): Forearm of Herpestes, Haines; Ribs of ungulates, Frechkop (3); Spinal marrow in sheep, Goller: Atlas of Tapirus. Kladetzky: Os clitoridis of Taxidea. Hoffmeister & Winkelmann: Structure of baculum in Geomys, Kennerly (1).

Osteology: Skull .- Shape and function in skulls, Tucker (2); Craniometric variation in wild and inbred populations, Bader; Allometric skull studies in relation to evolution and systematics, Röhrs (2); Torus mandibularis in rodents, Pfeifer: Jaw articulation in primates, Biegert (1): Comparative study of mandibular ramus in prehominids, Wells; Infraorbital foramina in Hominoidea, Ashton & Zuckerman; Craniometry of fossil hominids, Delattre Fenart; Cranial variability Colobus, Schultz (2); Craniometric study of Colobus badius races from Belgian Congo, Verheyen; Comparative craniology Antillean insectivores; definitions of terms used, McDowell; Suture closure as age indication in Blarina, Guilday (1): Comparative craniometry of medieval and modern black rats, Jirsik; Comparative study of embryonic cranium of Zaedyus minutus, Reinbach; Skull form in dogs of different types, Klatt; Skull of Eubalaena, Omura (1); Skull of Monachus, Marcoci & Popa (1) (2); Cranium of Mirounga embryo, Kummer & Neiss: Craniometric analysis of horse skulls, Skorkowski (2); Craniometric analysis of certain Equidae, Perkal; Comparative craniology of forest elephants, Petter; Comparative craniology of fossil and recent bantengs, Hooijer (1); Analytical craniology of Polish Sus scrofa, Cabon (2).

Dentition.—Tooth eruption in fossil man, Garn & Koski; Dental variation in Colobus, Schultz (2); Comparative odontology of Antillean insectivores, McDowell; Rudimentary mandibular teeth in Scalopus, Conaway & Landry;

Morphology of hare milk teeth, Friant (1); Rat dental cementum, Paynter & Pudy: Molar variation in Microtus as selection factor. Stein: Tooth variation in Microtus not a selection factor. Zimmermann, K.; Alveolar variation in Pleistocene and modern Apodemus, Herold (1); Variation of tooth roots in Muscardinidae, Herold (2); Cetacean dental structure, Yablokov (1); Age determination of sperm whale from tooth laminations, Nishiwaki & others (1); Anomalous incisors in Mustelidae, Reinwaldt (1): Teeth as age indication in Weddell seal, Mansfield; Organic analysis of fossil Proboscid teeth, Ijiri & Fujiwara; Molar lamellae of mammoth, Dietrich (1); Evolution of molar structure in African Suidae, Ewer (1); Abnormal dentition in Odocoileus, Robinette.

Myology.—Mylohyoid muscle in domestic mammals, Sauer; Neuro-myology of heart, Bruno; Morphological variation in tissue fibre, Cruise: Myology of certain mammals, Ellenberger & others; Myology of primate head, Schneider (in others (2); Interosseous Hofer 28 muscles of hand and foot of primates, Lessertisseur; Myology of extremities of orang utan, Jouffroy & Lessertisseur; Musculature of shoulder and forearm in orang, Kallner; Histology of flight muscles of Hipposideros, George & Naik; Caudal and perineal muscles of Suncus murinus, Sharma (1); Hyoid muscles in hedgehogs, Sharma & Verma; Musculature of Zalophus, Mori; Diaphragm in dog and cat, Kraus; Hand of Herpestes, Haines; Anatomy of tarsal ligaments of Tremarctos, Davis, D. D. (1); Facial musculature in Alces, Meinertz (2); Facial musculature in Elephas, Stöcker; Anatomy of giraffe heart, Löhe; Facial musculature in Sus dom., Nikolai; Musculature of hind leg of red deer. Štěrba & Hegerova; Neck musculature of red deer, Kaman & Hampl; Musculature, muscle insertions of scapula and foreleg of red deer, Komárek; Anatomy of heart in Bovidae, Albrecht; Connective tissue changes in pregnant ewe, Bassett.

Heart and Circulation.—Venous system of mammals, Barnett & others; Structure and histology of cardiovascular system, Ábrahám; Structure of blood vessels in mammals, Mazhuga (1); Blood system functional morphology,

Mazhuga (2); Subfornical organ in primates, Sprankel; Carotid artery in primate crania, Platzer; Arterio-venous anastomoses of rabbit eye, Scullica; Blood vessels of rabbit kidney, Lewis; Vascularization of rabbit bones, Brookes & Harrison; Venous system of rodent lower intestine, Krylova; Blood chemistry of Castor, Kitts & others; Vascularisation of rat and mouse spleen, Ohta & others; Vascular anomaly in cat, Hilleman & Gaynor; Cardiovascular anatomy of foetal giraffe, Keen & Goetz; Heart and coronary circulation of okapi, Candaele & Ghys.

Lymph and its Organs.—Lymphatic drainage of rat spleen, Medzihradsky.

Haematology.-Sub-microscopic structure of leucocytes, Bessis & Breton-Gorius; Serology of hibernating mammals, Riedesel & Folk; Haematology of African monkeys, Jacob & Tappen; Protein serology of rabbit foetus, Osorio & Myant; Hormone effect on lymph cells in lactating rat and mouse mammary gland, Okada (2); Haematology of hibernating hamster, Lyman & others; Interference serology of suckling rats and mice, Brambell & others; Haemoglobin types in mice, Rosa & others; Welling & Bekkum; Serology of black bear, Youatt & Erickson; Haematology of Sirenia, Knoll; Serum protein variation in horses, Ashton (3); Comparative haematology of Ungulates, Millot: Haematology of American bison, Owen & others; Serology of musk-ox, Moody; Blood composition in Odocoileus, Teeri & others; Wilber & Robinson; Haemoglobin of ox and buffalo, Vella; Immunology of calves, Syuzyumova; Haemoglobin of European and African cattle, Bangham & Blumberg; Serology of cattle in Rhodesia, Walker, C. A.; Globulin polymorphism in cattle, sheep and goats, Ashton & McDougall; Haemoglobin types and potassium haematology of British sheep, Evans & others (1); Haemoglobin types in sheep, Evans & others (2); Huisman & others; Globulin phenotypes in sheep, Ashton (4); Haemoglobin of horse, Bangham & Lehmann.

Nervous System: General.—Neurone structure, Malhotra; Innervation of mylohyoid muscle in domestic mammals, Sauer; Maxillary nerve in mammals, Ashton & Oxnard (2); Phase-contrast study of nerve fibre variation, Weisse; Maxillary nerve in primates, Ashton & Oxnard (1); Internal carotid nerve, Pokrovskaya; Origin of acoustic ganglion in sheep, Batten; Innervation of the ovary in dog, Kolpakova; Lumbosacral dorsal root fibres of cat, Sprague; Nerves of mandibular teeth in Bradypus, Monteiro; Neurons in rat sciatic nerve, Metz & others; Innervation of liver, Zanobio; Innervation, Rastvorova; Innervation, Rastvorova; Innervation, Rastvorova; Innervation of neck muscles in giraffe, okapi, camel and llama, Willemse; Autonomic nerves of horse, Dyce.

Nervous System: Brain.—Relation of brain weight and body weight in mammals, Exner & Routil; Structure of neopallium, Sigogneau; Subcommissural organ, Olsson; Foetal cerebral cortex, Cattaneo: Brain of bats, Dechaseaux; Comparative study of brain in Insectivora, Stephan; Studies on primate brain, Hofer (3); Morphology and development of primate brain, Friant (3); Substantia nigra of midbrain in rhesus monkey, Tsouras; Cerebral morphology of Daubentonia, Hofer (2); Anatomy and histology of spinal cord of Eubalaena, Seki; Brain of foetal Balaenoptera, Friant (6); Comparative brain morphology of certain Gerbillinae, Chevtchenko & Astanine; Comparative measurements of brain in wild and domestic rabbits, Choinowski; Brain of ungulates, Friant (4); Brain structure and classification of Ungulates, Anthony; Hypothalamic nuclei of cattle, Vierlung.

Respiratory System.—Epithelium of pulmonary alveolus, Kowalski, R.; Lungs of aquatic mammals, Brown, D. Histology of bottlenose whale lung, Goudappel & Slijper; Respiratory tract in cetacea, Kleinenberg & Yablokov.

Sense Organs. — Visual system, Polyak; Retinal structure, Sidman; Vitreous body of galago, Luck; Comparative size of ear labyrinth in some mammals, Müller, R.; Degeneration of eye in rodent moles, Eloff; Eye structure in Mus, Koloss; Olfactory lobe of insectivore brain, Stephan; Development, histology of cartilage of external ear in rat, Slais.

Alimentary System.—Primate alimentary system, Hill, W. C. O. (in

Hofer & others); Primate tongue, Schneider (in Hofer & others) (3); Primate palatal ridges, Schultz (in Hofer & others) (3); Primate visceral anatomy, Starck (in Hofer & others) (1); Primate anal canal, Ortmann (in Hofer & others); Buccal pad of Nyctalus, Harrison, D. L. (3); Morphology of stomach and intestine of criectine rodents, Vorontsov (1); Tongue in palaearctic criectines, Vorontzov (4); Rodent oesophagus and stomach, Luppa; Digestive tract in Odontoceti, Yablokov (2).

Excretory Organs.—Primate urinary system, Straus & Arcadi (in Hofer & others); Renculi of Cetacean kidney, Kamiya; Dugong kidney, Batrawi; Kidney of otter, Tcheng & Shih; Spleen of fin whales, Zwillenberg; Spleen of hippopotamus, Tischendorf.

Reproductive System .- Primate external genitalia, Hill, W. C. O (in Hofer & others) (4); Primate reproductive tract, Eckstein (in Hofer & Others); Cyclical variation in female external genitalia of strepsirhines, Petter-Rousseaux; Rete mirabile in marsupial spermatic cord, Barnett & Brazenor; Early development of female reproductive tract in desman. Pevre (2): Structure of genitalia in Russian Crocidura. Vinogradov: Male genital tract in Cynopterus, Namburkar; Placental membrane in bats, Wimsatt; Ovarian structure in Aplodontia rufa, Pfeiffer; Reproductive system of coypu, Hillemann & others; Male phallus of Peromyscus, Hooper, E. T.; Male reproductive tract of Tatera, Allanson; Uterus masculinus of Castor canadensis, Conaway (1); Female genitalia of hare. Bloch & Strauss: Ovary of Martes pennanti, Eadie & Hamilton; Foetal membranes and placenta of hippopotamus, Amoroso & others; Corpora albicantia of eattle, Dawson, F. L. M.; Ovaries of foetal and prepubertal giraffes, Kellas & others.

Endocrine glands.—Primate pancreas, Thiel (in Hofer & others); Primate thymus, Bargmann (2) (in Hofer & others); Primate thyroid and parathyroid, Bargmann (1) (in Hofer & others); Primate adrenal and suprarenal, Bachmann (in Hofer & others); Primate hypophysis, Hanström (in

Hofer & others); Development of adrenals in Madagascan insectivores, Adams, W. E. (2); Histology of Sicista thymus, Bazan-Kubik; Suprarenal age changes in Equus, Nehls; Hypothalamus and hypophysis in horse, Brettschneider; Hypophysis of pangolin, Herlant (1).

glands.—Primate salivary glands, Schneider (in Hofer & others) (2); Primate liver and gall bladder, Lipp (in Hofer & others); Primate lingual glands, Burkl (1) (in Hofer & others); Sudoriparous glands in bats, Sisk; Embryonic salivary glands of mouse, Pujiula; Submaxillary glands of mouse, Ieta; Sweat glands of cat vestibulares nasi, Takamura; Sweat gland development in dog, Setooka (2); Sweat glands of cat vestibulares nasi, Ihjima & Oono; Sweat gland of horse, Rosati; Metatarsal gland of Neotropical deer. Hershkovitz (5).

Teratology and Abnormalities.—Teratology, Anon (17); Tissue abnormalities in newborn rats, Cooper & Brown; Abnormal vena cava in cat, Zeiner; Foetal dwarfism in sheep, Yeates; Nasal malformation in pig, Keilbach; Inner ear malformations in Mus, Fischer; Supernumerary molar in Erethizon, Lechleitner (1); Duplicate lower incisors in mouse, Danforth; Variation in number of incisor teeth of Mustelidae, Reinwaldt (1); Deformed lower jaw of sperm whale, Nasu; Abnormally short legs in fox, Schuller; Malformation of dog forelimb, Geiger; Polydactyly in Tadarida, Herreid; Polydactyly in Pipistrellus, Jennings; Polydactylism in mouse, Engel; Variation in ear form, tusks and number of toes of African elephants, Backhaus (1); Acrocephaly and digital abnormalities in chimpanzee, Schultz (1); Study of "one-toed" pigs of Rumania, Ghetie & Dinu; Dermoid cysts of reindeer and moose a basis of legends in Canada, Banfield: Castration and abnormal antlers in Axis, Bullier.

Histology and Cytology.— Characters of mammalian cell, Puck; Capsule of spinal ganglion cells, Wyburn; Mast cells in gingival tissue, Takeda (2); Histology of cardiovascular system, Ábrahám; Chromatin of mammals, Perkowska; Histology of apokrine sweat glands, Ōhara (1) (2); Mitochondria in young spermatids, Nicander;

Water activity of mammalian cell, Maffly & Leaf; Neurone "networks" and artifacts, Malhotra; Ganglion cells of vagus nerve, Ito & Hata; Development of red blood corpuscles in heteroploid mammals, Haggqvist; Heart histology, Bruno: Comparative histology of fossil and recent bone tissue, Enlow Brown: Primate mouth and salivary glands, Schneider (in Hofer & others) (2); Primate tongue, Schneider (in Hofer & others) (3); Subfornical organ in primates, Sprankel; Histology of primate lingual glands, Burkl (1) (in Hofer & others); Primate oesophagus, stomach and intestine, Burkl (in Hofer & others) (2); Cytology of marsupial renal glomerulus, Poy: Interscapular brown fat of bats, Rémillard; Mitochondrial content of flight muscle fibres in Hipposideros, George & Naik; Histology of yolk-sac and uterine membranes of Talpa, Morris, B.; Mitosis in cat and dog intestinal epithelium affected by colchicine, McMinn; Healing of epithelium in oesophagus of cat, McMinn & Johnson (1); Healing of epithelium in rectum of cat, McMinn & Johnson (2); Histology of Cetacea compared with man, Hosokawa & Sekino; Histology of bottlenose whale lung, Goudappel & Slijper; Histology of spinal cord of Eubalaena, Seki; Genital tract of hare, Bloch & Strauss; Mitosis in rabbit blastocysts, Moog & Lutwak-Mann; Alimentary system of hibernating ground squirrel, Mayer & Bernick; Histology of cricetid and murid oesophagus and stomach, Luppa; Reproductive organs of female Clethrionomys and Microtus, Markus; Cytology of hamster pituitary, Serber; Mitosis induction in rat liver, Jerusalem & Zaki; Cytology of rat epididymus, Reid; Sex chromatin in rat, Reitalu; Histology of cartilage of external ear of rat, Slais; Regeneration of rat gastric mucosa, Hunt; Histology of mouse retina, Verriest & others; Mitosis and amitosis in mice, Alov; Cytology of mouse anterior pituitary, Suno; Histology of brown fat during mouse pregnancy, Rothbard; Cytology of degenerative lymphoid cells in mouse mammary gland, Okada (1); Histology of mouse submaxillary gland, Ieta; Sex bivalent of hamster, Husted & others: Induced heteroploidy in mouse, Edwards, R. G. (1); Induced heteroploidy in mouse, Edwards, R. G. (2); Histology of pangolin hypophysis,

Herlant (1): Armadillo uterus before and after implantation, Enders & others; Histology of liver, spleen, omasum and stomach of European bison, Zarzycki; Histology of "chestnuts" of horse, ass and their hybrids, Bonadonna & others: Chromosome evolution and cytotaxonomy of mammals, Hamerton (1); Cytogenetic developments and methods. Hamerton (2); Chromosome studies in relation to systematics, table of data, Vorontzov (2); Chromosome investigation in Cricetus cricetus, Cricetulus barabensis griseus and Mesocricetus auratus, Matthey's views supported, Weiss: Chromosome table for primates, Chiarelli; Chromosomes of primates, Bender & Mettler: Chromosomes of rhesus monkey, Rothfels & Siminovitch; Chromosome number in Galemys, Peyre (1); Chromosome number of silver fox, Lande: Sex-chromosome mechanism in Ellobius, White, M. J. D.; Chromosomes of Prometheomys, Matthey (1); Chromosomes of mouse, Ohro & others; Chomosomes of Microtines, Matthey (2): Sex chromosomes of Muridae, Matthey (3).

Biochemistry.—Histochemistry of retinal pigment, Sidman; Cellulose in mammalian tissue, Hall & others; Histochemistry of spleen and lymph nodes, Tischendorf & Linnartz-Niklas: Experimental cytochemistry of sweat glands of cat vestibulares nasi, Ihjima & Oono; Biochemistry of dog semen, Bartlett; Cytochemistry of sweat glands of cat vestibulares nasi, Takamura; Whale pepsin analysis, Saitô & others; Structure of whale insulin, Ishihara & others; Whale insulin analysis, Itô; Chemistry of bat interscapular fat, Rémillard: Histochemistry of infant rat pancreas, Fautrez & others; Lipids of dystrophic mice, Shull & Alfin-Slater; Experimental cytochemistry of mouse submaxillary gland, Ihjima; Biochemistry of camel blood, Kehouk & Durand; Composition of cattle hair, Washburn & others; Histochemistry of mouse thymus, spleen and lymph node, Smith & others.

Techniques.—Sub-fossil bones and archaeology, Ryder (3); Conditions eliminating inflammation in rabbit homografts, Andresen & others; Cytological technique for rabbit blastocysts,

Moog & Lutwak-Mann; Amputation of lion tail, Klös; Ageing from dentine rings of Lobodon, Laws (1).

PHYSIOLOGY

General.—Reparative regeneration in mammals, Polezhaev; Physiology of Pinnipedia reviewed, Scheffer (1); Biochemical and electrocardiographical data on temperature-controlled badgers, Johansson; Relation between form and function in spleen, Herrath.

Integument.—Pigment changes in hair of German mammals, Lehmann (3); Trauma and hairgrowth cycle, Ghadially; Melanogenesis and sex hormones, Bischitz & Snell; White crown and cheeks in chimpanzee, Grzimek (3); Colour variation, moult in Mormoops, Constantine (4); Hair pigments of bats bleached by humid cave atmospheres containing ammonia, Constantine (6); Moult and seasonal variation in hair length in Myosorex, Meester (3); Moult in Lepus timidus, Hewson (1); Seasonal colour change of hares on Mount Fuii. Udagawa: Pelage stage: age, moult: reproductive activity correlation in Sylvilagus, Negus; Hair growth in rabbit, Whiteley (2); Moult pattern in Spermophilus, Butterworth; Moult in Cynomys, Smith, R. E.; Moulting in voles, Kryltsov; Growth and numerical variations in mice vibrissae, Dun (1); Pelage and moult changes in Neotoma, Finley; Temperature regulation in skin of cetacea, Utrecht: Seasonal pelage changes in ermine, Herter (1); Spring moult in raceoon, Stains; Wool growth of sheep stimulated by mechanical injury, Slen; Glycogen of wool follicle of sheep, Ryder (1); Development of subcutaneous fat in pig, Glebina.

Nutrition and Metabolism.—Feeding reflexes in mammals, Slonim; Role of haemoglobin in oxygen metabolism, Liotti; Study of organ metabolism, Davison; Glycogen content and activity of flight muscles of Rousettus, George & Jyoti; Metabolism of desert animals in Kalahari, Bolwig; Relation of nutrition, body and organ weight in Cebus apella, Kühlhorn (1); Digestion of fibre and protein by quokka, Calaby; Metabolic rates of shrew tissue, Redmond & Layne; Digestive enzymes of Scalopus, Pipistrellus, Myotis and Rattus, Buchholz & others; Anti-lens sera as rabbit

mutagen, Miller, W. J.; Oxygen consumption and metabolism of golden hamster, Petrásek: Age and metabolism of golden hamster, Kohout & Petrásek; Lipid absorption in rat, Hewitt; In vitro respiration of testis tissue of rat, Boyer & Serfaty; Vitamin A synthesis in whales, Fisher; Conditioned reflexes in basic metabolism of ungulates, Soldatenkov; Review of digestion in ruminants, Cuthbertson; Comparison of protein digestion in ruminants and non-ruminants, Glover & Duthie; Magnesium metabolism of cattle, Rook & others; Rook & Balch; Reticular pressure in goat, Bell; Mineral requirements of red deer in Swiss National Park, Bopp (1); Ileal enzymes of horse, Alexander & Chowdhury: Coprophagy in Tasmanian rabbits, Rowley (1).

Heart, Circulation and Blood.—Counter current exchange role in circulation, Scholander; Maternal transmission of immunity to young, Brambell; Absorption of antibody from immune sera, Halliday; Haemolytic antiserum, Morris, I. G.; Development of red blood corpuscles in heteroploid mammals, Haggqvist; Nuclear activity of blood cells, Engelbert; Inherited blood pressure in rat, Smirk & Hall; Blood pressure in young rats, Litchfield; Effect of heavy water on blood structure in Mus, Gustavson & Haggqvist; Effect of parabiosis and splenectomy on leucocyte count in mice, Skowron-Cendrzak & Konieczna-Marczynska: Serology of fin whale, Fujino; Nutritional anaemia in mink, Helgebostad & Martinsons; Oxygen affinity of sheep haemoglobin, Huisman & others.

Nervous System.—Nervous stimuli of lactation, Harris; Peripheral nerves, Chatfield; Regeneration of nerve fibre, Gamble; Function of monkey occipital cortex, Orbach; Functions of substantia nigra in midbrain of rhesus monkey, Tsouras; Function of rabbit hippocampus, Cragg; Effect of hypothalamic lesions on reproductive behaviour of female rat, Law & Meagher; Innervation of uterus in cat in pregnancy, Gurvich; Neurosecretion in cat, Wethington; Electrical study on cat brain, Tasaki & Chang.

Sense Organs.—Visual system, Polyak; Sensory stimuli in location of buried insect food, Holling; Synaptic activity in optic nerve, Bishop &

others; All aspects of echolocation, Griffin; Echolocation ability in Rousettus, Griffin & others; Echo and noise discrimination in Plecotus, Griffin & Grinnell; Echolocation sensitivity tests in bats, Grinnell & Griffin; Review of bat echolocation, Chopard; Problem of sound analysis in inner ear, Wüstenfeld; Visual and acoustic orientation in Megachiroptera, Novick (2); Insect noises attracting bats, Kolb (1); Birds confusing bat echolocation, Van Gelder (3); Echolocation in bottlenose dolphin, Kellogg; Comparison of hearing in dog and monkey, Zvorikin; Audiogenic seizures in rats, Levy & Bevan; Sight in rats, Hermann; Electrophysiology of mouse retina, Verriest & others; Visual discrimination in raccoon, Johnson & Michels; Optic nerves of cats reared in darkness, Weiskrantz; Improving scent in dogs, Fless; Olfactory sense in white rhinoceros, Micha.

Respiratory System.—Microscopic investigation of hedgehog lungs, Willnow; Respiration in Cetacea, Slipper (3); Respiration in Amazon dolphins, Layne; Histology of lung growth in new born cats, Dingler.

Muscle, Bone and Teeth.-Function of shoulder muscles in orang, Kallner; Muscle cells of flying membrane in Pteropus and Myotis, Mislin & Helfer; Mechanics of mastication and swallowing in rabbit, Ardran & others; Bone growth, Lea & Ponlot; Age changes in cranial capacity and foramen magnum, Ashton & Spence: Skull development in horses in first year, Skorkowski (1); Development of sutural patterns in damaged rat skulls, Girgis & Pritchard; Primate skull variation in relation to ontogeny and phylogeny, Biegert (2); Adaptations of African Suidae skull to feeding habits, Ewer (2); Ribs of "ungulates," Frechkop (3); Significance and use of antlers, Chard; Fall-out radioactive strontium in deer antler and sheep premolar, Hawthorn & Duckworth; Deposition of radioactive strontium in dental tissue, Holgate & others; Dental decay and death in hedgehogs, Zuhrt: Development of dentition in Elephantulus, Kindahl (1); Tooth development in Talpa, Kindahl (2); Incisor growth correlated with body weight in Thomomys, Miller, R. S. (3); Regeneration of dental tissue in dog, Polezhaev and others.

Endocrinology .-- Pituitary and lactation, Benson & others; Thyroid secretion, Dumont: Hypophyso-genital connection in female bats. Herlant (2): Adrenaline/noradrenaline ratio in active and hibernating hedgehogs, Suomalainen & Uuspää; Adrenal circulation in rabbit, Harrison, R. G.; Activity of Sicista thymus, Bazan-Kubik; Endocrine system of hamster in connection with hibernation, Mogler; Effect of "stress" through attack by other rats on rat adrenal histology, Barnett (2); Specificity of hypophyse extract of rat, Fontaine: Effect of cold on endocrine glands of young mice, Barnett & Manly; Progesterone increasing mink litter size, Franklin; Gonadotropic hormone effect on mouse foetus, Nishimura & Shikata; Effect of androgen on sexual behaviour of castrated cats, Rosenblatt & Aronson (1); Hormone influence on unimplanted egg of badger, Canivenc & Laffargue: "Condition" in deer related to size of adrenal cortex, Hughes & Mall; Sex hormones and melanogenesis, Bischitz & Snell.

Other glands.—Activity of mammalian sweat glands, Setooka (1); Hormone control of mammary glands, Lyons; Hormones and growth of mammary gland, Jacobsohn; Lipomatosis in salivary glands, Tucker (1); Poisonous bite of water shrew, Jewell; Lactation stimulated by suckling in rat, Bruce; Salivary secretion in mouse, Ieta; Function of salivary glands in dogs, Urgandzhyan; Milk gland of cow in lactation, Odinetz; Metatarsal gland of Neotropical deer, Hershkovitz (5); Salivary reflex in sheep, Denton (1).

Growth. Weight, Mensuration.-Growth problems in domestic animals, Bogolyubski; Biometry of prenatal growth of rhesus monkey, Olivier & Pineau (2); blood and skeleton properties in the development of mammals, Korzhnev; Growth of young Cryptotis in captivity, Conaway (2); Growth rate of young rabbits, Dunnet (2); Organ size/body size relation in rabbit, Latimer & Sawin (2); Growth rates of Malayan rats, Harrison, J. L. (2); Growth and carcass composition of laboratory mice, Fowler; Growth of young Sicista, Pucek; Growth of newborn Citellus, Musacchia: Development

of young male Tatera, Allanson; Growth of young badger, Neal & Harrison: Growth of young brown hyaena in captivity, Lang; Sexual maturity in female Martes pennanti, Eadie & Hamilton; Light-controlled hair growth and body weight in ferret, Harvey & Macfarlane; Horn growth of ibex in captivity, Meyer-Holzapfel; Rate of growth in cattle, Shakhnazarov (1); Prenatal growth of whales, Huggett; Foetal growth and development of young fin whale, Ohsumi & others; Ear plug and age determination of Megaptera, Symons & Weston; Age determination of fin whale from ear plug, Nishiwaki & others (2); Growth of young giraffe in captivity, Gijzen (2); Geographical variation in Russian rodent organ weight, Baranova; Weights of mammals, Exner & Routil; Body-organ weight relation in Didelphis, Kühlhorn (2): Body and organ weight, relation to nutrition in Cebus apella, Kühlhorn (1); Weight of rabbit alimentary tube, Latimer & Sawin (1); Body weight of Rattus in Japan, Nakata & Ito; External measurements and body weights of laboratory mice, Delost & Chirvan-Nia; Effect of cold on body weight of young mice, Barnett & Manly; Size and weight of Eubalaena, Omura(1); Length of fin whale at sexual maturity. Nishiwaki & others (2): Dimensions of killer whales, Nishiwaki & Handa; Age/body length curve for Lobodon, Laws (1); Effect of castration on horn growth in Axis. Bullier: Craniometric variation in Capreolus, Lehmann (4).

Longevity.—Longevity of platypus in captivity, Manville (2); Longevity in capitivity of some N. American bats, Orr; Longevity of Sciurus niger, Fouch; Survival and mortality in Ammospermophilus, Hawbecker; Longevity of Peromuscus nuttalli. McCarley: Longevity in rats, Nikitin; Shortened life in offspring of irradiated mice, Russell, W. L.; Age determination of Megaptera from ear plug, Symons & Weston; Longevity of Lutra in captivity, Scheffer (2); Early mortality in grey horses correlation with coat colour, Comfort; Mortality and causative factors among wild pig in Bialowieza Reserve, Cabon (1); Longevity of Bison bonasus, Jaczewski (1); Survival factors in young Californian deer, Dasmann & Hjersman.

Locomotion.—Locomotion, Krüger (2); Locomotory adaptation as guide to mammal ancestry, Haines; Mechanics of flying and swimming in bats, Craft & others; Similar locomotory adaptation in alpine ibex and chamois, Couturier.

Hibernation.—Review of hibernation physiology, Suomalainen; Serology of hibernating mammals, Riedesel & Folk; Resistance of hibernating mammals to artificial low temperature, Kayser; Summary of hibernation studies, Herter (2); Hibernation and experimental hypothermy, Davidović & Živković; Graafian follicles of hibernating bats, Wimsatt & Kallen; Bat hibernation in Limburg caves, Horst & Nieuwenhoven; Winter movement in hibernating Eptesicus, Mumford: Adrenalin/noradrenaline ratio in active and hibernating hedgehogs, Suomalainen & Uuspää; Temperature of dormant Citellus, Svihla; Histological changes in alimentary system hibernating ground squirrel, Mayer & Bernick; Activity rhythm of hibernating ground squirrel independent of temperature, Folk & others; Thermoregulation in hibernation of Muscardinus, Tomilin (1); Laboratory hibernation in hamsters, Panuska & Nelson; Hibernation and endocrinology hamster, Mogler; Haematology hibernating hamster, Lyman & others; Pregnancy of golden hamster prolonged by artificial hibernation, Czajkowski.

Albinism, Melanism.—Albino American porcupine, Wood, A. S.; Albinism in Otomys, Pirlot (2); Albinism in molerat, Turnbull-Kemp; Ivory mutant in Clethrionomys, Reichstein & Kulicke; Albinism in Microtus arvalis, Turček (3); Albino hamster, Robinson (1); Albino Reithrodontomys laboratory stock, Egoscue; White sperm whale in Pacific, Ohsumi; Albino hyrax in Angola, Hall; Melanistic population of Sylvilagus in Nebraska, Velich; Melanism in Tamiasciurus, Benton; Melanism in grey squirrel in Pennsylvania, Creed & Sharp; Melanism in Czechoslovak rodents, Hanak; Melanism in German Cricetus, Petzsch (2); Melanism in Rattus norvegicus in Georgia, Smith, W.

Light and Temperature Studies.— Photoperiodism in lagomorphs, Rowan; Light stimulation of male accessory glands in rabbit, Kihlstrom; Summary

of temperature studies, Herter (2); Experimental hypothermy and hibernation, Davidović & Živković; Relative resistance of hibernating and nonhibernating mammals to artificial low temperatures, Kayser; Resuscitation of artificially frozen mammals, Smith, A. U.; Temperature relation to activity in Lasiurine bats. Constantine (1); Resistance of bats to low temperature, Obrenović; Temperature studies in small rodents, Maurus; Temperature response of Ammospermophilus, Hawbecker: Temperature mechanism in Micromys, Smirnov (1); Effect of cooling on mouse embryo, Lipkow; High temperature adaptability of mice, Harrison, G. A.; Air temperature and metabolism of small voles, Bashenina; Body temperature of golden hamster, Kohout; Thermoregulation in golden hamster, Kohout & Petrásek; Development of thermoregulation in young Sicista, Pucek; Thermoregulation in Muscardinus, Tomilin (1); Respiratory and pulse rate response to heat stress in calf, Bianca: Heat toleration coefficient of cattle in Rhodesia, Walker, C. A.

Pathology.—Myxomatosis in Holland. Bruijns; Contact transmission and vectors of myxomatosis, Mykytowycz (1); Mortality of rabbits in field enclosures, Myers (2); Skin tumour in coypu, Hilleman & Minckler; Subcutaneous tumours in captive rhesus monkeys, Bearcroft & Jamieson; Feral plague and tularemia in N. American rabbits, Bacon & Drake; Tularemia in Arvicola and other rodents, Dunayeva & Olsufjev; Susceptibility of Rattus (Mastomys) natalensis to experimental infection, Davis & Oettlé; Leptospirosis in Georgia mammals, McKeever & others; Citellus as leptospirosis reservoir, Topciu & others; Earwig as ectoparasite of Cricetomys, Halcrow; A nematode, Physaloptera praeputialis, in bobcat stomachs, Manville (1); Sarcocystis a parasite of Microtus, Eble; Pentastomida endoparasite of potto, Berger; Bats as laboratory hosts of encephalitis, La Motte; Resistance of golden hamster to colchicine injections, Skowron & Jordan; Hydrophobic wild cat in Germany, Piechocki; "Krafft," bone disease in camels, Durand & Kchouk; A nematode, Onchocerca, parasitic on moose, Williams, R. B.; Parasites and diseases of moose in British Columbia, Ritcey &

Edwards; Dental infection and decay in hedgehogs, Zuhrt; Vertebral protrusions and degeneration in cat, King & Smith; Tail necrosis in unweaned rats, Dikshit & Sriramachari; Hypertrophy of rodent incisor teeth, Vries & Koenders; Mortality in Vincennes 200, 1957, Nouvel & others.

Transplants and Grafts.—Skin homografts in golden hamster, Skowron-Cendrzak & Spisak-Plonka; Immunological response of hamsters to homografts, Billingham & Hildemann; Homografts in sheep freemartins, Moore & Rowson; Skin transplants in rabbit, Whiteley (2); Grafting of embryonic gonads, Holyoke & Beber; Transplant of bone marrow cells into ligatured artery, Tagawa & others; Transplantation of rat lymph nodes, Bogoyavlensky; Antler grafting in fallow deer, Jaczewski (2).

Technique.--Care Laboratory laboratory animals, Lane-Petter; Laboratory care of rats and mice, Frazão; Mastomys as laboratory animal, Veenstra; Rattus (Mastomys) natalensis as laboratory animal, Davis & Oettlé; Drinking fountain for mouse cages, Thorne (1); Automatic feeding battery for small animals, Wasservogel & Hurwitz; Technique for recording urination and activity of rodents, Meltzer & Folk; Laboratory care of bats, Orr; Laboratory care of Tadarida, Krutzsch & Sulkin; Bat echolocation technique, Novick (2); Care of Cryptotis in captivity, Conaway (2); Tissue culture of ova and ovaries, Krassowski; colour notation: Munsell system, Miller, R. S. (2); Rearing young seals in captivity, Reineck & Reineck; Radioactive labelling of sperm, Sirlin & Edwards; Radioactive tracers in fertilization studies, Edwards & Sirlin; Physiological recording technique for experimental animals in space flight, Denton (2).

REPRODUCTION AND SEX

General.—Breeding season in N. Bornean mammals, Wade; Breeding of domestic animals, Pshenitzki; Births in Vincennes zoo, 1957, Nouvel & others; Protein selection in uterus, Hemmings; Radioactive tracers in fertilization studies, Edwards & Sirlin; Hypophysogenital connection in female bats, Herlant (2); Functional significance of

rete mirabile in marsupial spermatic cord, Barnett & Brazenor; Sex ratios in Minnesota rodents, Beer & others: Diet and oestrus cycle of gopher, Gunther: Winter breeding condition of German Muridae, Richter (1); Sex ratio in Rattus in Japan, Nakata & Ito: Sex differentiation in new-born mice. Machado: Sexual maturity of fin whale. Ohsumi & others; Sexual maturity of sperm whale in N. Pacific, Nishiwaki & others (1): Effect of androgen on sexual behaviour of castrated cats, Rosenblatt & Aronson (1); Courtship activities of certain ruminants, Burckhardt (1): Acidity of vaginal secretions in cattle. Shalash; Dioestrous cycle in pigs, Joubert; Failure to wean young in Odocoileus, Hanson; Variable mammary number in springbok, Bigalke (4).

Reproduction in Special Forms.— Breeding biology of Didelphis marsupialis, Hamilton (1); Reproduction of Didelphis in Peru, Housse; Reproduction of Didelphis virginiana in Florida, Burns & Burns; Reproduction of Cryptotis in captivity, Conaway (2); Reproduction of Nyctalus, Dittrich; Breeding period in Myotis lucifugus, Benton & Scharoun; Gorilla breeding in captivity, Thomas, W. D.; Immature baboon with young, Booth, A. H. (3); Breeding season of rhesus monkey, Prakash; Breeding of hares, Strauss; Background of reproduction in rabbit. Denenberg & others: Sexual activity of rabbit, Mykytowycz & Rowley: Sexual behaviour cycles in rabbit, Myers & Poole; Reproduction of Cynomys, Smith, R. E.; Reproductive cycle in Aplodontia rufa, Pfeiffer; Breeding season and sex ratio in Geomys, Kennerly (2); Dipodomys in captivity, Chew; Reproductive behaviour of Gerbillus, Kirchshofer; Reproductive system, sexual activity in male Tatera, Allanson; Reproduction of Ondatra in Nebraska, Sather: Reproduction of Microtus in California, Hoffman: Reproductive cycle in Clethrionomys and Microtus, Markus; Rattus assimilis breeding in captivity, Homer & Taylor; Rattus (Praomys) namaquensis litter born in captivity, Meester (1); Reproduction and population density of Mus musculus in corn ricks, Southwick; Sex ratio and breeding of rick populations of Micromys minutus, Rowe; Sexual cycle in Megaptera, Symons & Weston: Humpback whale

breeding cycle, Chittleborough (1);Breeding of lions in Polish Zoological Gardens, Grabianska & Wolinski; Vaginal cycle of cat, Michael; Reproduction of brown hyaena in captivity, Lang; Breeding of Ursus arctos in captivity, Steinbacher (1); Reproductive cycle of badger, Neal; Reproduction in badger, Neal & Harrison; Breeding of two year old female otter, Liers; Early sexual maturity of female Mustela, Hamilton (2); Reproduction of Pinnipedia, Scheffer (1); Calving season of grey seals in Gt. Britain, Matthews (2); Reproduction in Erignathus, Mc-Laren (2); Reproductive cycle Weddell seal, Mansfield; Reproduction of Arctocephalus in S. Georgia, Bonner (3): Breeding of fur seal on Macquarie Island, Csordas; Breeding behavior of horses on free range, Zeeb; Breeding of Rhinoceros unicornis in captivity, Tong (1); Sexual behaviour in giraffe, Innis; Reproduction of okapi in captivity, Gijzen (1); Sexual behavior of Camelus Gauthier-Pilters: Breeding biology of Saiga, Bannikov (4); Dahl & others; Reproduction of Capra caucasica in captivity, Petzsch & Witstruk; Ibex in captivity, Meyer-Holzapfel; Reproduction of Bison bonasus, Jaczewski (1); Sexual behavior in American bison, McHugh; Pre-rutting behavior Newfoundland moose, Dodds; Breeding biology of Odocoileus in California, Taber & Dasmann; Red deer in Crimea, Yanushko.

Ovary and Ovulation Problems .-Graafian follicles of hibernating bats, Wimsatt & Kallen; Oestral cycle in voles, Chitty & Austin; Embryonic mortality and ovulation rate in mouse, Bowman & Roberts; Corpora albicantia of fin whale as measure of age, Laws (2); Corpus luteum of sperm whale, Nishiwaki & others (1); Ovulation and ear plug laminations in fin whale, Nishiwaki & others (2); Corpora lutea, blastocyst and implantation in Martes pennanti, Eadie & Hamilton; Ovulation in Martes zibellina, Baevsky & others; Ovarian cycle in badger, Neal & Harrison; Delayed implantation in badger, Canivenc: Corpora albicantia of cattle, Dawson, F. L. M.: Induction of oestrus and ovulation in sheep, Hunter & others.

Spermatozoa.—Acrosome and perforatorium of certain mammals, Austin

& Bishop (1) (2); Capacitation of rabbit sperm, Noyes & others; Induced sterility in male mice, Cattanach & Edwards; Gynogenesis induced by chemical treatment of mouse sperm, Edwards, R. G. (3); Biochemistry of dog semen, Bartlett; Testis activity in badger, Neal & Harrison; Bull spermatozoa movement, Gray; Temperature effect on sperm metabolism of sheep, Blackshaw.

Pregnancy and Gestation Periods.-Immunological problem of pregnancy, Woodruff; Tadarida pregnant while lactating, Harrison, D. L. (4); Gestation of Sylvilagus, Lowe; Foetus of Glirulus, Shimpizumi; Gestation period of dormice, Psenner; Superfoctation in mice, Bikwicz; Pregnancy of Rattus in Japan, Nakata & Ito; Hormone influence on unimplanted egg of badger, Canivenc & Laffargue; Pregnancy and gestation in captive okapis, Gijzen (1); Gestation in captive okapi, Nouvel; Length of pregnancy in pigs, Joubert; Gestation period of four horned antelope, Shull; Gestation period of gnu. Steinbacher (3).

Placentation.—Cytochemical methods of studying placenta, Moghe & Owers; Placentation in Indian bats, Gopala-krishna; Placentation in Talpa, Morris, B.; Endotheliochorial placentation in Castor and Pedetes, Mossman, H. W.; Use of placental scars in assessing number in rodent litters, Sviridenko; Duration of placental scars in Lagurus, Tupikova; Foetal membranes and placenta of hippopotamus, Amoroso & others; Placental structure in pig and horse, Amoroso & Matthews.

Parturition and Litter Size.—Two hedgehog litters in one nest, Shepard; Hyaena birth in captivity, Shulov; Births of Rhinoceros unicornis in captivity, Anon (5); Birth in Ungulates, Slipper (4); Birth of African elephant, Poppleton; Parturition in American bison, McHugh; Birth of Camelidae, Steinbacher (2); Birth in captive okapi, Nouvel; Birth of okapi in captivity, Gijzen (1); Birth of giraffe in captivity, Gijzen (2); Siamese twins in Polish hare, Kubik.

Hybridisation.—Hybridisation among African mammals, Dekeyser & Derivot; Maternal influence on hybrid viability, Denissov; Felis silvestris caudata, F. catus hybrids in Halle Zoo, Petzsch (3); Hybridization in cattle, Tzikin & Rubenkov; Reproduction of hybrids of Bison bonasus, Jaczewski (1); Ammotragus-Capra hybrid descr., illustr., Petzsch (1).

Intersex.— Experimental sex reversal in Didelphis gonads, Burns; Gynandromorph Syrian hamster, Kirkman; Freemartins in sheep, Moore & Rowson.

DEVELOPMENT

Embryological problems in domestic animals, Bogolyubski; Origin of tissue mast cells, Takeda (1); Development of internal ear, Benoit; Comparative embryology of certain primates, Oliver & Pineau (1); Development of marsupial brain, Hill & Watson; Development of Nyctalus, Dittrich; Development of gonoducts in embryonic desman, Peyre (8); Development evaluation of rabbit embryos, Shakhnazarov (2); Prenatal development of rat skeleton, Wright; Development of rat dental cementum, Paynter & Pudy; Longer suckling period affecting weight of young rats, Dikshit: Reactive processes of foetal membranes of rat, Dondua & Zavarsin; Development of mice and climatic environment, Biggers & others; Development of house mouse, Slee; In vitro cultivation of early mouse embryos, Mclaren & Biggers; Uterine influence on mouse skeletal morphology, McLaren & Michie (1); Embryonic mortality and ovulation rate in mouse, Bowman & Roberts: Gonadotropic hormone effect on mouse foetus, Nishimura & Shikata; Effect of cooling on mouse embryo, Lipkow; Embryology of "short-tail" in mice, Grüneberg (1); Embryological study of brachury and anury in mice, Grüneberg (2); Mouse embryo abnormalities, Braden (2); Neonatal character of Jaculus jaculus, Harrison, D. L. (1); Embryo of Berardius described, figured, Omura (2); Development of dog sweat glands, Setooka (2); Development of chondrocranium in Bradupus, Schneider (1); Brain of ungulates, Friant (4); Early stages of karakul lamb, Shumkina.

EVOLUTION AND GENETICS

Evolution: General.—Differentiation and evolutionary rates, Kurtén (4); General account of evolution of mamalian families, Matthes; Evolution of S. American mammals, Thenius &

Burgl: Evolutionary rates in Eccene rodents, Wood, A. E.; Development of neopallium and brain evolution, Sigogneau; Evolution of mammalian tooth system, Smith, H. M.: Long diastema evolved through grass eating habit, Ardran & others: Evolution of Australian fauna, Storr: Evolution of traction epiphyses, Barnett & Lewis; Allometric skull studies in relation to evolution. Röhrs (2); Arboreal or terrestrial placental ancestry, Haines; Vegetation and clines in West African mammals, Booth, A. H. (2); Monotremes in relation to mammalian evolution. Carter. G. S.: Sexual selection in mice. Levine: Origin of sexual isolation in voles, Godfrey (2) (3); Evolution of Pinnipedia. Scheffer (1); Davis, J. L.; Evolution and origin of dog, Colbert: Shebbeare (1); Evolution of Ungulata. Lavocat: Evolution of horses, Gabuniya (1); Evolution of molar structure in African Suidae, Ewer (1); History of "one-toed" pigs of Rumania, Ghetie & Dinu; Triconodont position, Kuhne.

Evolution: Primates.—Zoological concepts and hominid evolution, Brown, W. L.; Recent views on man's origin, Arambourg (2); Evolution of man, Ruyer; Evolution of man, Hill, W. C. O. (2); Control of human evolution, Darlington, C. D. (1) (2); Development of human paleontology, Eiseley; Evolution of Meckel's cartilage in man, Friant (7); Evolution of Old World monkeys and Hominidae, Steslicka; General account of fossil Pongidae, Heberer.

Mutation and Variability.— Comparative variability in wild and inbred populations, Bader; Operation of Bergmann's Rule in Holarctic Cervidae, Lehmann (2).

Genetics: Researches in Mus; Mutagenic sensitivity of irradiated mice, Bateman (1); Genetics of mouse embryo abnormalities, Braden (2); Male segregation ratio as house mouse genetic factor, Bruck; Marker genes in mice, Carter, T. C.; Genetics of duplicate lower incisors, Danforth; Skeletal variations, Deol (1) (2); Genetic basis of deafness in Mus, Deol & Kocher; Spread of lethal genes in house mice, Dunn; Polydactylism in mouse, Engel; Genetic uniformity of Hungarian mouse strains, Fabian & Balázs; Skeletal effects of

luxoid gene, Forsthoefel; Gene éffects on bone healing, Green, M. C. (2); Dominance interaction in Mus musculus, Goodwins; Unusual mutation in mouse, Hummel; Hereditary hair loss in mice, Lyon (1); Mutant causing defective inner ear in mice, Lyon (2); Myopathic mutation in mouse, Michelson & others; New gene in mouse, Sarvalla & Russell; Genetics of coat colour in mice, Sato; New mutant in mouse, Strong & Hardy; New mutation in mouse, Yoon & Les.

General.—Bateman (2); Braden (1); Dun & Fraser; Dunn; Fortuyn; Fowler; Green, M. C. (1); Parsons; Quevedo & Chase; Slee; Wallace.

Genetics: Studies other than Mus; Genetics of colour mosaicism, Robinson (3); Coat colour genetics, Little; Genetics of rabbit, Robinson (2); Inheritance of blood pressure in rat, Smirk & Hall; New Peromyscus mutant, McIntosh; New mutation in hamster, & Polivanov: Genetics of Knapp albino hamster, Robinson (1); Inheritance of behaviour in domestic dog, Marchlewski; Genetics of "chocolate coat colour in domestic cat, Ullmann & Hargreaves; Genetics of tortoiseshell cat, Komai; Genetics of "thread proteins" in cattle, Ashton (1); Genetics of globulin phenotypes in cattle, Ashton (2); Inheritance of recessive black sheep, Warwick & others; Geneties of sheep haemoglobin types, Huisman & others.

ECOLOGY AND HABITS

General.-Microclimate and small mammal distribution, Hays (2); Severe climatic effects on USSR mammals, Semenov & others; Moorland ecology in Esthonia, Masing; Ecological plastisticity of Russian mammals, Novikov; Ecology of transition zone mammals in Czechoslovakia, Turček (1); Ecology of scrub and woodland mammals in Czechoslovakia, Turčik (2); Habitat of mountain gorilla, Baumgartel (2); Habits of German bats, Bopp (2); Summer bat colonies in France, Sluiter & Heerdt; Use of winter quarters by bats in Suffolk, Gilbert & Stebbings; Behaviour studies of rodents, Eibl-Eibesfeldt; Ecology of Roumanian rodents, Hamar; Ecology of rodents on sand and clay in Turkmenia, Kalabukov & others; Ecology of Peruvian rodents, Dorst (3); Daily activity rhythm of Clethrionomys, Durup & Saint Girons; Activity periods in foxes, Tembrock (2); Marmot ecology and snow cover in Tien-Shan, Bibikov; Capture of elephants in Ceylon, Wienman; Ungulate ecology in USSR in relation to snow cover, Nasimovich; Distribution and ecology of "Ungulates" in French Equatorial Africa, Blancou (3); Ecology of small antelopes in Togoland, Baudenon (1); Ecology of ungulates in snow, Bannikov (6).

[1958]

Habits of Special Forms .- Large mammals of Garamba National Park, Verschuren (1); Roosting habits of Nyctalus in Holland, Heerdt & Sluiter; Habits of Lasiurine bats in Georgia, Constantine (1); Ecology and habits of Pipistrellus in Yugoslavia, Djulič (2); Scalopus habits in captivity, Rood (2); Winter activity of Sylvilagus, Johnson & Hendrickson; Ecology of Sylvilagus, Lowe; Winter activity of Tamiasciurus in relation to temperature, Pruitt & Lucier (2); Sciurus anomalus, Stroganova: Alticola building shelters in Kazakhstan, Obolensky; Apodemus habits in Germany, Zippelius (2); Microtus oeconomus ecology in Siberia, Fetisov (3); Ecology of Peromyscus, Batson; Ecology of Neotoma in Colorado, Finley; Activity rhythm of large Felidae in captivity, Haas (2); Fox population and food study in Russia, Likhachev; Denning of Vulpes velox, Cutter (1); Ecology of Equus przewalskii, Bannikov (3); Ecology of Camelus bactrianus ferus, Bannikov (3); Cervus elaphus in Europe, Olivier (1); Habits, ecology of Capreolus, Olivier (2); Ecology of kouprey, Wharton.

Food Habits.—Food specialization in mammals, Slonim; Sawfly cocoons located by small mammals, Holling; West African mammal distribution affected by cultivation, Booth, A. H. (1); Diet of platypus in captivity, Manville (2); Food of Trichosurus in New Zealand, Mason; Food habits of Didelphis marsupialis, Hamilton (1); Food of Didelphis in Peru, Housse; Food preferences of Dendrolagus, Husson & Rappard; Nectar feeding bats, Vogel; Blood feeding bats, Villa, R. (1); Bats and locust control, Ali & Santapau (1); Food of Pteropus in Maldives, Phillips (2); Food habits of Brachyphylla, Bond

& Seaman; Food of (?) Nycteris in Tanganyika, Chapman; Food habits of Blarina in captivity, Rood (1); Food analysis of Sorex, Mezhzherin; Feeding of Suncus in captivity, Müller, H. P.; Feeding habits of Suncus etruscus, Koch & Vasserot: Feeding habits of Scapanus, Grim; Diet of Marikina in captivity, Schauffelen; Food of Sylvilagus, Klimstra & Corder; Food of Cynomys, Smith, R. E.; Spermophilus gnawing rabbit carcase, Packard (4); Plant galls as food of Sciurus vulgaris, Pfützenreiter: Grav squirrels eating insects lodged in car radiators. Lavne & Woolfenden; Sciurus carolinensis food preferences and habits, Nichols: Tamiasciurus feeding on birch sap, Kilham (2); Effect of Microtus on meadow plant communities, Richter (3); Food habits of Micromys, Gersdorf (2); Bird's nest as Apodemus (?) feeding site, Groves; Feeding habits and relation to land use of Dipodomys, Reynolds; Food habits of Ondatra in Nebraska, Sather: Feeding behaviour of Amazon dolphins, Lavne: Stomach contents of porpoises in N. Pacific, Wilke & Nicholson; Food of Eubalaena in N. Pacific, Omura (1); Food of baleen whales in Antarctic, Nemoto & Nasu; Food of killer whales off Japan, Nishiwaki & Handa; Diet of whales, Fisher; Jackal eating afterbirth of gnu, Grzimek (5); Winter food habits of mink, Korschgen; Food analysis in fox, Likhachev; Food habits of red fox in Wisconsin, Karpuleon; Food habits of Vulpes in Texas, Cutter (2); Food plants of game animals, Danilov; Food habits of Camelus in Sahara, Gauthier-Pilters; Food habits of Sus scrofa in Czechoslovakia, Janda; Food habits of African Suidae, Ewer, (2); Food habits of Odocoileus in California, Taber & Dasmann; Food habits of introduced reindeer in S. Georgia, Bonner (2); Winter forage trends in Californian deer, Dasmann & Hjersman; Aquatic feeding of moose, De Vos; Grazing habits of grade and zebu cattle, Lampkin & others; Feeding behaviour of cattle compared different pastures, Duckworth and Shirlaw: Food habits of Capra caucasica in captivity, Petzsch & Witstruk; Habits of Saiga, Bannikov (4).

Predation.—Prey of insectivorous bats, Kolb (1); Field mice possible food of hare, Gersdorf (1); Avian predation on rabbits in Australia, Dunnet (5); Foxrodent relationship in Turkmenia, Rustamov & others; Sable-squirrel biology in E. Siberia, Pavlynchenko; Porcupine quills in bobcat stomachs, Manville (1); Weasel capturing chipmunk, Frith; Porcupine-fisher relationship, Cook & Hamilton.

Aquatic Habits.—Locomotion and adaptations of Pinnipedia, Scheffer (1); Swimming of Amazon dolphins, Layne (1); Flying and swimming ability of bats compared, Craft & others.

Fossorial Habits.—Fossorial rodents forming "pimple" mounds, Scheffer (3); Burrowing habits, microelimatology of Spermophilopsis, Latychev & Sidorkine; Burrows of Gerbillus, Kirschhofer; Burrow of Dipodomys, Reynolds; Burrowing of Spalax, Reed; Burrowing of Cynomys, Smith, R. E.; Burrows of aardvaark, Verschuren (1).

Arboreal Habits.—Hand and prehensile tail of Ateles, Hofer (1); Arboreal habits of Dendrolagus, Husson & Rappard; Habits of Zenkerella, Aellen & Perret; Flying habits of Hylopetes, Adams, W.; Gliding by Nandinia, Thorneycroft.

Miscellaneous Habits.-Sleeping and excretory habits of gorilla, Sabater, Pi & Lassaletta; Chimpanzee paintings, Morris, D.; Flight of Pteropus, Phillips (2); Bat attacking owl, Krzanowski: Umbilical cord found in bat faeces, Kolb (2): Bats eroding cave rock formation, King-Webster & Kenny; Bats not a major factor in limestone cave erosion, Hooper, J. H. D.; Bats occupying abandoned swallow nests in Texas, Buchanan, O. M.; "Caravanning" behaviour of shrews, Zippelius (1); Self anointing in hedgehogs, Burton, M. (1); Sciurus carolinensis carrying young, Nichols: Vegetation used in Ochotona hav piles, Beidleman & Weber; Fighting of caged wild rats, Barnett (1); Apodemus transporting young, Zippelius (2): Grass accidentally knotted in tail of Apodemus, Schober; "Shredding" behaviour and nest building of captive Peromyscus, Thorne (2); Toilet use and grasping ability of beaver feet, Richard; Play activity and its frequency in fox, Tembrock (1); Brown bear climbing tree. Kramer: Movements of bears in sleep, Gaffrey.

Psychology and Behaviour Studies .-General account of behaviour, Scott, J. P.; Summary of behaviour studies, Herter (2); Sociology in primates, Carpenter; Concept formation in chimpanzee, Kelleker; Hand preference in gorilla, Haas (1); Development of affection in infant macaque, Harlow & Zimmermann; Instinctive behaviour in capuchin, Nolte; Behaviour of Didelphis, Thomas, L.; Behaviour and habits of Blarina in captivity, Rood (1); Social behaviour of enclosed rabbit colonies, Myers & Mykytowycz; Social behaviour of rabbits in experimental colony, Mykytowycz (2); Territorial behavior in Ochotona, Kilham (1); Behaviour of Scottish and Hebridean voles, Godfrey (1); Status and hierarchy in caged rats, & Chance; Electric shock Grant threshold of rats, Green, R. T.; Exploratory behaviour of rats, Williams, C. D.; Social behaviour of caged wild rats, Barnett (1); Exploration and avoidance of unfamiliar objects ("neophobia") in rats, Barnett (3); Behaviour of Rattus in Heligoland, Vauk; Behaviour of Mastomys in laboratory conditions, Veenstra; Aggressive behaviour related to population density in mice, Davis, D. E.; Behaviour study in adults and young of Peromyscus, King; Behaviour of Peromyscus nuttalli, Mc-Carley: Behaviour study of marmots, Koenig: Behaviour of Cynomys, Smith. R. E.; Behaviour of captive Gerbillus, Kirchshofer; Breeding behaviour of Weddell seal, Mansfield; Behaviour of brown hyaena in captivity, Lang; Comparative learning behaviour in dogs, Freedman; Sensory learning in cats reared in darkness, Weiskrantz; Behaviour of red fox, Vincent; Learning ability of raccoon, Thackray & Michels: Bear and fox in same pen, Curry-Lindahl (2); Social behaviour of Cervus elaphus in Switzerland, Burckhardt (2); Behaviour of moose, De Vos; Behaviour development in young moose, Altmann; Social behaviour in American bison, McHugh; Adult-young relationship in Camargue cattle, Schloeth (1); Intercommunication, behaviour in Camargue cattle, Schloeth (2); Behaviour of Capra caucasica in captivity, Petzsch Witstruk; Sex behaviour of castrated cats, Rosenblatt & Aronson (2); Fighting and mating behaviour in antelopes, Walther; Rutting behaviour in fourhorned antelope, Shull; Learning ability

tests in Equidae, Giebel; Herd dominance in horse, Montgomery; Behaviour comparison of domestic horses, Ebhardt; Sexual behaviour in zebras on free range, Trumler; Social and herding behaviour in giraffe, Innis; Maternal behaviour in Okapia, Grzimek (2).

Migrations and Homing.—Homing ability in Myotis, Cope & others; Homing in Eptesicus, Smith & Goodpaster; Homing of Eptesicus fuscus, Hall & Davis; Migration of Tadarida brasiliensis, Glass (1); Homing ability of Apodemus, Anon (6); Bachelor seals returning to native rookeries, Nagasaki & Matsumoto; Grey seal movements, Lockley; Seasonal migration of Saiga, Bannikov (4).

Home Range and Territory.-Smal mammals in New York, New; Range of small mammals in Oklahoma, Hays (1); Home range and territory of Kansas mammals, Fitch; Home range of Ammospermophilus, Hawbecker; Territoriality of Scottish and Hebridean voles, Godfrey; Range of movement in Malayan rats, Harrison, J. L. (1) (2); Home range and territory in Apodemus, Miller, R. S. (1); Home range of Peromyscus in Arkansas, Redman & Sealander; in Mexico, Drake; Home range of Peromyscus nuttalli, McCarley; Home range of Ondatra in Germany, Ernst; Territorial marking by marmots, Koenig; Territorial behaviour of rhinoceros in Africa, Ripley; Urine and excrement as territorial marker of white rhinoceros. Micha.

Population Studies .- Population dynamics of Swedish fauna, Curry-Lindahl (1); Population study in Altai steppes, Tupikova & others: Small mammal population colonisation of reclaimed Dutch polders, Wijngaarden & Lensink; Census methods in Siberia, Reimers; Small mammal population study in Rumanian forestry plantations, Ausländer & Hellwing (1); Problems of mapping distribution, Fedyushina; Live-trapping study of Trichosurus, Dunnet (1); Population study Potorous, Isoodon (= Thylacis) in Tasmania, Guiler (2); Bat population of Suffolk caves in winter, Gilbert & Stebbings; Population composition of Myotis colony, Cope & others; Population density of Sorex in Michigan, Verme; Population sight estimates for rabbits,

Mvers (1): Daily activity of rabbits. Mykytowycz & Rowley; Rabbit time of emergence in relation to population estimate, Dunnet (6); Population estimate technique with rabbits, Dunnet (7): Jack-rabbit in California, Lechleitner (2); Rodent population of cutover land in China, Hsia & Li; Vole plague inquiry in Netherlands, Wijngaarden (1); Population density and owl predation of Microtus. Becker: Population dynamics of California voles, Hoffman; Population density and adrenocortical activity in Microtus pennsylvanicus, Louch: Density of rick populations of Micromys minutus, Rowe; Rat plague in Queensland, Dunnet (4); Female fecundity of Mus musculus depressed by high population density in confined colonies, Crowcroft & Rowe; Quantitative dynamics of confined mouse populations, Petrusewicz: Population characteristics of Mus musculus in corn ricks, Southwick; Population study of Apodemus in Berkshire, Miller, R. S. (1): Population study of Peromyscus in Mexico, Drake; Population dynamics of Peromyscus nuttalli, McCarley; Population study of Rhombomys, Kulik: Dipodomys in Arizona, Reynolds; Population estimate of Arctocephalus in S. Georgia, Bonner (3): Age structure, reproductive capacity of Urocyon population, Wood. J. E.; Population study of Odocoileus in California, Taber & Dasmann; Air census of elephant population in W. Uganda, Buechner.

Conservation .- Scientific basis and aims of conservation, Worthington; Conservation and African ungulate fauna, Fraser Darling: Plea for protection of predators, Hainard; Conservation in semi-arid regions, Villers et al.; Conservation in Roumania, Saulescu; Status and protection of rare Indian mammals, Gee (2); Conservation in Africa, Grzimek (1); Quiçama Nature Reserve, Angola, Frade (1); Large mammals of Garamba National Park, Verschuren (1); Serengeti Report, Bigalke (3); Game reserves in Sudan, Nabi; E. African game management problems and proposals, Anon (13); Conservation on Sao Tomé and Principe Is., Frade (3); Faunal study in Belgian Congo, Pirlot (1); Census techniques for African Ungulata, Bourlière; Game in Transvaal, Kettlitz; Causes of

numerical reduction of ungulata in Kenya, Cowie; Animals threatened with extinction in Kenya, Anon (14): Faunal protection in S. Sahara, Villiers: Conservation of ungulates in French West Africa, Dekeyser (3); Status and conservation of African ungulates, Dorst (2); in Nigeria, Taylor; Status of ungulates in Togoland, Baudenon (2); French Equatorial Africa, Blancou (4); French African Territories, Bourgoin; French Cameroons, Jeannin & Barthe: Southern Rhodesia, Fraser, A. D.; Union of South Africa, Knobel; Portuguese Guinea, Sa E Melo Cristino; Serengeti National Park, Swynnerton; Status and conservation of ungulates in Uganda National Parks, Bere (1); South West Africa, Bigalke (5); Northern Rhodesia, Grimwood & others; Belgian Congo, Verschuren (2); Conservation in French Equatorial Africa, Bonotte: Conservation in N. America, Lincoln: Faunal protection and grazing use in U.S.A., Swift; Wildlife in Tucson U.S.A., Swift; Wildlife in Tucson Mountain Park sanctuary, Walker, L. W.; Conservation in N. Mexico, Baker (2); Conservation in N. Mexico, Baker (1); Faunal protection in Argentine and Paraguay, Tour; Faunal preservation in Southern Andes, Tour & Finsterbusch: Status and conservation of Madagascan Lemuridae, Petter & Petter-Rousseaux; Protection of hibernating bats in Limburg. Horst Nieuwenhoven; Status and conservation New South Wales marsupials, Marlow (3); Eubalaena in N. Pacific, Omura (1); Plea for whale protection, Klumov (3); Status of Scandinavian carnivores, Quarles; Status of Lynx in Roumania, Witting; Canis lupus in Germany, Tratz (2); Conservation of sea-otter, Barabash-Nikiforov; Status of Pinnipedia, Scheffer (1); Seal conservation in S. Georgia, Bonner (1); Fur seal re-established on Macquarie Island, Csordas; Present status of Rhinocerotidae, Grzimek (4); Conservation and status of white rhinoceros, Micha; White rhinoceros census and status in Uganda, Heppes (1); Status of mountain zebra, Anon (12); Elephant control in Tanganyika, Lamprey; Knysna Forest elephants, Hey & Brand; Woods, D. H.; Reduction of elephant population in Ceylon, Morgan-Davies; Protection of elephant in Ceylon, Soysa; Control and capture of elephants in Ceylon, Wienman: Need for census of elephants in

Ceylon, Williams, J. H.; Ungulates of Uganda National Parks, Bere (2); Red deer in Swiss National Park, Bopp (1); Rediscovery of Mesopotamian fallow deer, Haltenorth (3); Management of Odocoileus in California, Taber & Dasmann; Status and hunting of introduced reindeer in S. Georgia, Bonner (2); Status of caribou in Ungava, Banfield & Tener; Status and protection of Capricornis in Japan, Pohl; Status of musk ox in E. Greenland, Vibe; Arctic Canada, Tener; Protection of giant sable antelope in Angola, Frade (2); Preservation of the bontebok, Bigalke (1); Status and protection of lechwe in N. Rhodesia, Dorst (1).

Extermination.—Extermination certain mammals, Caram & Petter; Threatened species in N. Mexico, Baker (1) (2); Extinction of Australian marsupials not due to placental competition, Storr; Marsupials presumed extinct in New South Wales, Marlow (3); Status of thylacine, Guiler (1); Reported rediscovery of thylacine, Guiler & Meldrum; History of beaver in Illinois, Pietsch; History of extinction of beaver in Caucasus, Vereshchagin & Burchak-Abramovich; Extermination of wolves in Rhineland, Schmidt, Th.; Gradual extermination of one-horned rhinoceros and water buffalo in India, Sheppard; History of Graham Island caribou, Dickie; Sus scrofa, Cervus nippon extirpated on Quelpart Island, Won & Woo, H. C.

Naturalisation. — Mammals introduced to Palestine, Bodenheimer; Naturalization of furbearers in USSR, Skrobov; Exotic and native fauna in Australia, Storr: Rabbit in New Zealand, Fennessy; Muskrat introduction to Caspian region, Siroechkovski; Muskrat in Limburg, Wijngaarden (3); History and distribution of muskrat in Luxembourg, Heuertz; Review of distribution, bibliography of Ondatra in Roumania, Calinescu & Bunescu: Re-introductions of beaver in Illinois, Pietsch; Panthera leo persica introduced to Chandraprabha Sanctuary, Gee (2); Bali tiger possibly a Javan introduction, Meissner; African wild ass in mediaeval Spain and Portugal, Fernandez-Galiano; Introduced reindeer of S. Georgia, history, Bonner (2); History of deer introduced to New Caledonia, Barrau & Devambez; Introduction and status of muntjac in England, Whitehead; Introductions of musk oxen to Norway, Spitzbergen & Alaska, Vibe; Feral cattle in India, similar to Chillingham cattle, Gee (1); Attempted acclimatization of wild boar in Ryazan, Kozlov.

Domestication.—Domesticated mals of Africa, Boettger; Remarks, illustrations of Caucasian sheepdogs, Schneider (2); Dogs employed by man, Lineham; Training Saghalien dogs for Antarctic sledge work, Inukai & Haga; Origin of domestic dog, Colbert; Elephants captured in Burma, 1952-1957, Yin; Elephant training and use in India, Chaturvedi; Ancient domestication of elk in Siberia, Skalon & Khoroshikh; Reindeer herding in Lapland, Manker; Review of indigenous African cattle, Faulkner & Epstein; Gradual disappearance of certain domestic animals, Koch; Breeding of domestic animals, Pshenitzki.

Economics: General.—Animal products, Brune; Bats in insect control, Ali & Santapau (1); Economic importance of opossum in New York, Hamilton (1); Damage to pines by local mammals and control in Victoria, McNally; Rodent destruction of seed and tree seedlings, Ashby; Squirrel damage to forestry, Shorten; Crop damage by jackrabbit, Bronson & Tiemeier; Vole damage to trees, Hook; Sealing in S. Georgia, Bonner (1).

Economics: Rodent and Pest Control. -Baboon trap, Fitzsimons; Rodent control in Holland, Anon. (7); Rodent plague centres in USSR, Fenyuk; Rodent control in Roumania, Marches; Rabbit control in New Zealand, Fennessy; Rabbit fumigants, Gleeson & Maguire; Furrow-poisoning rabbit techniques, Carrick (2); Poisoning tests on wild rabbits, Lazarus; Poisoning of rabbits with sodium fluoroacetate ("1080"), Rowley (6); Rabbit poisoning techniques, Rowley (4); Biological control of field voles in orchards, Wijngaarden (2); Rabbit damage prevented by aluminium foil, McCabe & Keith; Vole plague in Stirlingshire, Charles; Baits and poisons for control of Microtus, Wachtendorf; Control of Rattus rattus in Hertfordshire, Davis & Lloyd-Evans; Mediaeval German rat catching and rat "fables," Spanuth; Ant interference with grain used to control Citellus, Timofeyev.

Economics: Fur and Wool.—Fur farming in France, Villemin; Early fur statistics from N.W. America, Beidleman; Management of muskrat in Nebraska, Sather; Chinchilla farming in Britain, Street; History of chinchilla, Eckardt; Beaver in Illinois, Pietsch; Economic development of sea-otter, Barabash-Nikiforov; History of kolinsky industry, Bromlei; Mink farming in Netherlands, Rab; Canadian early muskox fur returns, Tener.

Economics: Whaling .- General account of whales and whaling, Slijper (1); Budker (1); National interests in Antarctic whaling, Elliot; Summary of whaling development and present situation, Bettum; Review of Eubalaena in N. Pacific, Omura (1); Whaling and world whaling fleets, Rivoire; 1946-1957 catch of fin and sei whales off Norway and Faroes, Jonsgård; Analysis of eatch (1949-1956) of southern stocks of humpback whale, Chittleborough (2); Whaling statistics 1955-56, 1956-57, Jahn & others; Japanese whaling operations 1956-1957, Miyazaki (2); 1948-1957 catch of killer whales in Japanese coastal waters, Nishiwaki & Handa: 1957 catch of small whales in North and Barentz Seas, Ostby; Incidental catch (1920-1955) of common porpose in Baltic, Ropelewski; Antarctic whale marks recovered 1957-58, Brown, S. G. (2); Observations of whales in Indian Ocean, Brown, S. G. (1); Whaling control, 1958-59, Anon (1); Whaling in Antarctic, Cockrill: Whaling technique in Azores, Clarke; Fin-whaling in E. China Sea, Miyazaki (1); Whaling and whaling grounds in N. Pacific, Uda & Suzuki.

Methods and Technique: General.-Tracks of Siberian mammals, Marikovski; Identification of spoor of E. African game, Hesse; Observing technique for small mammals, Southern (1); Field study of British bats, Blackmore; Field study of Scottish mountain hare, Hewson (2); Field study of British carnivores, Linn; Field observation of British deer, Page; Field enclosures for study of wild rabbits, Rowley (3); Myers (2); Mark-recapture experiments on Malayan rats, Harrison, J. L. (2); Air census of Uganda elephants, Buechner; Census techniques for African Ungulata, Bourlière; Native "calling" and capture

of monkeys, Tappen; Transport of live platypuses, Fleay (2); Narcosis for live capture of kangaroos, Marlow (2); Improved live trap, Lobue & Darnell; Relative efficiency of small mammal traps, Scalander & James; Comparative efficiency of two types of small mammal trap Pruit & Lucier (1); Preparation of museum study skins, Szunyoghy; Synthetic fibre filling for small mammal skins, Justice & Schaldach; Cellophane protection for skulls attached to museum skins, English; Sub-fossil bones and archaeology, Ryder (3).

Methods and Technique: Marking .-Use of radioiodine as indicator of feeding activity, Carrick (1); Dyes for use in rat movement studies, Larthe; Reflective tape for marking nocturnal mammals, Ealey & Dunnet; Dye technique for home range studies. New: Batringing in Netherlands, Wijngaarden & Schuilenburg; Bat-banding in Croatia, Djulic (1); Bat ringing in Germany, Bopp (2); Trapping and marking techniques for Setonix. Dunnet (3): Individual marking of rabbits by fur dye, Rowley (2); Grey seal marking in W. Wales, Lockley; Ringing marten, Parovschikov; Bells as aid to movement study of deer, Jordan.

DISTRIBUTION AND FAUNAS PALAEARCTIC REGION

Lehmann (2) (4); Mapping distribution, Fedyushina; U.S.S.R. and W. Europe, Larina.

Europe: General.—Brink; Eidman; Herold (1); Lehmann (1); Olivier (1) (2); C. Europe, Serafiński; E. Europe, Serafiński; European alps, Couturier.

British Isles.—Backhouse; Burton, M. (2); Evans & others (1); Neal; Shorten; Stephens.

England.—Whitehead; S. England, Neal & Harrison; Kent, Harrison, D. L. (3); Surrey, Groves; Hampshire, Rowe; Isle of Wight, Shepard; New Forest, Hook; Dorset, Anon. (10); Gooch; Clapham; Seilly Isles, Davies (1); Lundy, Anon (11); Chilterns, Cowdy; Hertfordshire, Davis & Lloyd-Evans; Kingsbury; Leutscher; Berkshire, Miller, R. S. (1); Oxon & Berks., Southwick; Oxfordshire, Southern (2); Gloucestershire, George; Humphries; Worcester-

shire, Pickvance; Suffolk, Cranbrook & others (1) (2); Gilbert & Stebbings; Jewell; Thurlow; N. Suffolk, Anon (8); Norfolk, Anon (9); Bagnall-Oakely & Taylor Page; Lincoln, Norris; Nottinghamshire, Morris, B.; Staffordshire, Dutton; Yorkshire, Hazelwood; Durham, Ashby.

Wales.—Cadman; Miles; W. Wales, Lockley; Caernaryonshire, Morris, B.

Scotland.—Barnett (1); Delany; Godfrey (1); Hewson (1)(2); Argyll, Boyd, J. M.; Stirlingshire, Charles; Scottish coastal islands, Godfrey (2) (3); Hebrides, Godfrey (1); Inner Hebrides, Weir; Islay, Hawthorn & Duckworth; Orkney, Rendall.

Channel Isles.—Cranbrook & Crowcroft.

France.—Koch & Vasserot; Rothschild; Saint-Girons & Deboutteville; Sluiter & Heerdt; S. France, Schloeth (1) (2); Strinati & Aellen; Tupinier; Côte-d'Or, Constant; Pyrenees, Saint-Girons (1) (2).

Spain.—Fernandez-Galiano; Harrison, D. L. (2); Balearic Islands, König.

Portugal.-Fernandez-Galiano.

Holland.— Bruijns; Deinse & Verhey; Feen; Halm; Horst & Nieuwenhoven; Rab; Wijngaarden (1); Wijngaarden & Lensink; Wijngaarden & Schuilenburg; Vries; Vries & Wijngaarden; Limburg, Wijngaarden (3); Utrecht, Heerdt & Sluiter.

Belgium & Luxemburg.—Feen; Frechkop (1); Luxembourg, Heuertz.

Germany.—Altner; Becker; Bopp (2); Epple; Ernst; Gersdorf (2); Herter (1); Koeppen; Krumbiegel; Lehmann (3); Petzsch (2); Piechocki; Pfützeureiter; Psenner; Reichstein & Kulicke; Richter (1) (2) (3); Schober; Schuller; Tembrock (1); Tratz (2); Wachtendorf; Zänkert; Zimmermann & others; Zippelius (2); N. Germany, Zeeb; W. Germany, Lehmann (5); Schmidt; Bavaria, Kahmann (1); Hanover, Gersdorf (1); Heligoland, Vauk; Borkum Island, Haltenorth (1).

Austria.—Bauer; Kepka; Koenig; Wettstein; Wettstein-Westersheimb (1)

Czechoslovakia.—Dudich; Hanák; Janda; Jirsík; Sladek; Turček (1) (2) (3).

Switzerland.—Bopp (1); Burckhardt (2).

Italy.—Dinale; Hagen; Mirigliano (2); Tortonese.

Rumania.—Ausländer & Hellwing (1) (2); Calinescu; Calinescu & Bunescu; Dumitrescu; Ghetie & Dinu; Hamar; Marches; Saulescu; Topciu & others; Witting.

Bulgaria.-Markov (1) (2); Peshev.

Hungary.-Kolosváry.

Yugoslavia.—Djulič (2) (3); Croatia, Djulič (1).

Poland. — Bazan - Kubik; Buchalczyk; Cabon (1) (2); Jaczewski (1); Krzanowski; Mocarski & Gedyminowa; Pucek; Serafinska & Serafinska.

Denmark.—Schleswig-Holstein, Requate; Funen Is., Runge.

Esthonia.—Aul & others; Masing; Paaver, K. L.; Poots.

Finland.—Kaikusalo & Skarén (1) (2); Pynnönen,

Scandinavia.—Haftorn; Quarles; Reinwaldt (2); Sweden, Curry-Lindahl (1) (3); Lapland, Manker.

U.S.S.R.— Bannikov (4) (6); Baranova; Kulik; Nasimovich; Novikov; Shnitnikov; Skrobov; Vinogradov; Russia, Dahl & others; Likhachev; Strelkov; Ukraine, Abelentzev & Pidoplichko; W. Ukraine, Pakizh; Caucasus, Schneider (2); Stroganova; Vereshchagin & Burchak-Abramovich; Azerbaijan, Akhundov & Alekperov; Alekperov; Crimea, Yanushko; Belorussia, Pyatrovski; Fergana, Malenkov; W. Dzungaria, Vorontsov (3); Betpak-Dala desert, Ismagilov; Tien-Shan Mts., Bibikov; Mongolia, Bannikov (1) (2) (3); Turkestan. Beishebaev: Dementiev (2): Kalabukov & others; Latychev & Sidorkine; Severtzov; Kara-Kum, Kotov (1); Ryayan, Kozlov; Daghestan, Siroechkovski; Kazakhstan, Bazhanov; Kryltsov; Obo-Kazakhstan, Bazhanov; Kryltsov; Obo lensky; Siberia, Fetisov (1) (2); Marikovski; Stroganov (1) (2) (3) (4); Stroganov & Turyeva; C. Siberia, Reimers; E. Siberia, Fetisov (3); Pavlvnchenko.

S.W. Asia.—Palestine, Bodenheimer; Arabia, Caram & Petter; Iraq, Harrison, D. L. (1); Reed; Persia, Haltenorth (3).

China.—Herold (1); Sosnovsky (2); Quelpart Island, Won & Woo, H. C.; Dagelet Island, Korea, Won & Woo, H. J. Japan.—Kobayashi; Kuroda (1) (2); Kuroda & Ishiwata; Nakata & Ito; Nishiwaki & Kamiya (1) (2) (3); Pohl; Shimoizumi; Udagawa; Kurile Is., Klumov (1) (2).

North Africa.—Kirchshofer; Morocco, Dorst & Panouse (1) (2); Tunisia, Kahmann (2); Müller, H. P.

ORIENTAL REGION

India.—Ali & Santapau (1); Anon. (3); Chaturvedi; Gee (1) (2); Grzimek (4); Khajuria (1) (2) (3); Shebbeare (2); Singh; Pakistan, Akhtar (1) (2); Rajasthan, Prakash; Bengal, Avari; Jaldapara Game Sanctuary, West Bengal, Avari; Nepal, Sheppard; Kashmir, Khajuria (4); Himalayas, Cobb; Mani.

Ceylon.—Deraniyagala (2); Morgan-Davies; Soysa; Wienman; Williams, J. H.; Maldive Islands, Phillips (1) (2); Hill, J. E. (1).

Burma.-Moore (1).

Thailand.—Moore (1).

Cambodia .- Wharton.

Malaya.—Adams, W.; Harrison, J. L. (1) (2) (3); Ogilvie (1) (2).

Indonesia.—Hill, J. E. (2); Oey & Feen; Malaysia, Grzimek (4); East Indian Islands, Moore (4); Borneo, Hill, J. E. (2); North Borneo, Wade; Sarawak, Davis, D. D. (2); Harrison & Jamuh; Java, Hooijer (1); Schuurman; Meeuwen Island, Java, Hoogerwerf; Bali, Meissner; Celebes, Moore (2); Celebes and adjacent islands, Mohr.

AUSTRALASIAN REGION

Australia.—Dunnet (1); Felten (4); Mackerras; Mykytowyoz (1); Storr; Troughton; W. Australia, Barker; Dunnet (3); Glauert (1) (2); C. Australia, Finlayson (1); S. Australia, Finlayson (2); Victoria, Brazenor; McNally; New South Wales, Marlow (3) (4); Myers (2); Mykytowyoz (2); Mykytowyoz & Rowley; Queensland, Dunnet (4); Fleay (1) (2); Northern Territory, Finlayson (3); Tasmania, Davies & Guiler; Guiler (1) (2); Guiler & Meldrum; Rowley (1) (6).

New Guinea, etc.—Brongersma; Husson; Marlow (1); Van Deusen & Peterson; Netherlands New Guinea, Husson & Rappard; New Caledonia, Barrau & Devambez.

New Zealand .- Fennessy; Mason.

ETHIOPIAN REGION

General.—Ansell (2) (3); Backhaus (1); Blancou (2); Boettger; Bourlière; Dekeyser & Derivot; Dorst (2); Faulkner & Epstein; Fraser Darling; Grzimek (4); Kulzer; Ulmer.

N.E. Africa.—Sudan, Micha; Nabi; S.E. Egypt, Hoogstraal & others; Ethiopia, Scott, H.; Starck & Frick.

East Africa.—Anon. (13); Hesse; Kenya, Anon. (14); Backhaus (2); Cowie; Fleetwood; Harrison & Fleetwood; Uganda, Anon. (16); Bere (1) (2); Buechner; Cleave; Haddow (1) (2); Heppes (1); Micha; West Nile, Heppes (2); S.W. Uganda, Baumgartel (1) (2); Donisthorpe; Tanganyika, Chapman; Eisentraut; Grzimek (5); Halcrow; Harrison, D. L. (5); Lamprey; Swynnerton; Swynnerton & Hayman; Serengeti, Bigalke (3).

Rhodesia.—N. Rhodesia, Ansell (1); Dorst (1); Grimwood & others; Larson; Southern Rhodesia, Fraser, A. D.; Turnbull-Kemp.

Southern Africa.—Bigalke (1); Fitzsimons; Hughes; Meester (2); Skead (1);
Zumpt; Union of South Africa, Knobel;
Cape, Anon. (12); Cape Province, Skead
(2); Knysna Forest, Hey & Brand;
Woods, D. H.; Kalahari, Bolwig;
Davis, D. H. S.; Transvaal, Allanson;
Ewer (3); Innis; Kettlitz; Meester (4);
Roberts; Kruger National Park, Bigalke
(2); Zululand, Meester (3); Ripley;
South West Africa, Bigalke (5); Angola,
Frade (1) (2).

Belgian Congo.—Anciaux de Faveaux; Baumgartel (2); Heim de Balsac (1); Holz; Jobaert (1) (2); Micha; Pirlot (1) (2); Tappen; Verheyen; Verschuren (2); Garamba National Park, N.E. Congo Verschuren (1).

Central Africa.—Blower (1); Petter.

West Africa.—Booth, A. H. (1) (2) (4); Spanish Guinea, Grzimek (3); Sabater Pi & Lassaletta; French African Territories, Bourgoin; French Cameroons, Aellen & Perret; Jeannin & Barthe; Schultz (1); Voelckel; French Equatorial Africa, Blancou (1) (3) (4); Bonotte; Malbrant & Quijoux; Nigeria, Bowman; Harrison, D. L. (4) (6); Sikes; Taylor; Togoland, Baudenon (1) (2); Ghana, Ansell (1); Booth, A. H. (3); Booth, C. P.; Liberia, Hayman (1);

Novick (1); Schultz (2); Ivory Coast, Heim de Balsac & Aellen; French West Africa, Cadenat (1); Dekeyser (3); Fraser, F. C.; Mt. Nimba, French Guinea, Heim de Balsac (2); Heim de Balsac & Lamotte; Gambia, Dekeyser (2); Portuguese Guinea, Sa e Melo Cristino; Senegal, Cadenat (2); Cadenat & Doutre; Dekeyser (1); Sahara, Delevil; S. Sahara, Villiers; São Tomé and Principe Islands, Frade (3).

Madagascar.—Caram & Petter; Petter & Petter-Rousseaux.

NEARCTIC REGION

General.—Hershkovitz (1); Lehmann (2); Van Gelder (1); N. America. Beidleman; Dearden, L. C.; Hagmeier; Hoover (2); Koopman (3); Lincoln; McHugh; Scheffer (3); Simpson, R. De E.; Tamsitt; White, R. B.; Van Gelder (2); W. North America, Swift.

Greenland.—Degerbol; E. Greenland, Vibe.

Canada.—Banfield; Cameron (1); Canadian arctic, Dunbar; Tener; E. Canadian arctic, McLaren (1) (2); Ontario, Burton, D. E.; De Vos; Frith; Quebec, Banfield & Tener; Labrador, Banfield & Tener; Newfoundland, Dodds; Dearden, J. C.; New Brunswick, Cameron (2); Prince Edward Island, Cameron (2); Islands of Hudson Bay, Burt; Manitoba, Sutton; British Columbia, Edwards, R. Y.; Munro; Pike & Maxwell; Ritcey & Edwards; Graham Island, Dickie; N.W. Territory, Moody.

U.S.A.: General.—Buchanan, G. D.; DePuy.

Eastern U.S.A.—East U.S.A., Cook & Hamilton; Guilday (2); New York, Benton; Benton & Scharoun; Eadie & Hamilton; Jex; Hamilton (1) (2) (3); Nichols; Rémillard; Maryland, Wilber & Robinson; Massachusetts, Clark, E. S. (1) (2); New Hampshire, Teeri & others; Kilham (2); N. Carolina, McKeever; Pennsylvania, Creed & Sharp; Guilday (1); Rémillard; Virginia, Paradiso; New England, Grayce; Maine, Teeri & others; Wood, A. S.; Florida, Burns & Burns; Jennings; Kellogg; Layne & Woolfenden; Georgia, Constantine (1); Lowe; McKeever & others; Smith, W. W.; Tomkins; Wood, J. E.

Middle U.S.A.—Missouri, Conaway (2); Korschgen; McLaughlin; Michigan, Butsch (1) (2); Fouch; King; Manville (1); Rood (1) (2); Verme; Youatt & Erickson; Wisconsin, Conaway & Landry; Iwen (1) (2); Karpuleon; Louch; McCabe & Keith; Kentucky, Craft & others; Ohio, Craft & others; Negus; Smith & Goodpaster; Indiana, Cope & others; Mumford; Mumford & Cope; Wilson, N.; Alabama, Batson; Iowa, Polder; Johnson & Hendrickson; Illinois, Hall & Davis; Klimstra & Corder; Parmalee; Pietsch; Stains; S. Illinois, Layne (2); Minnesota, Beer & others; Liers.

Western U.S.A.-W. U.S.A., Pfeiffer; Washington, Bacon & Drake; Broadbrooks (1) (2); Scheffer (2); S. Dakota, Packard (3); Arkansas, Redman & Sealander; Nebraska, Jones (1) (3); Rapp; Sather; Velich; Montana, Conaway (1); Jones (3); Kilham (1); Utah, Hayward & Killpack; Robinette; Shippee & Egoscue; Kansas, Anderson Nelson; Bronson & Tiemeier; Fitch; Hays (2); Smith, R. E.; Van Gelder (3); Oklahoma, Glass (1) (2); Hays (1); Colorado, Beidleman & Weber; Finley; Lechleitner; Miller, R. S. (3); Thorne (2); Youngman; Nevada, Robinette; Wyoming, Altmann; Jones (3); California, Dasmann & Hjersman; Grim; Gunther; Hawbecker; Hoffman; Houck; Hughes & Mall; Jordan; Kitts; Lechleitner (2); Taber & Dasmann; Tullar; Texas, Buchanan, O. M.; Constantine (4) (6); Cutter (1) (2); Glass (1); Herreid; Kennerly (1) (2); McCarley; Arizona, Hanson; Reynolds; Walker, L. W.; New Mexico, Constantine (2) (5); Findley & Pullen.

Alaska.—Libby; Mossman, A. S.; Musacchia; Pruitt & Lucier (2); Williams, R. B.; N. Alaska, Butterworth; Kodiak Islands, Clark, W. K.; Kramer.

Mexico.—Baker (1) (2); Jones & Anderson; Koopman (3); Constantine (3); Davis, W. B.; Goodwin (1); Packard (1) (4); Villa R. (2); S. Mexico, de la Torre; Pueblo, Warner & Beer; Durango, Drake; Guerrero, Davis & Lukens; Gulf of California, Norris & McFarland.

NEOTROPICAL REGION

General.—Hershkovitz (1) (5); N. and S. America, Sanborn & Crespo.

C. America and West Indies.—El Salvador, Felten (1) (2) (3); Nicaragua, Packard (2); Guatemala, de la Torre; Packard (2); West Indies, Bond & Seaman; Bahama Islands, Moore (3); Cuba, Koopman (2); Greater Antilles, Koopman (1); McDowell; Antilles, Morice; Trinidad, Goodwin (2); Coastal islands of N. South America, Koopman (1).

South America.—C. and S. America, Goodwin (3); S. America, Cabrera (1); Eckardt; Hershkovitz (2) (3); Mon-& Medina Padilla: Pearson: Rohrs (1); Thenius & Burgl; Thomas, L.; French Guiana, Hill, W. C. O. (1); Colombia, Borrero-H. & Hernandez-C.; Hershkovitz (4); Brazil, Küenzi: Kühlhorn (2); Ruschi; Amazon, Layne (1); Matto Grosso, Kühlhorn (1): Peru, Bendezu; Dorst (3); Harland; Housse; Scheffer (3); Paraguay, Kühlhorn (1); Tour; Uruguay, Vaz Ferreira; Argentine, Cabrera (2); Crespo; Obrog; Tour; Tour & Finsterbusch: Chile, Mann: Tour & Finsterbusch.

OCEANS, SEAS AND OCEANIC ISLANDS

Arctic, Uspenski; Vaigachev; Northern Seas, Jonsgard; N.W. Atlantic, Sergeant: Northern Pacific, Miyazaki (2); Nasu; Nishiwaki & others (1) (2); Ohsumi & others: Omura (1): Seki: Uda & Suzuki; Wilke & Nicholson; East China Sea, Miyazaki (1); Japanese coastal waters, Nishiwaki & Handa; Ohsumi; Bering Sea, Ichihara; Antarctica, Laws (1) (2); Chittleborough (2); Cockrill; Nemoto & Nasu; Nishiwaki & others (2); Bellingshausen Sea, Symons & Weston; Baltic, Ropelewski; Black Sea, Marcoci & Popa (1) (2); Gulf of Tunis, Postel: Red Sea, Gohar: Indian Ocean, Brown, S. G. (1); Caribbean, Coram & Petter; Azores, Clarke; Pribilof Islands, Nagasaki & Matsumoto: Macquarie Island, Csordas; South Orkney Is., Mansfield; S. Georgia, Bonner (1) (2) (3).

GEOLOGICAL (FOSSIL FAUNAS)

Fluorine content dating method, Danilova & Alexeev.

Rhaetic.—Glamorgan, Kühne.

Jurassic.—S. Wales, Kermack & Mussett; Europe, Friant (5); N. America, Friant (5); Kermack & Mussett.

Cretaceous.—N. America, Friant (5).
Caenozoic.—Pennsylvania, Hibbard,

C. W. (3).

Tertiary.—Europe, Hrubesch; Austria, Thenius (1); Jugoslavia, Petronipevič & Thenius (1); Odessa, Gritzai; USSR, Alexeeva; Kazakhstan, Bazhanov & Kostenko; Bazhanov & others; Vorobeichik; Australia, list of Tertiary marsupials Gill; Victoria, Stirton (2); North America, Dawson, M.

R.; Alberta, Russell, L. S. (2); Florida

Ray (1); S. America, Patterson (2).

Paleocene.—France, Friant (5); N.W. Sahara, Gauthier-Pilters; N. America, Friant (5); Alberta, Russell, L. S. (1); Colorado, Patterson & Simons; Wyoming, Dorr (1); New Mexico, Wilson, R. W.

Eocene: Old World.—Belgium, Misonne; Spain, Crusafont Pairo (3); Germany, Malthes; China, Woo & Chow; Shantung, Chow (2); Yunnan, Chow (3).

Eocene: New World.—North America, Gazin (2); Utah, Gazin (1); Wyoming, Dorr (2); Wood; Patagonia, Patterson (2); Simpson, G. G.

Oligocene.—Belgium, Misonne; S.W. France, Astre (5); Bavaria, Oettingen-Spielberg; Jugoslavia, Petronijevič & Thenius (2); Patagonia, Patterson (1).

Miocene: Old World.—France, Bergounioux & Crouzel (2); Crouzel & Debeaux; Rey; Belgium, Misonne; Spain, Crusafont Pairo (1); Crusafont & Truyols Santonja; Portugal, Zbyszewski; Austria, Mottl; Poland, Ryziewicz (2); Russia, Gadzhiev; Ukraine, Korotkevich; Moldavia, Eberzin & Sairnov; Caucasus, Gabuniya (2); Kazakhstan, Bazhanov & Nurumov; Kamchatka, Pronina; Algeria, Arambourg (3); E. Africa, Whitworth; Uganda, Bishop.

Miocene: New World.—Western North America, Shotwell; Florida, Olsen (1) (2); S. Dakota, Green, M.; Wyoming, Black; Nevada, Reed & Downs; Colorado, Galbreath (1).

Pliocene: Old World.—Eurasia, Kurten (2); Belgium, Misonne; Spain, Aguirre; Bergounioux & Crouzel (3) (4) (5) (6); Roumania, Macarovici; Poland, Czyzewska (2); Yunnan, Hu & Hu; Woo (1) (2); Shansi, Chang; S Australia, Stirton (1).

Pliocene: New World.—Western N. America, Shotwell; Oklahoma, Kitts; Texas, Kitts; Wyoming, Hibbard, C. W. (3); Montana, Konizeski; Mexico, Mooser Barendun; Argentine, Pascual; Reiz.

Pleistocene, Old World: Europe.-Europe, Herold (1); Kurtén (1); N. Europe, Kurtén (3); Devon, Carreck; Glamorgan, Greenaway; Suffolk, Spencer (1) (2) (3); France, Abrard; Astre (1) (2) (3) (4); Friant (8); Spain, Villalta Comella & Crusafont; Belgium, Misonne; Holland, Hooijer (3); Kruizinga; Italy, Cadeo; Castiglioni; Mirigliano (1); Radmilli & others; Germany, Dietrich (2); Kahlke (2); Lörcher; Rutte; Tobien; N. Germany, Guenther; S. Germany, Helier (1) (3); W. Germany, Kahlke (1); Austria, Thenius (2); Hungary, Remenyi; Roumania, Apostol (1) (2); Czechoslovakia, Bručková (1) (2); Musil; Ryziewicz (1); Greece, Psarianos; & Thenius; Euboea Is., Psarianos Greece, Mitzopoulos; Schleswig-Holstein, Requate; Poland, Czyzewska (1); Kowalski, K. (1) (2); Ryziewicz (3); Esthonia, Paaver, K.

Asia.—Asia, Deraniyagala (1);
U.S.S.R., Ghoretzki; Goretzki; S. Russia, Kurtén (5); Ukraine, Tatarinov (1)
(2); Topachevsky; Yakutia, Dubrovo (2); Kazakhstan, Balin; Khisarova; Kojamkulova; Makarova; Siberia, Coppens; N.E. Siberia, Dubrovo (1); W. Siberia, Belyshev; R. Lena, Russia, Alexeev; China, Chow (1); Herold (1); Hsu & others; Kahlke & Hu; Koenigswald; S. China, Heberer; Honan, Chow & Hsu; Liaoning, Chow & Hsieh; Japan, Hasegawa; Nakajima; Punjab, Hooijer (5); Israel, Hooijer (2); Sumatra, Hooijer (5); Java, Hooijer (1) (5); Australia, Woods, J. T..

Africa.—Algeria, Arambourg (1); Morocco, Ennouchi; Kenya, Leakey (1); Leakey & Whitworth; Tanganyika, Leakey (1) (3); Leakey & Whitworth; S. Africa, Singer & Hooijer; Transvaal, Ewer (1); Graff; Greenwood; Orange Free State, Hooijer (4).

Pleistocene: New World.—N. America, Hibbard, E. A.; Hibbard, C. W. (2); Great Lakes, Quimby; Michigan, Hibbard, E. A.; Kansas, Galbreath (2); Hibbard, C. W. (3); Idaho, Hibbard, C. W. (1) (3); Indiana, Turnbull; Arizona, Quinn; Florida, Auffenberg; Olsen (3); Ray (3); Mexico, Jakway; Jones (2).

III—SYSTEMATIC INDEX

In the arrangement of the Orders of the Mammalia, Simpson's classification and terminology in his "The Principles of Classification and a Classification of Mammalia," 1945, have been adopted.

†ORDER incertae sedis

Unnamed humerus from Miocene, Nevada, descr., fig., Reed & Downs.

ORDER MONOTREMATA

Monotreme morphology and physiology in relation to mammalian evolution from reptiles, Carter, G. S.

Monotreme anatomy and physiology, Murray.

ORNITHORHYNCHIDAE

Ornithorhynchus anatinus rearing in captivity, Crandall; diet, longevity in New York Zoo, Manville (2); account of capture and transport in captivity, Fleay (1) (2).

†ORDER MULTITUBERCULATA

Mandibular dentition of multituberculates, descr., illustr. compared with marsupial dentition, Friant (5).

†PTILODONTIDAE

†Ptilodonts from Paleocene of Alberta, descr., Russell, L. S. (1)

†Ectypodus (?) macrotomeus sp. nov. Paleocene, head of Kimbetoh Arroyo, San Juan County, New Mexico, p. 77, Wilson, R. W.

†ORDER TRICONODONTA

†Morganucodon watsoni Rhaetic, Glamorgan, dentition described, systematic position, Kühne.

†ORDER PANTOTHERIA

?ORDER DOCODONTA

†Eupantotheria new name for Order Pantotheria, raised to infra-class, p. 213, Kermack & Mussett.

†Eotheria new subclass for Order Docodonta, p. 212, Kermack & Mussett.

†Docodonta study of jaw articulation, redefinition of order, p. 212. Kermack & Mussett.

†Morganucodon (?) additional material descr., illustr., Kermack & Mussett.

ORDER MARSUPIALIA

Classification of marsupials, with lists and keys, Haltenorth (4).

Behaviour studies of marsupials, Hediger.

Development of marsupial brain, Hill & Watson.

Australian marsupial fauna evolution, extinction not due placental competition, Storr.

Marsupials of New South Wales, descr., distr. status and conservation, Marlow (3).

Marsupials of El Salvador, Felten (3). Rete mirabile in marsupial spermatic cord, Barnett & Brazenor.

DIDELPHIDAE

Chironectes minimus distribution, habits, morphology, Mondolfi & Medina Padilla

Didelphis general account, D. marsupialis habits, behaviour, Thomas, L.; D. azarae deser., reproduction, food and habits in Peru, Housse; D. marsupialis virginianus range extension in Kansas, Anderson & Nelson; prehistoric distribution, Guilday (2); distribution, biology and economic significance in New York, Hamilton (1); reproduction in Florida, Burns & Burns; experimental sex reversal in gonads, Burns; D. paraguayensis body-organ weight relation. Kühlhorn (2).

Monodelphis peruviana peruviana rediscovery in Loreto, Peru, description, measurements, Bendezu.

†NECROLESTIDAE

†Necrolestes patagonensis supplementary description of 3 specimens from Eocene, Santa Cruz, Patagonia, clearly marsupial, not insectivore, discussion on possible origin of S. American mammal fauna, Patterson (2).

DASYURIDAE

†Glaucodon gen. nov. for type species G. ballaratensis sp. nov. Pleistocene or Pliocene, Smeaton, near Ballarat, Victoria, Australia, p. 129, relationships with Dasyurus, Dasyurops and Sarcophilus, Stirton (2).

Phascogale (Antechinus) flavipes rufogaster status and distribution in S. Australia, distinctive characters, colour variant. P. (A.) swainsoni swainsoni distinctive characters, P. (A.) s. maritima subsp. nov. Port MacDonnell, south-east of S. Australia, p. 149, colour variant convergent resemblance, Finlayson (2).

Thylacinus cynocephalus habits, cause of decline, present status, Guiler (1); apparent rediscovery in Tasmania, suspected sheep killing, Guiler & Meldrum.

PERAMELIDAE

Isoodon (= Thylacis) obesulus population study, Guiler (2).

PHALANGERIDAE

Unnamed new phalangerid from Pliocene, Victoria, descr. fig. p. 122, Stirton (2).

†Perikoala gen. nov. for type species P. palankarrinica sp. nov. Pliocene, Lake Palankarinna, east of Lake Eyre, 18 miles S., 75° W. of Etadunna Station homestead, S. Australia, p. 72, comparative characters of related genera, Stirton (1).

Tarsipes spenserae habits and distribution, Glauert (1).

Trichosurus caninus, T. vulpecula damaging pines in Victoria, McNally; T. v. live-trapping population study, Dunnet(1); foods in New Zealand, Mason.

†Wynyardia bassiana stratigraphical history, Gill.

MACROPODIDAE

Aepyprymnus rufescens recent New South Wales record, details of juvenile dentition, Marlow (4).

Bettongialesueuri history, distribution, habits, morphology, taxonomic status in C. Australia, B. penicillata first record C. Australia, history, distribution, habits, taxonomy and subspecific differentiation, B. p. francisca, B. p. anhydra additional description, Finlayson (1).

Dendrolagus ursinus, D. leucogenys taxonomic status, feeding and arboreal habits, Husson & Rappard.

Macropus robustus recent records near Perth, Barker; M. r. cervinus narcotised with chloral hydrate for live capture, Marlow (2).

Potorous tridactylus population study Guiler (2).

Protemnodon agilis papuanus descr., illustr., Husson.

Setonix brachyurus trapping and marking techniques, Dunnet (3); digestion of fibre and protein, Calaby.

Wallabia bicolor damaging pines in Victoria, McNally.

†DIPROTODONTIDAE

Unnamed new diprotodonts, Miocene. Victoria, descr. figs., p. 127, Stirton (2).

†Palorchestes azael Pleistocene, P. parvus possibly Pliocene, Australia, both redescribed and figured, comparative study, Woods, J. T.

ORDER INSECTIVORA

Reclassification, comparative study of Lipotyphla, with special reference to Antillean forms, McDowell.

Key to Dutch insectivores, Vries.

Notes on Finnish insectivores, Kaikusalo & Skarén (2).

Insectivores of Siberia, Stroganov (4).

Review, taxonomic notes, distribution of Palestinian Insectivora, Bodenheimer.

Insectivora of Mt. Nimba Reserve, French Guinea, Heim de Balsac (2).

Insectivore brain, comparative study, Stephan.

Adrenals in Madagascan insectivores, Adams, W. E. (2).

†PALAEORYCTIDAE

 $\dagger Palaeoryctes$ redescription, McDowell.

SOLENODONTIDAE

 $\dagger Apternodus$ compared with Solenodon and Nesophontes, McDowell.

†Clinopternodus compared with Solenodon, McDowell.

†Micropternodus compared with Solenodon, McDowell.

Solenodon craniological and odontological study, taxonomic position reviewed, McDowell.

POTAMOGALIDAE

Otter shrews of W. Africa and Ruwenzori, three genera briefly described, Blower (1).

Micropotamogale lamottei note on two more specimens, Heim de Balsac (2).

CHRYSOCHLORIDAE

†Chrysotricha hamiltoni sp. nov. Pleistocene, Limeworks, Makapansgat, Transvaal, p. 22, Graaff.

†LEPTICTIDAE

†Leptacodon sp. Paleocene, Alberta descr., Russell, L. S. (1).

ERINACEIDAE

Erinaceus europaeus self anointing, Burton, M. (1); adrenaline/novadrenaline ratio during summer activity and hibernation, Suomalainen & Uuspää; two litters found in one nest, Shepard; E. e., E. roumanicus dental infection and decay, Zuhrt.

Hemiechinus auritus hyoid region, Sharma & Verma.

Paraechinus a. aethiopicus distribution in S.E. Egypt, Hoogstraal & others; P. deserti blancalis Thomas a synonym of Paraechinus aethiopicus Hemp. and Ehr., Deleuil; P. micropus hyoid region, Sharma & Verma.

MACROSCELIDIDAE

Elephantulus myurus jamesoni study of dental development, Kindahl (1).

Petrodromus sultani schwanni first Tanganyika record, Swynnerton & Hayman.

Rhynchocyon cirnei reichardi first Tanganyika record, Swynnerton & Hayman.

SORICIDAE

Measurements of German Soricidae, Koeppen.

Soricidae of lower Ivory Coast, Heim de Balsac & Aellen.

Ancestral dental characters in recent shrews, Heim de Balsac (1).

"Caravanning" behaviour in shrews, Zippelius (1).

Blarina brevicauda dye technique in home range study, New; behaviour and habits in captivity, Rood (1); ageing, clinal variation in Pennsylvania, Guilday (1); B. b. carolinensis range extension in Iowa, Polder.

†Blarina gidleyi Pleistocene, Idaho additional material descr., Hibbard, C. W. (3); B. g., B. simplicidens addt. descr., both subspecies of B. brevicauda, Hibbard, C. W. (3); B. s. Cope redescr., illustr., Hibbard, C. W. (3); B. ucrainica Pleistocene, Ukraine, figd., descr., Tatarinov (1).

Chimarrogale key to named forms, C. hantu sp. nov. Ulu Langat Forest Reserve, Selangor, 20 km. E. of Kuala Lumpur, Malaya, p. 282, Harrison, J. L. (3).

Crocidura of U.S.S.R., external genitalia as comparative characterin classification C. lasia taxonomic position doubtful, C. guldenstaedti valid species, not race of C. russula, C. hyrcania Goodwin and C. persica Thomas first record in U.S.S.R. (W. Kopet-Dagh), C. persica auct. from Transcaucasus not race of C. leucodon, Vinogradov; C. cassiteridum paleographical and zoogeographical study, Davies (1); C. flavescens spurrelli, C. poensis pamela occurrence and status Ivory Coast, C. bottegi eburnea additional specimens, status, C. dolichura muricauda additional specimen from Ivory Coast, specific status and distribution, C. douceti taxonomic status, C. jouvenetae ebriensis subsp. nov. Adiopodoumé, Ivory Coast, p. 943, comparison with C. ingoldbyi, C. wimmeri sp. nov. Adiopodoume, Ivory Coast, p. 952, Heim de Balsac & Aellen; C. leucodon review, distribution in Poland, Buchalczyk; C. l. ognevi subsp. nov. Altai borders, Troitsk region, near Borovlyank, Siberia, p. 9, Stroganov (2); C. occidentalis definition and taxonomy, C. manni a race of C. hedenborgiana, C. giffardi characters, C. poensis taxonomy, C. aff. foxi characters, C. dolichura muricauda first record from French Guinea, comparative characters, C. bottegi eburnea Mont Tonkoui, Man, Ivory Coast, p. 327, C. b. obscurior Gouela, Massif du Nimba, French Guinea, p. 328, subspp. nov. C. douceti Adiopodoumé, French Guinea, p. 329; C. jouvenetae Ziela, Nimba, French Guinea, p. 331, spp. nov., C. nimbae additional specimens, C. bicolor taxonomic notes, Heim de Balsac (2); C. russula comparative characters, measurements, and distribution in Channel Isles, C. suaveolens comparative characters, measurements and distribution in Channel Isles, C. s. cassiteridum characters and measurements, Cranbrook & Crowcroft; C. r. russula first certain record for Poland, Serafinska & Serafinska; C. utsuryoensis Mori, additional specimens from Dagelet Island, measurements, Won & Woo, H. J.

Crossogale Thomas a synonym of Chimarrogale Anderson, Harrison, J. L. (3).

Cryptotis goodwini taxonomy, deser. from El Salvador, Felten (3); C. guerrerensis Jackson synonym of C. mexicanus goldmani, Davis & Lukens; C. parva reproduction, growth of young and care in captivity, Conaway (2); C. p. parva range extension in Kansas, Anderson & Nelson.

†Cryptotis kansasensis sp. nov. Pleistocene, 1\(^2\) miles S., 1 mile E. of Norwich, Kingman County, Kansas, p. 333, Hibbard, C. W. (3).

†Hesperosorex gen. nov. for type species H. lovei sp. nov. Pliocene, 2·3 miles from junction of Kelly road with U.S. Highway 187, Teton County, Wyoming, p. 328, Hibbard, C. W. (3).

Megasorex gigas range extension in Mexico, Davis & Lukens.

Myosorex babaulti ancestral dental characters, Heim de Balsac (1); M. cafer moult and seasonal variation in hair length, Meester (3); M. varius, M. cafer comparison, taxonomic study, Meester (2).

Neomys fodiens melanism in Czechoslovakia, Hanák; observations in captivity, Sosnovski (3); N. f. bicolor bite poisonous, Jewell.

Podihik gen. nov. for type species P. kura sp. nov. Kandulu R., Madirigiriya, North-Central Province, Ceylon, p. 5, Deraniyagala (2).

†Saturninia confirmation of soricid characters, Heim de Balsac (1).

†Shikamainosorex gen. nov. p. 65 for type species S. densicingulata sp. nov. Pleistocene, Okada Quarry, Izuruhara, Kuzuü, Totigi Prefecture, Japan, p. 66, Hasegawa.

Sorex araneus, S. minutus food analysis in Ukraine, Mezhzherin; S. arcticus record for New Brunswick, Cameron (3); S. a. transrypheus subsp. nov. near Kustanaya, Siberia, p. 4, Stroganov (2); S. cinereus population study, Verme; S. c. caecutienoides subsp. nov. Yakutiya, Megino-Kangalask region, Khaptagaisk, Siberia, p.

259, Stroganov (4); S. c. portenkoi subsp. nov. Poberejhe Anadirsk estuary, near Anadir, p. 11, Stroganov (3); S. fumeus umbrosus recorded from Prince Edward Island, Cameron (2); S. jenissejensis margarita subsp. nov. Upper R. Misovki, Khamar-Daban, E. Siberia, p. 9, Fetisov (1); S. minutissimus barabensis subsp. nov. Novosibirsk province, Barabinsk region, neighbourhood of Egerbash village, p. 8, Stroganov (2); S. m. tschuktschorum subsp. nov. Anadir, Markov, Siberia, p. 187, Stroganov (1); S. minutus heptapotamicus subsp. nov. Ala-Tau, Tian Shan, p. 8, Stroganov (2); S. mirabilis kutscheruki subsp. nov. Bektan, N. Korea, p. 6, Stroganov (2).

†Sorex subaraneus sp. nov. Pleistocene, Erpfingen, Kreis Reutlingen, Wurttemberg, S. Germany, p. 15, Heller (3).

Suncus etruscus in France, general account, Saint-Girons & Deboutteville; distr., measured, feeding in captivity, Müller, H. P.; feeding habits, Koch & Vasserot; recorded from French Guinea, Heim de Balsac (2); S. murinus detailed anatomy, Sharma (2); structure of caudal and perineal muscles, Sharma (1); cytochemical study of placenta, Moghe & Owers.

Sylvisorex megalura megalura found in French Guinea, taxonomy, comparative characters, distribution, **Heim de Balsac** (2).

TALPIDAE

Asioscalops altaica gusevi subsp. nov. Snejnoi, Kamar-Daban, Siberia, p. 197, Fetisov (2).

Galemys pyrenaicus chromosome number, Peyre (1); early development of female reproductive tract, Peyre (2); embryonic gonoduct development, Peyre (3).

Scalopus aquaticus digestive enzymes, Buchholz & others; rudimentary mandibular teeth, Conaway & Landry; habits in captivity, Rood (2).

Scapanus latimanus occultus feeding in captivity, Grim.

Talpa europaea development of teeth, Kindahl (2); histochemistry of uterine membranes, Morris, B.; recorded from Eilean Molach, Loch Ba, Argyll, Boyd, J. M.; observations on captive specimen, Cranbrook; general account in Germany, Zänkert; T. e. transuralensis subsp. nov. Tyumensk, Ubatsk region, Sorovaya Dept., Siberia, p. 3, Stroganov (2); T. micrura imaizumii nom. nov. for Mogera (= Talpa) wogura minor Kuroda 1936 (nec †Talpa europaea minor Freudenberg 1914), p. 74, Kuroda (2).

†NESOPHONTIDAE

†Nesophontes craniological and odontological study, taxonomic position reviewed, McDowell.

†MIXODECTIDAE

†Elpidophorus minutulus sp. nov. Paleocene, Dell Creek Quarry, Sublette County, Wyoming, p. 1226, Dorr (1).

ORDER CHIROPTERA

Detailed account of Chiropteran echolocation, Griffin.

Review of bat echolocation, Chopard.

Brain of bats, Dechaseaux.

Placental membrane in bats, Wimsatt.

Hypophyso-genital connection in female bats, Herlant (2).

Foetal membranes in Indian bats, similarities in Mega- and microchiroptera, Gopalakrishna.

Comparison of leaf- and tube-nosed bats, Felten (4).

Review, taxonomic notes, distribution of Palestinian Chiroptera, **Boden**heimer.

Notes on some Tanganyika bats, Eisentraut.

Bats of Katanga caves, Anciaux de Faveaux.

Chiroptera of New Guinea, general account, illust., Van Deusen & Peterson.

SUBORDER MEGACHIROPTERA

Visual and acoustic orientation in certain Megachiroptera, Novick (2).

Cynopterus sphinx gangeticus male genital tract, Vamburkar.

Lissonycteris raised to generic status, Novick.

Nyctimene robinsoni general account, Felten (4).

Pteropus ariel Allen, 1936 a race of P. giganteus, Hill, J. E. (1); P. edulis comparative study of muscle cells of flying membrane, Mislin & Helfer; P. hypomelanus maris habits, food, Phillips (2).

Rousettus biological study, Kulzer; orientation by echolocation, Novick (2); R. aegyptiacus echolocation ability, Griffin & others; R. leschenaulti glycogen content and activity of flight muscles, George & Jyoti.

Scotonycteris ophiodon first record Liberia, detailed comparison with type and S. o. cansdalei, Novick (1).

SUBORDER MICROCHIROPTERA

Field study of British bats, Black-more.

Bats in Suffolk caves in winter, Gilbert & Stebbings.

Bats of Cote-d'Or, Constant.

Bat hibernation in Limburg caves, Horst & Nieuwenhoven.

Bats of caves in S. France, Tupinier.

Bats of Roumania, Dumitrescu.

Distribution and taxonomy of Austrian bats, Bauer.

Bat studies in Rhine Valley, Epple.

Bat ringing in Germany, Bopp (2).

Bat banding results in Croatia, Djulic (1).

Bats as insect controls, Ali & Santapan (1).

Bats attracted by insect noises, Kolb (1).

Bats eroding cave rock formation, King-Webster & Kenny.

Bats not a major factor in erosion of limestone caves, Hooper, J. H. D.

Ecology of summer bat colonies in France, Sluiter & Heerdt.

Bat hibernation quarters in Russia, Strelkov.

Graafian follicles of hibernating bats, Wimsatt & Kallen.

Bats as laboratory hosts of encephalitis, La Motte.

N. American bats, laboratory care, longevity in captivity, Orr.

Distribution, origin, ecology, taxonomic notes, list of bats of coastal islands of N. South America, relation to bat fauna of Greater Antilles, Koopman (1).

Notes on food of some Brasilian bats, Ruschi.

VOL. 95

EMBALLONURIDAE

Peropteryx macrotis recorded from Tobago, Koopman (1).

Saccopteryx bilineata histological examination of wing and throat pouches, Stark (2).

Taphozous perforatus first record, Nigeria, T. p. swirae subsp. nov. Sokoto, N.W. Nigeria, p. 144, breeding biology, wing colour variation, Harrison, D. L. (6).

NOCTILIONIDAE

Noctilis leporinus rufipes distribution in Argentine, Olrog.

NYCTERIDAE

Nycteris aurita first Tanganyika record, Eisentraut; N. thebaica (?) food in Tanganyika, Chapman.

MEGADERMATIDAE

Macroderma gigas distr., additional material, Finlayson (3); general account, Felten (4).

RHINOLOPHIDAE

Rhinolophus creaghi creaghi, R. c. canuti, R. c. pilosus reviewed, descr., Hill, J. E. (2); R. crumeniferus Peron a Hipposideros cf. cervinus, R. marsupialis Desmarest a synonym of Hipposideros speoris, Oey & Feen; R. ferrum-equinum, R. hipposideros habits in Germany, Bopp (2); R. mehelyi status in Tunisia, general distribution, measurements, characters, Kahmann (2); distr., taxonomy discussed, occurrence in S. France confirmed, additional material descr., measured; R. blasii, R. mehelyi, R. euryale keyed, Strinati & Aellen; R. swinnyi from Katanga, first record Belgian Congo, Anciaux de Favaux.

HIPPOSIDERIDAE

Hipposideros speoris histology of flight muscles, George & Naik; H. s., H. larvatus bibliography, distr., descr., compared, defined, Oey & Feen.

PHYLLOSTOMATIDAE

Glossophagine bats, nectar feeding, descr., photos., Vogel.

Artibeus review, key of small Mexican forms; A. turpis, A. nanus conspecific; A. aztecus, A. toltecus valid species, Davis, W. B.; A. cinereus recorded from Grenada, Koopman (1).

Brachyphylla cavernarum food habits, Bond & Seaman.

Chilonycteris psilotis range extension in Mexico, Constantine (3).

Chiroderma trinitatus sp. nov. Cumaca, Trinidad, British West Indies, c. 1,000 feet, p. 1, Goodwin (2).

Glossophaga major sp. nov., Ariapita Avenue, Woodbrook, Port of Spain, Trinidad, British West Indies, p. 5, Goodwin (2).

†Leptonycteris nivalis recorded from Pleistocene of Mexico, Jones (2).

Micronycteris megalotis recorded from Grenada, Koopman (1).

Mormoops megaphylla seniculus colour variation, moult, Constantine (4); M. intermedia, M. tumidiceps subspecies of M. megaphylla, Koopman (1).

Phyllostomus discolor distribution in Argentine, Olrog; P. hastatus recorded from Tobago, Koopman (1).

Pteronotus suapurensis calvus subsp. nov., Tehuantepec, Oaxaca, México, 150 feet, p. 1, Goodwin (1).

Pygoderma bilabiatum distribution, non-occurrence in central and North America, Koopman (3).

Sturnira lilium distribution in Argentine, Crespo.

DESMODONTIDAE

Feeding adaptations in vampires, Villa, R. (1).

Desmodus rotundus rotundus distribution in Argentine, Crespo; Pleistocene, Cuba, descr., pl., Koopman (2);

†Desmodus stocki sp. nov. Pleistocene, San Josecito Cave, near Aramberri, Nuevo León, Mexico, p. 392, Jones (2).

VESPERTILIONIDAE

Barbastella barbastellus attacking owl, Krzanowski.

Dasypterus floridanus ecological study, Constantine (1).

Eptesicus movement during hibernation, Mumford; E. brasiliensis recorded from Tobago, Koopman (1); E. fidelis, E. furinalis range extensions in Argentine, Crespo; E. fuscus flying and swimming ability compared, Craft & others; homing ability, Hall & Davis; ant attached to upper lip, Wilson, N.;

homing ability, Smith & Goodpaster; E. isabellinus status in Morocco, Dorst & Panouse (1); distribution in Morocco, Dorst & Panouse (2); E. s. serotinus, E. s. boscai, Spanish specimens compared, Harrison, D. L. (2).

†Eptesicus cf. grandis recorded from Pleistocene of Mexico, Jones (2).

Hesperomyotis subgen, nov. (type H. simus) see Myotis.

Kerivoula argentata Tanganyika record, Swynnerton & Hayman; Harrison, D. L. (5).

Lasiurus borealis trapped by barbed wire fence, Iwen (2); echolocation confused by birds, van Gelder (3); L. cinereus characters, races, distribution, particularly S. American, Sanborn & Crespo; L. seminolus first record for Oklahoma, Glass (2); L. s., L. borealis ecological study, Constantine (1).

Myotis argentatus recorded from Trinidad, Koopman (1); M. bechsteini first record in Gloucestershire, George; M. emarginatus umbilical cord found in faeces, Kolb (2); M. grisescens digestive enzymes, Buchholz & others; M. keenii septentrionalis range in Dakota, Packard (3); M. lucifugus population changes and homing ability, Cope & others; study of sudoriparous glands, Sisk; overwintering in Alaska?, Mossman, A. S.; echolocation sensitivity tests, Grinnell & Griffin; observations on breeding colony, Benton & Scharoun; histochemistry of inter-scapular fat, Rémillard; M. myotis habits in German, Bopp (2); comparative study of muscle cells of flying membrane, Mislin & Helfer; M. m., M. bechsteini insect prey, predation on non-flying insects, Kolb (1); M. n. nattereri first record Ibiza, Balearic Islands, König; M. oxygnathus authentic Spanish record, Harrison, D. L. (2); distribution in Yugoslavia, Djulić (3); M. sodalis flying and swimming ability compared, Craft & others; summer range in Indiana, Mumford & Cope; M. tricolor from Katanga, first record Belgian Congo, Anciaux de Faveaux; M. v. velifer review in Guatemala; M. cobanensis a separate species, de la Torre; M. v. incautus pelage bleached by cave atmosphere, Constantine (6); occupying abandoned swallow nests, Buchanan, O. M.; M. welwitschii first Kenya record, comparative measurements, Harrison & Fleetwood; Myotis (Hesperomyotis subgen. nov. p. 103) for type species M. (H.) simus Thomas, Cabrera (1).

Nyctalus leisleri another Kent record, histology of buccal pad, Harrison, D. L. (3); N. noctula banding, habitat, distribution in Netherlands, Wijngaarden & Schuilenburg; insect prey, Kolb (1); reproduction and development in captivity, Dittrich; additional record in Esthonia, Poots; roosting habits in Holland, Heerdt & Sluiter; N. n. noctula, N. n. princeps comparison, diagnostic characters, distribution in Central & Eastern Europe, Scrafinski.

Nycticeius (Scotoecus) albofuscus woodi first Tanganyika record, Harrison, D. L. (5).

Pipistrellus nathusii first record in Piemonte, measured, Dinale; P. pipistrellus habits in Germany, Bopp (2); P. p. pipistrellus, P. p. mediterraneus range in Spain, Harrison, D. L. (2); P. savii occurrence in Bavarian Alps, measurements, Kahmann (1); ecology and habits in Yugoslavia, Djulič (2); first record Ibiza, Balearic Islands, König; P. subflavus recorded from Trinidad, Koopman (1); digestive enzymes, Buchholz & others; polydaetyly in Florida, Jennings.

Plecotus auritus unusual colour variant, Harrison, D. L. (2); umbilical cord found in faeces, Kolb (2); insect prey, Kolb (1).

P. (Corynorhinus) rafinesquii echo and noise discrimination, Griffin & Grinnell.

Rhogeessa systematic review, R. tumida major San Bartolo Yautepee, Yautepee, Oaxaca, Mexico, p. 4, R. t. riparia Cuchivano, 3 miles W. of Cumanacoa, Province of Sucre, N.E. Venezuela, p. 5, R. parvula aenus Chichen Itza, Yucatan, Mexico, p. 6, subspp. nov., Goodwin (3); R. io, R. minutilla subspecies of R. parvula, Koopman (1).

Vespertilio murinus Linnaeus 1758 placed on Official List, V. discolor (Natterer MS.) Kuhl, 1817 placed on Index of Rejected and Invalid Names, Direction 98; additional records Esthonia, Poots.

MOLOSSIDAE

Cynomops greenhalli sp. nov., Royal Botanic Gardens, Port of Spain, Trinidad, British West Indies, p. 3, Goodwin (2). Eumops bonariensis bonariensis, E. p. perotis distribution in Argentine, Crespo.

Promops nasutus nasutus first Argentine record, Crespo.

Tadarida brasiliensis antillularum recorded from Tobago, Koopman (1); T. b. mexicana pelage bleached by cave atmosphere, Constantine (6); care in laboratory, Krutzsch & Sulkin; migratory movement in Texas and Oklahoma, Glass (1); occupying abandoned swallow nests, Buchanan, O. M.; polydactyl specimen in Texas, Herreid; T.b. m. T. femorosacca, external features compared, Constantine (5); T. f. range extension in New Mexico, Constantine (2); T. molossus first Argentine record, Crespo; first record for New Mexico, Constantine (2); T. pumila websteri pregnant while lactating, Harrison, D. L. (4).

ORDER PRIMATES

Handbook of primate anatomy, Hofer & others [Eds].

Primate classification, Fiedler (in Hofer & others).

Structure and histology of primate lingual glands, Burkl (1) (in Hofer & others).

Histology of primate oesophagus, stomach and intestine, Burkl (2) (in Hofer & others).

Structure, histology of primate tongue, Schneider (3) (in Hofer & others).

Primate palatal ridges, Schultz (3) (in

Hofer & others).

Primate visceral anatomy, Starck (1) (in Hofer & others).

Primate reproductive tract, Eckstein (in Hofer & others).

Primate external genitalia, Hill, W. C. O. (4) (in Hofer & others).

Anatomy of primate alimentary system, Hill, W. C. O. (3) (in Hofer & others).

Primate urinary system, Strauss & Arcadi (in Hofer & others).

Structure and histology of primate anal canal, Ortmann (in Hofer & others).

Structure of primate thyroid and parathyroid, Bargmann (1) (in Hofer & others).

Structure of primate thymus, Barg-mann (2) (in Hofer & others).

Structure of primate adrenal and suprarenal, Bachmann (in Hofer & others).

Structure of primate pancreas, Thiel (in Hofer & others).

Structure of primate liver and gall bladder, Lipp (in Hofer & others).

Primate head myology, histology of mouth and salivary glands, Schneider (in Hofer & others) (2).

Structure of primate hypophysis, Hanstrom (in Hofer & others).

Primate skull specialisation in relation to ontogeny and phylogeny, Biegert (2).

Morphology and development of primate brain, Friant (3).

Mandible articulation in primates, Biegert (1).

Comparison of structure and variations of maxillary nerve in Primates, Ashton & Oxnard (1),

Primate chromosome table, Chiarelli,

Chromosomes of primates, Bender & Mettler.

Sociology and behaviour in primates, Carpenter.

Comparative embryology of *Macaca* and *Homo*, Olivier & Pineau (1).

Review of West African primate zoogeography, with taxonomic notes, Booth, A. H. (4).

Distribution, ecology and biology of primates in Garamba National Park, Verschuren (1).

†Eocene primates of N. America reviewed, descr., taxonomic relations and evolution, Gazin (2).

SUBORDER PROSIMII

Lemurs, galagos and tarsiers, Boet-ticher.

TUPALIDAE

Tupaia montana baluensis range extension in Sarawak, Davis, D. D. (2); T. tana kelabit subsp. nov. Bario, Kelabit Plateau, Fourth Division, Sarawak, 3,700 feet, p. 124, Davis, D. D. (2).

†PLESIADAPIDAE

†Pronthodectes sp. Paleocene, Alberta descr., Russell, L. S. (1).

†ADAPIDAE

†Adapis priscus Eocene, Spain, descr. figs., Crusafont Pairo (3).

†Notharctus N. American Eocene forms reviewed, skull comp. with Smilodectes, family Notharctidae revived, Gazin (2).

LEMURIDAE

Lemuridae descr., distribution, status and conservation in Madagascar, Petter & Petter-Rousseaux.

Lemuridae threatened, Caram & Petter.

Microcebus murinus cyclical variation in female external genitalial Petter-Rousseaux.

DAUBENTONIIDAE

Daubentonia madagascariensis crania, and cerebral morphology, Hofer (2).

LORISIDAE

Galago crassicaudatus agisymbanus structure of vitreous body of eye, Luck; G. senegalensis cyclical variation in female external genitalia, Petter-Rousseaux.

Nycticebus coucang carotid structure, Adams, W. E. (1).

Perodicticus potto parasitized by Pentastomida, Berger.

†ANAPTOMORPHIDAE

Omomyinae raised to family rank, Gazin (2).

†Anaptomorphus wortmani sp. nov. Eocene, Bridger Basin, Wyoming, p. 76, Gazin (2).

†Anenorhysis gen. nov. for type species Paratetonius (?) sublettensis Gazin, p. 25, Gazin (2).

†Chlororhysis gen. nov. for type species C. knightensis sp. nov. Eocene, S. side of Milleson Draw, E. side of Green R., Sublette County, Wyoming, p. 27, family Omomyidae proposed, Gazin (2).

†Hoanghonius stehlini Eocene Hoangho R., Mienchi, Honan, addt. material, descr. figs., affinities, Woo & Chow.

†Omomys carteri reviewed, measured: O. lloydi sp. nov. Eocene, 2 miles S.E. of Powder Springs, Uinta Basin, Uintah County, Utah, p. 52, Gazin (2).

† Ourayia gen. nov. for type species Microsyops uintensis Osborn, p. 70, Gazin (2).

†Stockia gen. nov. p. 68 for type species S. powayensis sp. nov. Eocene, near San Diego Mission, San Diego County, California, p. 70, Gazin (2).

†Uintalacus gen. nov. p. 28 for type species U. nettingi sp. nov. Eocene, 1½ miles N.E. of Powder Springs, Uintah County, Utah, p. 28, Gazin (2).

†Utahia gen. nov. p. 66 for type species U. kayi sp. nov. Eocene, 2 miles S.E. of Powder Springs, Uinta Basin, Uintah County, Utah, p. 67, Gazin (2).

†APATEMYIDAE

†Apatemys downsi sp. nov. Eocene, Tapo Ranch, N. side Simi Valley, Ventura County, California, p. 89, Gazin (2).

SUBORDER ANTHROPOIDEA

CEBIDAE

Ateles use of hands and tail as feeling and grasping organs, Hofer (1); A. geoffroyi notable range extension in Mexico, Villa R. (2); A. g. vellerosus taxonomy, descr., El Salvador, Felten (3); A. paniscus paniscus correct type locality, French Guiana, Hershkovitz (3).

Callimico goeldii in Berne, Küenzi.

Cebus apella apella correct type locality French Guiana, Hershkovitz (3); relation of nutrition, body and organ weight, Kühlhorn (1); study of instinctive behaviour, Nolte; C. griseus F. Cuvier, 1824 valid name for weeper capuchin, type specimen selected, type locality restricted to French Guiana, Hill, W. C. O. (1); C. nigrivitatus Wagner, 1848 an available name, Hershkovitz (3).

CALLITHRICIDAE

Marikina oedipus diet in captivity, Schäuffelen.

Saguinus Hoffmannsegg, 1807, generic name for tamarins, Hershkovitz (3).

Tamarin Gray, 1870 antedated by Saguinus Hoffmannsegg, 1807, Hersh-kovitz (3).

CERCOPITHECIDAE

Haematology of cercopithecidae, Jacob & Tappen.

Cercopithecidae of Indian Museum, catalogue and notes, Khajuria (2).

Cercopithecinae review, study of dental characters and evolution, Steslicka.

Development of affection in infant macaque, Harlow & Zimmerman

Colobidae in Indian Museum, catalogue and notes, Khajuria (3).

Colobus monkeys of Ghana, popular account, Booth, C. P.

Cercocebus albigena johnstoni response to native "call," Tappen.

Cercopithecus aethiops distribution, habitat and biology in Ethiopia, Starck & Frick.

Colobus badius craniometric study of Belgian Congo subspecies C. b. tholloni, C. b. graueri, C. b. ellioti, C. b. brunneus and intermediate forms foai and powelli, Verheyen; C. polykomus, C. badius, C. verus cranial and dental variability, Schultz (2); C. p. abyssinicus habitat and biology in Ethiopia, Starck & Frick.

Macaca mulatta breeding season in Rajasthan, Prakash; chromosome number, descr., Rothfels & Siminovitch; biometry of prenatal growth, Olivier & Pineau (2); structure and function of substantia nigra in midbrain, Tsouras; subcutaneous tumours in captive specimens, Bearcroft & Jamieson.

Papio effective live trap, Fitzsimons; P. anubis choras breeding while immature, Booth, A. H. (3); P. hamadryas, P. doguera distribution, habitat and biology in Ethiopia, Starck & Frick.

†Papio (Simopithecus) serengetensis Dietrich a likely synonym of Simopithecus oswaldi, Leakey & Whitworth.

Presbytis cristatus barbei Blyth examination of syntypes, taxonomic notes, P. pyrrhus atrior Pocock a synonym, Khajuria (1); P. c. rutledgei Anderson, characters of type skin, Khajuria (1); P. holotephreus Anderson notes on type specimen, synonym of P. phayrei Blyth, Khajuria (1).

†Simopithecus Pleistocene East Africa redescr., S. oswaldi descr., illustr., S. o. mariae subsp. nov. Pleistocene, Olorgesailie, Kenya, p. 9, S. o. olduvaiensis subsp. nov. Pleistocene, Olduvai, Tanganyika, p. 9, S. leakeyi Hopwood a synonym, S. darti (Broom & Jensen), S. danieli Freedman possible synonyms of S. oswaldi, S. jonathani sp. nov. Pleistocene, Olduvai Gorge, Tanganyika, p. 10, pls. 4–6, 8–10, Leakey & Whitworth.

Theropithecus gelada distribution, habitat and biology in W. Ethiopia, Starck & Frick.

PONGIDAE

Pongidae review, study of dental characters and evolution, Steslicka.

General account of fossil Pongidae, esp. Gigantopithecus, Heberer.

Age changes in cranial capacity and foramen magnum of hominoids: Australopithecines closer to recent apes than man, Ashton & Spence.

Comparative study of mandibular ramus in prehominids, Wells.

Fossil Pongidae from Austria, Mottl.

†Dinopithecus brumpti Arambourg a synonym of Simopithecus oswaldi, Leakey & Whitworth.

†Dryopithecus fontani discussion, D.f. carinthiacus subsp. nov. Miocene, St. Stefan, Lavanttal, Kärnten, Austria, p. 43, Mottl; Yunnan, description and significance, Woo (1); additional teeth described, Woo (2).

†Gigantopithecus review of taxonomic position, Koenigswald.

Gorilla gorilla gorilla breeding in captivity, mating behaviour, gestation, birth, development of young, Thomas, W. D.; ecology, sleeping and excretory habits in Spanish Guinea, Sabater Pi & Lassaletta; study of hand preference, Haas (1); G. g. beringei field study in S.W. Uganda, Donisthorpe; habits in S.W. Uganda, Baumgartel (1), (2).

Pan troglodytes acrocephaly and digital abnormalities descr., Schultz (1); concept formation, Kelleker; white crown and cheeks, Grzimek (3); Painting, Morris, D.; P. t. schweinfurthi distribution, status and habits in Uganda, Haddow (1); distribution in S.W. Uganda, a correction, Haddow (2).

Pongo pygmaeus myology of extremities, Jouffroy & Lessertisseur; musculature and function of shoulder, Kallner.

†Proconsul nyanzae, Miocene, first record Uganda, site distr. in Kenya, molar illustr., Bishop.

[1958]

PONGIDAE incertae sedis

Dinanthropoides nom. nov. for Dinopithecus Heuvelmanns 1955 nec Broom 1936, p. 178, Heuvelmanns.

HOMINIDAE

Evolution of Hominidae, Steslicka.

Recent views on man's origin, Arambourg (2).

Variation and position of infraorbital foramina in Hominoidea, Ashton & Zuckerman.

Zoological concepts and hominid evolution, Brown, W. L.

Development of human paleontology, Eiseley.

Control of human evolution, Darlington, C. D. (2).

Evolution of man, Ruyer; Hill, W. C. O (2).

Tooth eruption in fossil man, Garn & Koski.

Neanderthal man's posture, Straus & Cave.

Fossil Hominidae from Austria, Mottl.

Fossil hominids of East Africa, Leakey (3).

Cranial angles of Quina man, Delattre & Fenart.

†Atlanthropus significance in human evolution, Arambourg (1).

†Homo steinheimensis Pleistocene, Germany, general account, illustr., Lörcher.

ORDER EDENTATA

SUBORDER XENARTHRA

Primitive characters and phylogeny of Xenarthra, Hoffstetter.

†MEGALONYCHIDAE

†Megalonyx and Megatherium history of discovery, role of Thomas Jefferson, Boyd, J. P.

†MEGATHERIIDAE

†Megatherium and Megalonyx history of discovery, role of Thomas Jefferson, Boyd, J. P

BRADYPODIDAE

Bradypus development of chondrocranium, Schneider (1); B. tridactylus innervation of mandibular teeth, Monteiro.

DASYPODIDAE

Dasypus novemcinctus fenestratus in El Salvador, Felten (3); D. n. mexicanus histology of uterus before and after implantation, Enders & others; current range in United States, Buchanan, G. D.

†Dasypus bellus Pleistocene, Florida additional specimen descr., reconstruction illustr., Auffenberg.

Zaedyus minutus embryonic cranium comparative study, Reinbach.

ORDER PHOLIDOTA

MANIDAE

Manis in Garamba National Park, distribution, ecology and biology, Verschuren (1); M. tricuspis, M. tetradactyla structure & histology of hypophysis, Herlant (1).

ORDER LAGOMORPHA

Systematic position of lagomorphs, based on nutritional physiology, allied to Artiodactyla, **Stohl**.

Structure of sole hairs in lagomorphs, Meyer.

Photoperiodism in lagomorphs, Rowan.

Pleistocene Lagomorpha from Mexico, Jakway.

OCHOTONIDAE

Ochotona princeps territorial behaviour, Kilham (1); O. p. saxatilis vegetation used in hay piles, Beidleman & Weber; O. collaris additional records from Alaska, Libby.

LEPORIDAE

Review, taxonomic notes, distribution of Palestinian Leporidae, Bodenheimer.

Review, morphologic and phylogenetic history of late Tertiary N. American Leporidae, Dawson, M. R.

†Archaeolagus acaricolus sp. nov. Miocene, Vasquez Canyon, 10 miles from Saugus, S. California, p. 39, A. ennisianus redescr., figd., Dawson, M.R. †Hypolagus parviplicatus sp. nov. Miocene, Virgin Valley, Humboldt County, Nevada, p. 45, H. fontinalis sp. nov. Pliocene, Big Spring Canyon, Bennett County, South Dakota, p. 48, H. vetus redescr. figd., Dawson, M. R.

Lepus feral plague and tularaemia in Washington, Bacon & Drake; L. brachyurus seasonal colour change on Mount Fuji, Udagawa; L. californicus population and behaviour study, Lechleitner (2); L. c. melanotis crop damage, Bronson & Tiemeier; L. capensis isabellinus first record from S. Egypt, Hoogstraal & others; L. europaeus breeding biology, Strauss; morphology of milk dentition, Friant (1); structure, histology of female genitalia, Bloch & Strauss; population increase in France. Rothschild: occurrence, pathology of Siamese twins in Poland. Kubik: possibly eating field mice, Gersdorf (1); L. timidus scoticus study of moult cycle. Hewson (1); general account and field study, Hewson (2); L. townsendi campanius range extensions in Iowa, Polder.

†Litolagus gen. nov. for type species L. molidens sp. nov. Oligocene, 6½ miles S.E. of Douglas, Wyoming, p. 32, pl. 2, Dawson. M. R.

†Megalagus turgidus redeser., illustr., Dawson, M. R.

Oryctolagus cuniculus use of radioiodine as indicator of feeding activity, Carrick (1); coprophagy in Tasmania, Rowley (1); use of field enclosures for study, Rowley (3); fur dye marking technique, Rowley (2); evening activity in relation to weather changes, Rowley (5); sight estimates of populations, Myers (1); management and mortality in field-enclosures, Myers (2); sexual behaviour cycles, Myers & Poole; social behaviour in enclosed colonies, Myers & Mykytowycz; social behaviour in experimental colony, Mykytowycz (2); daily activities, sexual behaviour, Mykytowycz & Rowley; time of emergence in relation to population estimate, Dunnet (6); growth rate of young, Dunnet (2); age range in avian predation in Australia, Dunnet (5); recapture method in population estimate, Dunnet (7); results of new control methods in New Zealand, Fennessy; fumigant tests, Gleeson & Maguire; poisoning tests, Lazarus; furrow-poisoning technique, Caprick (2);

poisoning techniques, Rowley (4); poisoning with sodium fluoroacetate ("1080"), Rowley (6); mechanics of mastication and swallowing: evolution of long diastema, Ardran & others; effect of light on activity of male accessory glands, Kihlström; contact transmission and vectors of myxomatosis, Mykytowycz (1); myxomatosis in Holland, Bruijns; O. c. borkumensis Harrison 1952 possible synonym of O. c. cuniculus, Haltenorth (1); O. c. O. dom. comparative brain measurements, Choinowski; O. dom. genetical study, Robinson (2); variation in locomotive apparatus, Bantje; maternal behaviour study, Denenberg & others.

† Palaeolagus hypsodus redescr. illustr., P. philoi sp. nov. Miocene, Shannon County, S. Dakota, p. 29, Dawson, M. R.

Poelagus marjorita possible occurrence in Ubangui-Shari, French Equatorial Africa, Blancou (1).

Sylvilagus feral plague and tularaemia in Washington, Bacon & Drake; S. aquaticus ecology, Lowe; S. floridanus damage prevented by aluminium foil, McCabe & Keith; food plants in Illinois, Klimstra & Corder; S. f. hondurensis in El Salvador, measured, Felten (3); S. f. mearnsi pelage stage: age moult: reproductive activity correlation, Negus; activity in winter, Johnson & Hendrickson; melanistic population in Nebraska, Velich.

ORDER RODENTIA

Temperature studies on small rodents, Maurus.

Use of placental scars in assessing litter size in small rodents, Sviridenko.

Morphology of stomach and intestine in Old and New World rodents, **Voront-sov** (1).

Histology of rodent stomach, Luppa. Venous system in lower intestine of rodents, Krylova.

Torus mandibularis in rodents, Pfeifer.

Hair scale structure in Japanese rodents, Kobayashi,

Coat colour genetics in certain rodents, Little.

Function of rodent acrosome and perforatorium, Austin & Bishop (2).

Behaviour studies of rodents, Eibl-Eibesfeldt.

Key to Dutch rodents, Vries,

Rodent control in Holland, Anon (7).

Rodent destruction of seed and tree seedlings, Ashby.

Distribution, biology of some Roumanian rodents, Marches.

Review, taxonomic notes, distribution of Palestinian Rodentia, Bodenheimer.

Ecology of rodents in Betpak-Dala desert, Ismagilov.

Morphology, physiology and ecology of rodents of sand and clay habitats in Turkmenia, Kalabukov & others.

Rodent population of cut-over land in China, Hsia & Li.

Michigan rodents, general account, Butsch (1), (2).

Home range of small rodents in Oklahoma, Hays (1).

Sex ratios in Minnesota rodents, Beer & others.

Rodents from El Salvador, Felten (1) (2).

Ecology of Peruvian rodents, **Dorst** (3).

†Pleistocene Rodentia from Mexico, Jakway.

SUBORDER SCIUROMORPHA

†Ischyromyidae

†Paramys Eocene, Wyoming, varying evolutionary rates, Wood, A. E.

APLODONTIDAE

Evolution and biogeography of aplodontid rodents, Shotwell.

Aplodontia rufa reproductive cycle, Pfeiffer.

†Liodontia alexandrae, L. furlongi descr., illustr., Shotwell.

†Pseudaplodon asiatica discussion, Shotwell.

†Sewelleladon gen. nov. for type species S. predontia sp. nov. Miocene, John Day Formation, Haystack Creek, 3 miles N.E. of Spray, Oregon, p. 452, Shotwell. †Tardontia gen. nov. for type species T. occidentale (Macdonald) p. 455: T. nevadans sp. nov. Miocene, Stewart Springs, Nevada, p. 456, Shotwell.

†MYLAGAULIDAE

†Evolution, biogeography of mylagaulids: forms from W. North America descr., illustr. compared, Shotwell.

SCIURIDAE

Sciuridae of W. Pakistan descr., distr., taxonomy, Akhtar (1), (2).

Aletesciurus subgen. nov. for type species Sciurus hippurasus Lyon, 1907, p. 3, Moore (4).

Ammospermophilus nelsoni home range, temperature response, mortality, Hawbecker,

Callosciurus leucomus transferred to Prosciurillus, P. l. sarasinorum diagnostic characters, Moore (2); C. mowewensis (Roux) a synonym of Prosciurillus leucomus sarasinorum, Moore (2).

Citellus temperature in dormancy, Svihla; C. citellus as leptospirosis reservoir, Topcin & others; range and biology in Moldavia, Pakizh; C. c. citellus, C. c. istricus distribution in Roumania, Calinescu; C. c. taxonomy of S.E. European races, C. c. balcanicsu subsp. nov. Lukorsko, Sofia district, south of Balkan Mts., Bulgaria, p. 465, Markov (2); C. c. martinoi subsp. nov. Rhodopen Mts., Bulgaria, p. —, Peshev; C. mericanus gnawing rabbit carcase, Packard (4); C. suslica distribution in Belorussia, Pyatrovski; C. undulatus growth of young, Musacchia; histological changes in alimentary system during hibernation, Mayer & Bernick; C. u. kennicotti moult pattern, Butterworth.

Cynomys ludovicianus ludovicianus distr., natural history in Kansas, Smith, R E.

Eutamias amoenus biology and ecology in Washington, Broadbrooks (1).

Exilisciurus gen. nov. for type species Sciurus exilis S. Müller, 1838, p. 4, Moore (4).

Glaucomys sabrinus gouldi recorded from Prince Edward Island, Cameron (2); G. volans habits in captivity, Stettler.

Hylopetes sagitta "flying" habits, Adams, W.; general account of captive specimens, Ogilvie (2).

Marmota ecology and snow cover in Tien-Shan, Bibikov; M. marmota behaviour study, voice, territorial marking by cheek glands, Koenig; M. m., M. bobak former distribution in Roumania, Calinescu; M. monax monax range in Iowa, Polder; M. m. rufescens popular illustr. account, Jex.

Prosciurillus Ellerman redefined and extended: P. abstrusus sp. nov. Gunong Tanke Salokko, "Mengkoka Geb." (Mekongga Gebirgte), S.E. Celebes, lat. 3° 40′ S. long. 121° 13′ E. at 1,500 meters, p. 3, Moore (2).

Protoxerus stangeri centricola first Tanganyika record, Swynnerton & Hayman.

Sciurus carolinensis carolinensis range in Iowa, Polder; eating insects lodged in car radiators, Layne & Woolfenden; S. c. leucotis melanism in Pennsylvania, Creed & Sharp; S. c. l., S. v. leucourus damage to forestry in Britain, Shorten; S. niger rufiventer longevity records, Fouch; S. santunderensis sp. nov. San Vicente de Chucurri, Santander Department, Colombia, p. —, Borrero-H. & Hernandez-C.; S. vulgaris biology in E. Siberia, Pavlynchenko; occurrence and distribution on Fonen Is., Denmark, Runge; races and distribution in Roumania, Calinescu; S. v. fuscoater feeding on plant galls, Pfützenreiter.

Sciurus (Tenes) anomalus ecology in Caucasus, Stroganova.

Spermophilopsis leptodactylus burrowing habits and microclimatology, Latychev & Sidorkine.

Sundasciurus gen. nov. for type species Sciurus lowi Thomas, 1892, p. 2, Moore (4).

Tamias striatus griseus range in Iowa, Polder.

Tamiasciurus hudsonicus melanistic specimens from New York, Benton; winter activity in Alaska, Pruitt & Lucier (2); feeding on birch sap, Kilham (2); T. h. loquax range in Iowa, Polder.

Tamiops mcclellandi collinus subsp. nov. Maymo, Upper Burma, lat. 22° 05′ N., long. 96° 30′ E., 800 metres, p. 1, T. rodolphei elbeli subsp. nov. Ban Lad, Pookeio District, Chaiyaphum Province, Thailand, c. lat. 16° 40′ N.,long. 101° 45′ E., p. 4, Moore (1).

GEOMYIDAE

Geomys bursarius missouriensis subsp. nov. 2 miles N. of Manchester, St. Louis County, Missouri, p. 1, Mc-Laughlin; G. personatus fallar, G. bursarius attwateri morphological comparison, life history, sex ratio, range extensions in Texas, Kennerly (2); structure of bacula, Kennerly (1).

Thomomys bottae distr., variation in Colorado: T. b. rubidus subsp. nov. 2½ miles E. of Cañon City, Fremont County, Colorado, 5344 feet, p. 376, Youngman; T. b. navus diet and oestrus cycle, Gunther; T. talpoides incisor growth correlated with body weight, Miller, R. S. (3).

HETEROMYIDAE

Dipodomys merriami ecology and life history in Arizona, Reynolds; D. m. merriami reproduction in captivity, Chew; D. ordi range extension in Washington, Broadbooks (2).

Perognathus parvus range extensions and variation in Utah, Hayward & Killpack.

CASTORIDAE

Castor canadensis endotheliochorial placentation, Mossman, H. W.; blood chemistry, Kitts & others; uterus masculinus, Conaway (1); extermination, re-establishment in Illinois: present status and economic value, Pietsch; C. fiber structure, toilet and grasping use of feet; locomotion, Richard; history of extinction in Caucasus, Vereshchagin & Burchak-Abramovich.

?Sciuromorpha incertae sedis

ANOMALURIDAE

Zenkerella insignis review, distribution, additional specimen recorded, Aellen & Perret.

PEDETIDAE

Pedetes cafer endotheliochorial placentation, Mossman, H. W.

SUBORDER MYOMORPHA

CRICETIDAE

Tongue of palaearctic cricetines, Vorontzov (4).

Sesamoid bones in certain Microtinae, Romankowowa.

[1958]

Chromosomes of Microtinae, Matthey (2).

Baculum in Microtinae, Dearden, L. C.

Metabolism and critical temperature in small voles, Bashenina.

Study of moult in voles, Kryltsov.

Distribution of some Pleistocene Ukrainian Cricetinae, Topachevsky.

Pleistocene Microtinae from Poland, systematic notes, Kowalski, K. (2).

Alticola review of Mongolian forms, Bannikov (2); A. strelzovi building shelters in Kazakhstan, Obolensky.

Arvicola terrestris as tularemia reservoir, Dunayaeva & Olsufiev; A. t. terrestris hypertrophic incisor teeth, Vries & Koenders.

†Arvicola gracilis sp. nov. Pleistocene, Wemberg Caves, Mauern, S. Germany, p. 288, Heller (1).

Baiomys musculus handleyi Sacapulas, El Quiché, Guatemala, p. 399, B. m. pullus 8 mi. S. Condega, Esteli, Nicaragua, p. 401, subspp. nov., Packard (2); B. taylori allex a valid subspecies, descr., Packard (1).

. Clethrionomys sexual isolation in Scottish island forms, Godfrey (2); origin of sexual isolation, Godfrey (3).

C. glareolus new colour mutation in Germany, Reichstein & Kulicke; geographical variability of organ weight, Baranova; daily activity rhythm, Durup & Saint Girons; reproductive cycle, Markus; melanism in Czechoslavakia, Hanák; tree damage, Hook; S. European races compared, C. g. garganicus subsp. nov. Umbra Forest, Monte Gargano, Italy, 800 metres, p. 54, Hagen; C. g. devius subsp. nov. R. Petchora, Siberia, p. 51, Stroganov & Turyeva; C. rufocanus irkutensis taxonomy, distribution, Bannikov (2).

Cricetulus griseus sex bivalent, Husted & others.

Cricetus cricetus melanistic specimen from Germany, Petzsch (2).

Dicrostonyx hudsonicus recorded from Renouf, Johnson, Elsie Islands, Hudson Bay, Burt. † Dolomys kretzoii sp. nov., Pleistocene, Kadzielnia Hill, Kielce, Poland, p. 27, Kowalski, K. (1).

Ellobius chromosomes and taxonomic position, comparison with Prometheomys, Matthey (1); E. lutescens sex chromosomes, Matthey (3); interpretation of sex-chromosome mechanism, White, M. J. D.

Eolagurus subgen, nov. (type L. luteus) see Lagurus.

Gerbillus nanus garamantis taxonomy, distr., ecology, behaviour, Kirchshofer.

Gerbillus (Dipodillus) calurus second Egyptian record, and most southern African record, Hoogstraal & others.

Lagurus study of baculum, comparison with other microtines, Dearden, L. C.; L. luteus occurrence in alluvium in Kazakhstan, Kisarova.

Lagurus (Eolagurus subgen. nov.) for type species L. luteus, p. 551, Dearden, L. C.

†Melissiodon systematic revision, tooth study as key to evolution, M. schaubi bernlochense subsp. nov. Oligocene, Bernloch, Kr. Munsingen, Schwabian Alps, p. 15, M. schalki Burgmagerbein, p. 56, M. schroderi Weissenburg, p. 63, both Oligocene, S. Germany, spp. nov., Hrubesch.

Meriones crassus pallidus first record for Egypt, Hoogstraal & others; M. erythrourus new distribution records in Azerbaijan, Akhundov & Alekperov.

Mesocricetus auratus new mutation, Knapp & Polivanov; study of body temperature, Kohout; age, thermoregulation and metabolism, Kohout & Petrásek; pregnancy prolonged by artificial hibernation, Czajkowski; study of chromosomes, no support for tetraploidy theory, Weiss; haematology in hibernation, Lyman & others; cytology of pituitary gland, Serber; resistance to colchicine injections, Skowron & Jordan; skin grafting, Skowron-Cendrzak & Spisak-Plonka; genetics of albino specimen, Robinson (1); hibernation in laboratory, Panuska & Nelson; metabolism and oxygen consumption, Petrásek; immunological response to homografts, Billingham & Hildemann; gynandromorph specimen descr., Kirkman.

Microtus agrestis susceptibility to baits and poisons, Wachtendorf; distribution and habitat in Austria, Wettstein-Westersheimb (2); behaviour, territorality of Scottish and Hebridean (1); oestral cycle. races. Godfrey Chitty & Austin: effect of plague in Stirlingshire, Charles: a regular woodland species, Southern (2); tree damage. Hook; plagues in Netherlands, detailed Wijngaarden (1); biological study, control in Dutch orchards, Wijngaarden (2); population density and structure as factor in owl predation, Becker; possible food of hare, Gersdorf (1); winter breeding condition in Mecklenburg, Richter (1); effect on meadow plant communities, Richter (3); reproductive cycle, Markus; tooth variation as selection factor, Stein; M. arvalis tooth variation as selection factor, a rebuttal, Zimmermann, K.; M. a. incognitus albinism in Czechoslovakia, Turček (3); M. a. levis control in Roumania, Marches; M. californicus, M. montanus reproduction, population dynamics, Hoffman; M. guentheri schidlovskii taxonomic note, Zakharin; M. maximowiczii parasitised by Sarcocystis muris. Eble: M. oeconomus ecology in E. Siberia, Fetisov (3); M. o. ratticeps from Nida Valley, Poland, size comparison with N.W. Poland, Serafinska & Serafinska; M. pennsylvanicus dye technique in home range study, New; population density and adrenocortical activity, Louch; M. pinetorum nemoralis range extension in Kansas, Anderson & Nel-

†Microtus problematicus sp. nov. Pleistocene, Erpfingen, Kreis Reutlingen, Wurttemberg, S. Germany, p. 62, Heller (3).

Microtus (Chilotus) oregoni sex chromosomes, Matthey (3).

†Mimomys generic characters, relation to †Cosomys and Ogmodontomys, Heller (2).

Neotoma distr., taxonomy, variation, ecology in Colorado; N. albigula brevicauda first record Colorado; N. cinerea cinnamomea a synonym of N. c. arizonae, Finley.

Ondatra zibethica history and distribution in Luxembourg, Heuertz; home range in Germany, Ernst; present distribution in Limburg, Wijngaarden (3); history, distribution, range extension, bibliography in Roumania, Calinescu & Bunescu; introduction to Caspian region, Siroechkovski; O. z. cinnamominus biology in Nebraska, Sather.

Oryzomys from El Salvador, taxonomic notes: O. rostratus salvadorensis subsp. nov. San Antonio Hacienda, Sonsonate Department, El Salvador, p. 3, Felten (1); O. borreroi sp. nov. San Vicente de Chucurri, Santander Department, Colombia, p. —, Borrero-H. & Hernandez-C.

Pallasiomys erythrourus brain structure, Chevtchenko & Astanine.

Peromyscus new mutant, McIntosh; structure of male phallus, Hooper, E. T.; ecology, P. boylii population study, home range in Mexico, Drake; P. allex Osgood, 1904 a race of Baiomys taylori, Packard (1); P. comanche, P. nasutus, P. truei bacula studied and compared, Tamsitt; P. gossypinus megacephalus variation and ecology in Alabama, Batson; P. leucopus dye technique in home range study, New; P. l. tornillo range extension in Kansas, Anderson & Nelson; P. maniculatus, P. nuttalli, P. leucopus home range in Arkansas, Redman & Sealander; P. m. bairdi, P. m. gracilis behaviour study of adults and young, King; P. m. nebrascensis (Coues) correct type locality Deer Creek, 5 miles from mouth, Converse County, Wyoming, nomenclatorial status, distr., P. m. luteus distr., Jones (3); P. m. osgoodi "shredding" behaviour and nest building, Thorne (2); P. nuttalli ecology, behaviour, population dynamics in Texas, McCarley; P. oaxacensis recorded from El Salvador, Felten (2).

Phyllotis taxonomic revision, P. caprinus sp. nov. Tileara, 8000 ft., Jujuy, Argentine, p. 434, Pearson.

Pitymys subterraneus biometrical study, Altner; P. s. atratus first record for Poland, Serafinska & Serafinska.

†Pitymys dehmi sp. nov. Pleistocene, Erpfingen, Kreis Reutlingen, Wurttemberg, S. Germany, p. 69, Heller (3).

Platycranius streltzovi depressus distribution in Mongolia, Bannikov (2).

† Pliomys proavius sp. nov. Pleistocene, Erpfingen, Kreis Reutlingen, Wurttemberg, S. Germany, p. 53, Heller (3). Prometheomys taxonomic position, P. schaposchnikowi chromosomes, Matthey (1).

[1958]

†Prominomys insuliferus sp. nov. Pleistocene, Podlesice, near Kroczyce, Olkusz dist., Poland, p. 40, Kowalski, K. (1).

Reithrodontomys fulvescens canus first record New Mexico, Findley & Pullen; R. megalotis range extension in British Columbia, Munro; R. m. aztecus range extension in Kansas, Anderson & Nelson; R. m. megalotis albino laboratory stock, Egoseue; R. m. mexicana range extension in Mexico, Jones & Anderson; R. microdon wagneri range extension in Mexico, Jones & Anderson; R. montanus griseus range extension in Kansas, Anderson & Nelson.

Rhombomys opimus population structure in N.E. of range, Kulik; brain structure, Chevtchenko & Astanine.

Sigmodon hispidus texianus range extension in Kansas, Anderson & Nelson; S. h. villae subsp. nov. 5 miles S.E. of Teopisea, Chiapas, Mexico, c. 6,000 feet, p. 2, Goodwin (1).

Synaptomys cooperi relictus subsp. nov. Rock Creek State Fish Hatchery, 5 mi. N. 2 mi. W. Parks, Dundy County, Nebraska, p. 387, Jones (1).

†Synaptomys Baird defined, S, australis Simpson redescribed, figd., Olsen (3).

Tatera brantsii, T. afra structure and seasonal changes of male reproductive organs compared; growth study of young males, Allanson; T. kempi occurrence in French Guinea, Heim de Balsac & Lamotte.

Taterillus gracilis occurrence in French Guinea, Heim de Balsac & Lamotte.

SPALACIDAE

Spalax leucodon burrowing habits in Iraq, Reed.

MURIDAE

Interference serology of suckling rats and mice, Brambell & others.

Sesamoid bones in certain Muridae, Romankowowa.

Apodemus agrarius occurrence in Bulgaria, Markov (1); A. flavicollis general biology in Germany, method of transporting young, Zippelius (2);

geographical variation in Scandinavia, Reinwaldt (2); grass accidentally knotted in tail, Schober; A. f., A. agrarius geographical variability of organ weight, Baranova; A. f. wintoni trapping and habitat preference in Suffolk, Thurlow; A. f., A. sylvaticus in Pyrenees measured, compared, habitat preferences, Saint-Girons (1); A. f., A. sylvaticus S. European forms compared, A. f. brauneri recorded from Mt. Gargano, Italy, Hagen; A. sylvaticus homing ability, Anon (6); (?) using bird's nest as feeding site, Groves: population study in Berkshire, Miller, R. S. (1); A. s., A. flavicollis, A. mystacinus, A. agrarius comparative study of alveolar variation in Pleistocene and modern material, Herold (1); A. s., A. tauricus (= A. flavicollis), diagnostic specific characters, Larina.

Cricetomys gambianus parasitised by earwig, Halcrow.

Dasymys incomtus rufulus range extension to French Guinea, Heim de Balsac & Lamotte.

Dendromus (Poemys) melanotis westward range extension to French Guinea, taxonomic notes on genus, Heim de Balsac & Lamotte.

Grammomys (macmillani?) buntingi first record French Guinea, taxonomie notes, Heim de Balsac & Lamotte.

Hybomys univitatus planifrons occurrence in French Guinea, Heim de Balsac & Lamotte.

Hybomys (Typomys) trivirgatus occurrence in French Guinea, Heim de Balsac & Lamotte.

Malacomys longipes australis Sakeji stream, Mwinilunga district, N. Rhodesia, (11° 22′ S., 24° 15′ E), p. 340, M. l. cansdalei Oda, Gold Coast, p. 342, both subspp. nov., Ansell (1); M. l. edwardsi occurrence in French Guinea, Heim de Balsac & Lamotte.

Micromys minutus food habits, Gersdorf (2); density and breeding of rick populations, Rowe; winter breeding condition in Mecklenburg, Richter (1); 24-hour activity cycle, Smirnov (2); temperature mechanism, Smirnov (1).

Mus musculus chromosome study, Ohro & others; reproduction and population density in corn ricks, Southwick; skeletal variation in Peru,

Harland; aggressive behaviour related to population density, Davis, D. E .: female fecundity depressed at high population densities of confined colonies. Crowcroft & Rowe; spread of lethal genes, Dunn; male segregation ratio as genetic factor, Bruck; winter breeding condition in Mecklenburg, Richter (1); distribution, number of vibrissae, Dun (2); embryology, development of young, Slee; embryonic salivary glands, Pujiula; skeletal variation in wild populations, Deol (2); growth and carcass composition of laboratory strains, Fowler; induction of gynogenesis by chemical treatment of sperm, Edwards, R. G. (3); effect of cold on weight and endocrine glands, Barnett & Manly; M. m. castaneus recorded from Maldive Is., Hill, J. E. (1); M. m. domesticus introd. to El Salvador descr., Felten (2).

Mus (Leggada) setulosus occurrence in French Guinea, Heim de Balsac & Lamotte.

Notomys mitchelli macropus rediscovery in Victoria, habitat and burrows, Brazenor.

Oenomys hypoxanthus ornatus ranges to French Guinea, Heim de Balsac & Lamotte.

Otomys tropicalis albinistic specimens from Belgian Congo, Pirlot (2).

Rattus range of movement in Malayan species, Harrison, J. L. (1); experimental studies in Malaya, Harrison, J. L. (2); R. assimilis damaging pines in Victoria, McNally; breeding in captivity, Homer & Taylor; R. norvegicus occurrence and behaviour in Heligoland, Vauk; hypertrophic incisor teeth, Vries & Koenders; adrenal histology affected by "stress" through attacks of other rats, Barnett (2); exploration and avoidance of unfamiliar objects ("neophobia"), Barnett (3); digestive enzymes, Buchholz & others; dyes for use in movement studies, Larthe; melanism in Georgia, Smith, W. W.; R. n., R. rattus distribution in French Cameroons, Voelckel; R. r. occurrence and control in Hertfordshire, Davis & Lloyd-Evans; body weight, sex ratio and pregnancy in Japan, Nakata & Ito; R. r. R. norvegicus sexual, social behaviour in confined colonies, Barnett (1); R. r. ceylonus, R. r. kandianus recorded from Maldive Is., Hill, J. E. (1); R. r. rattus introd. to El Salvador, descr., Felten (2); comparative craniometry of medieval and modern specimens, Jirsik; R. turkestanicus biology, Beishebaev; R. villosissimus population plague in Queensland, Dunnet (4).

Rattus (Dephomys) defua occurrence in French Guinea, comparative characters, Heim de Balsac & Lamotte.

Rattus (Hylomyscus) alleni simus occurrence in French Guinea, Heim de Balsac & Lamotte.

Rattus (Mastomys) natalensis behaviour in laboratory conditions, Veenstra; as laboratory animal, summary of taxonomy, Davis & Oettlé.

Rattus (Praomys) morio, R. (P.) jacksoni comparative characters, two distinct size forms, R. (P.) daltoni a valid species, Heim de Balsac & Lamotte; R. (P.) namaquensis litter born in captivity, Meester (1).

Steatomys krebsi mariae p. 337, S. minutus bensoni p. 338, both subspp. nov., Nyambela plain, Mwinilunga district, N. Rhodesia (11° 19′ S., 24° 14′ E.), Ansell (1).

Thamnomys rutilans range extension to French Guinea, Heim de Balsac & Lamotte.

Uranomys ruddi occurrence in French Guinea, review of generic characters, Heim de Balsac & Lamotte.

GLIRIDAE

Variation of tooth roots in Muscardinidae, Herold (2).

Dryomys nitedula intermedius first record in Austria, Wettstein.

Eliomys quercinus gestation period, Psenner.

Glirulus japonicus foetus descr., distr., Shimoizumi.

Glis glis history in Britain, account of captive specimen, Leutscher; gestation period, Psenner.

Graphiurus murinus spurrelli first record French Guinea, G. crassicaudatus crassicaudatus first records for French Guinea and Ivory Coast, Heim de Balsac & Lamotte.

Muscardinus avellanarius thermoregulation during hibernation and activity, Tomilin (1).

ZAPODIDAE

Napaeozapus insignis insignis recorded from Prince Edward Island, Cameron (2).

†Schaubeumys sabrae sp. nov. Miocene, 7 miles N.W. of Muddy Gap, ‡ mile S. of U.S. Highway 280, Fremont County, Wyoming, p. 1, Black.

Sicista betulina records and distribution in Scandinavia, Haftorn; development, thermoregulation in young, Pucek; structure and activity of thymus, Bazan-Kubik; S. subtilis nordmanni variability and biology, Ausländer & Hellwing (2).

DIPODIDAE

Review of Mongolian Dipodidae, Bannikov (1).

Distribution of some Pleistocene Ukrainian Dipodidae, Topachevsky.

Allactaga bobrinskii status in Kara-Kum, Kotov (1); A. sibirica semideserta subsp. nov., Lower Bukhu-Muren River, near Lake Ochitnur, W. Mongolia, p. 29, Bannikov (1).

Dipus sagitta ubsanensis subsp. nov., Sands Borig, near Lake Baga nur, N.W. Mongolia, p. 34, Bannikov (1).

Jaculus jaculus neonatal characters Harrison, D. L. (1).

Pygerethmus vinogradovi sp. nov. Zaissan basin, W. Dzungaria, p. 96, taxonomy and distribution of P. platyurus and P. zhitkovi, Vorontsov (3).

SUBORDER HYSTRICOMORPHA

HYSTRICIDAE

Hystricidae of W. Pakistan, descr., distr., taxonomy, Akhtar (2).

Hystrix hirsutirostris distribution in Azerbaijan, Alekperov.

†Hystrix makapanensis nom. nov. for H. major Greenwood 1955, nec Gervais 1859, p. 365, Greenwood.

ERETHIZONTIDAE

Fusion of cervical vertebrae in Erethizontidae, Ray (2).

Erethizon dorsatum need for control of numbers, effectiveness of fisher as predator, Cook & Hamilton; supernumerary molar, Lechleitner (1); albino recorded, Wood, A. S.

†Hypsosteiromys gen. nov. p. 2 for type species Steiromys axiculus Ameghino from Oligocene of Patagonia, S. nectus × S. tabulatus Ameghino synonyms, Patterson (1).

CAVIIDAE

Microcavia australis salinia, M. a. maenas distribution in Argentine, Olrog.

Pediolagus salinicola cyniclus Cabrera valid race, note on distribution in Argentine, Olrog.

HYDROCHOERIDAE

†Chapalmatherium irenense sp. nov. Pliocene, Rio Quequen Salado, Coronel Dorrego, Buenos Aires Province, Argentine, p. 33, Reig.

DINOMYIDAE

Fusion of cervical vertebrae in Dinomyidae, Ray (2).

CHINCHILLIDAE

Chinchilla distr., comparison of forms, history in captivity, Eckardt; farming in Britain, Street.

CAPROMYIDAE

Myocastor coypus reprod. system descr., illustr., Hillemann & others; skin tumour, Hilleman & Minckler.

?Hystricomorpha incertae sedis

BATHYERGIDAE

Bathyergus maritimus eye degeneration, Eloff.

Cryptomys bigalkei eye degeneration, Eloff; C. hottentotus albinistic specimen from S. Rhodesia, desc., Turnbull-Kemp.

ORDER CETACEA

General account whales and whaling, Budker (1); Slipper (1).

Whaling and world whaling fleets, Rivoire.

National interests in Antarctic whaling, Elliot.

Whaling control, 1958-59, Anon (1).

Popular account of Antarctic whaling, Cockrill.

Antarctic whale marks recovered 1957-58, Brown, S. G. (2).

Summary of whaling development and present situation, Bettum.

Biology and behaviour of cetacea, Slipper (2); Tomilin (2). Whale biology, Matthews (1).

Cetacean respiration, Slipper (3).

Cetacean respiratory tract, Kleinenberg & Yablokov.

Temperature regulation in cetacean skin, Utrecht.

Cetacean dental structure, Yablokov (1).

Diet of whales and vitamin A synthesis, Fisher.

Whale insulin analysis, Ito; Ishi-hara & others.

Renculi of Cetacean kidney, Kamiya.

Whale pepsin analysis, Saitô & others.

Cetacean histology compared with man, Hosokawa & Sekino.

Prenatal growth of whales, Huggett.

Account of Cetacean entanglements in submarine cables, Budker (2).

Cetacea in Gulf of Tunis, Postel.

Cetacea sighted off French West Africa, 1955–1956, Cadenat (1).

Observations of whales in Indian Ocean, Brown, S. G. (1).

Japanese whaling operations, 1956-1957, Miyazaki (2).

Cetacea in Japanese Museums, Imaizumi.

Fossil Cetacea in Austria, Thenius (1).

Fossil Cetacea from Kazakhstan, Bazhanov & others.

SUBORDER ODONTOCETI

1948-1957 catch, dimensions and food of killer whales off Japan, Nishiwaki & Handa.

Digestive tract of Odontoceti, Yablo-kov (2).

PLATANISTIDAE

Inia geoffrensis measurements, characters, ecological study, Layne (1).

†Pachyacanthus andrussovi Tertiary, Kazakhstan, new finds, descr. figs., Bazhanov & others.

ZIPHIIDAE

Berardius bairdii note on distribution, Kotov (2); embryo descr., figd., Omura (2).

Hyperoodon ampullatus histology of lung, Goudappel & Slijper.

Mesoplodon key to species, M. ginkgodens sp. nov. Oiso Beach, Sagami Bay, near Tokyo, p. 448, Nishiwaki & Kamiya (preliminary note) (1), M. ginkgodens sp. nov. p. 76, Nishiwaki & Kamiya (2), see also Nishiwaki & Kamiya (3); M. densirostris Bahama Islands, descr., figd., notes on distribution, Moore (3); M. mirum short note, Grayce.

Ziphius cavirostris stranding on Cape Cod, Massachusetts, descr., Clark, E. S. (1); additional record from California, Houck; strandings in Gulf of Genoa, descr., figd., Tortonese; subfossil, first record from N. Carolina, McKeever.

PHYSETERIDAE

Kogia breviceps recorded, descr., from S.W. Sarawak, Harrisson & Jamuh.

Physeter age determination from tooth laminations, corpus luteum and sexual maturity in N. Pacific, Nishiwaki & others (1); white specimen from Japanese coastal waters, Ohsumi; deformity of mandible, Nasu.

MONODONTIDAE

Monodon monoceros distribution in central Arctic, Uspenski.

DELPHINIDAE

Delphinus delphis range extension in N.W. Atlantic, Sergeant; structure of chondria, Gorikov.

Feresa sp. specimen from Senegal coast descr., measured, Cadenat (2).

Globicephala melaena first record for Virginia, compared with G. macrorhyncha, Paradiso; as food in Antilles, Morice.

Grampus griseus first record for Orkney, Rendall.

Orcinus orca school stranded at Trinity Bay, Newfoundland, Dearden, J. C.; stranding on German coast, Krumbiegel.

Prodelphinus (?) sp. deser. illustr., from Senegal coast, Cadenat & Doutre.

Sotalia measurements, characters, ecological study, Layne.

Tursiops truncatus demonstration of echo-location, Kellogg.

PHOCAENIDAE

Phocaena, taxonomic study, zoogeography, Norris & McFarland; P. phocaena from French West Africa comparative study, differential growth factors, Fraser, F. C.; stranding on Dutch coast, Halm; incidental catch (1920-1955) in Baltic, Ropelewski; P. sinus sp. nov. Northeast shore Punta San Felipe, Baja California Norte, Gulf of California, Mexico, p. 24, Norris & McFarland.

Phocaenoides truei, P. dalli stomach contents in N. Pacific, Wilke & Nicholson,

SUBORDER MYSTICETI

1946-1957 catch of fin and sei whales off Norway and Faroes, Jonsgard.

Finback whale caught in fishing gear at Cape Cod, Massachusetts. Clark, E. S. (2).

Food of baleen whales in Antarctic, Nemoto & Nasu.

Fin-whaling in E. China Sea, Miya-zaki (1).

Spleen of fin whales, Zwillenberg.

RHACHIANECTIDAE

Gray whales in Bering Sea, Ichihara.

BALAENOPTERIDAE

Balaenoptera, age determination from ear plug, length at sexual maturity, Nishiwaki & others (2); comparative serology, Fujino; B. acutorostrata breeding habits, Yakovenko; first record for Tasmania, descr., Davies & Guiler; B. musculus foetal brain descr., compared with Megaptera, Friant (6); B. physalus corpora albicantia as measure of age, Laws (2); foetal growth and development of young, sexual maturity in N. Pacific, Ohsumi & others.

Megaptera nodosa analysis of catch (1949-1956) of southern stocks, Chittle-borough (2); female breeding cycle, Chittleborough (1); age determination and sexual cycle in Bellingshausen Sea, Symons & Weston.

BALAENIDAE

Eubalaena glacialis taxonomy, distribution, status reviewed, additional specimens descr. in N. Pacific, Omura (1); histology and anatomy of spinal cord, Seki.

ORDER CARNIVORA

SUBORDER FISSIPEDA

Field study of British carnivora, Linn.

Status of Scandinavian carnivores, Quarles.

Carnivores of China, Sosnovsky (2).

Review, taxonomic notes, distribution of Palestinian Carnivora, Bodenheimer.

Distribution, ecology and biology of carnivores in Garamba National Park, **Verschuren** (1).

Carnivora of El Salvador, Felten (3).

Plea for protection of carnivora, Hainard.

Coat colour genetics in certain carnivores, Little.

"Stasigenesis" in fossil Carnivora, Crusafont-Pairó & Truyols-Santonja (2).

CANIDAE

Textbook of domestic and wild dogs, Haltenorth (2).

Evolution and origin of dog, Colbert.

Comparative growth changes in wolf and jackal in relation to domestic dogs, Oboussier.

Microscopic structure of hairs in Canidae, Lochte.

Canidae of Colombia, Hershkovitz (4).

Subfossil Canidae of Hungary, Remenvi.

Popular illustrated account of wild Canidae, Pournelle.

Activity rhythms in foxes, Tembrock (2).

†Absonodaphoenus gen. nov. p. 599 for type species Parictis bathygenus White, Miocene, Florida, Olsen (1). †Amphicyon intermedius Miocene, Florida, comparative study of skull and dentition, A. longiramus a synonym, Olsen (2).

Atelocynus microtis first record Colombia, Hershkovitz (4).

Canis aureus distribution in W. Tien Shan, Malenkov: C. dom. function of salivary glands, Urgandzhyan; scenting improvement methods, Fless: skull form types, Klatt; training of Saghalien dogs for Antarctic sledge work, Inukai & Haga; breeds employed by man, Lineham; sheepdog breeds in Caucasus, Schneider (2); C. latrans food analysis, DePuy; in Indian tradition, Simpson, R. De E.: C. l. vigilis range extension in Mexico, Davis & Lukens; C. lupus from Pleistocene of Holland, Kruizinga; history of extermination in Rhineland, Schmidt, Th.; C. l. minor records in east Germany, Tratz (2); C. cf. lupus first record for Pleistocene, Florida, Ray (3); C. mesomelas eating afterbirth of Connochaetes, Grzimek (5).

†Cuon priscus Pleistocene, Wiesbaden, descr. figs., **Tobien**.

Dusicyon culpaeus reissi first record for Colombia, Hershkovitz (4); D. hagenbecki Krumbiegel based on skin of Canis familiaris, p. 230, Cabrera (1).

†Enhydrocyon spissidens Miocene, Florida, descr. figs., Olsen (1).

†Nyctereutes megamastoides Pleistocene, first record Israel, Hooijer (2).

† Temnocyon Miocene, Florida, descr. figs., taxonomic notes, Olsen (1).

Urocyon cinereoargenteus population study, Wood, J. E.; U. c. ocythous range in Iowa, Polder; recorded from Manitoba, Sutton; U. c. venezuelae first records for Colombia, Hershkovitz (4).

Vulpes velox denning, Cutter (1); V. v. velox food habits in northern Texas, Cutter (2); range extension in Kansas, Anderson & Nelson.

Vulpes fulva chromosome number, Lande; food habits in Wisconsin, Karpuleon; behaviour, Vincent; V. f. fulva range extension in Kansas, Anderson & Nelson; V. vulpes coexisting with Ursus in same pen, Curry-Lindahi (2); population and food study in Russia, Likhachev; play activity and its frequency, Tembrock (1); V. v. crucigera abnormally short legs, Schuller.

URSIDAE

"Abominable snow-man" possibly a bear, Mani.

Euarctos americanus serology, Youatt & Erickson.

Thalarctos maritimus observations on captivity behaviour, Afonskaya & Krumina; threatened, Lincoln.

Tremarctos ornatus anatomy of tarsal ligaments, Davis, D. D. (1).

Ursus arctos movements during sleep, Gaffrey; skull found in Holland, Deinse & Verhey; coexisting with Vulpes in same pen, Curry-Lindahl (2); U. a. arctos reproduction in captivity, Steinbacher (1); U. a. californicus additional specimen, skeletal measurements, Tullar; U. middendorffi climbing tree, Kramer.

†Ursus speciation and taxonomy in European Pleistocene, Kurten (1); U. arctos larteti, U. a. faidherbi Pleistocene, Morocco reviewed, additional material descr., illustr., U. a. bibersoni subsp. nov. Pleistocene, Sidi-Abderrahman, Morocco, p. 218, Ennouchi; U. deningeri Pleistocene, France, tooth characters, Astre (1); U. spelaeus Pleistocene, Europe distr. general account compared with modern forms, Kurtén (3); paleoecology, life table, evolution, extinction, Kurten (5); Pleistocene, Czechoslovakia, leg bones compared with U. arctos, Ryziewicz (1); description of skeleton from Poland, Ryziewicz (3); in Pleistocene of Poland, Czyzewska (1).

PROCYONIDAE

Ailuropoda melanoleuca in Frankfurt Zoo, Haas (3); biology, Sosnovski (1).

†Cynarctoides arcidens addt. material Miocene, Colorado, descr. figs., Cynarctinae taxonomy reviewed, Galbreath (1).

Jentinkia sumichrasti review of Mexican races, J. s. latrans subsp. nov. 2 m. W. of Omiltemi, Guerrero, Mexico, 7,900 ft. p. 353, Davis & Lukens.

Potos flavus observations in captivity, Bogdanovich.

Procyon lotor tests of visual discrimination, Johnson & Michels; spring moult, Stains; test of learning ability, Thackray & Michels.

MUSTELIDAE

Variation in number of incisor teeth, Reinwaldt (1).

Popular accounts of skunks, van Gelder (1), (2).

Enhydra lutris conservation and economic development, Barabash-Nikiforov; status in Aleutian Islands, Lincoln.

Gulo gulo popular account, White, R. B.

†Gulo gulo Pleistocene, Italy, descr., figd., Castiglioni; G. schlosseri Pleistocene, Wiesbaden, descr., figs., Tobien.

Ictonyx striatus erythreae occurrence at Gebel Elba, first record of genus in Egypt, Hoogstraal & others.

Lutra a. annectens range extension in Mexico, Davis & Lukens; L. a. latidens Allen synonym of L. a. annectens, Davis & Lukens; L. canadensis two year old female breeding, Liers; longevity in captivity, Scheffer (2); L. c. canadensis range in Iowa, Polder; L. lutra report of inquiry into natural history in Britain, Stephens; feeding habits in S. Russia, Benkovsky; L. l. chinensis study of kidney, Tcheng & Shih

Lyncodon patagonicus thomasi distribution in Argentine, Olrog.

Martes migration shown by ringing, Parovschikov; M. americana inapplicability of subspecies concept, Hagmeier; M. a. americana distribution in New York, Hamilton (3); M. martes records in Worcestershire, Pickvance; M. melampus longipilis form. nov. Mt. Osore, Aomori Pref., N. Japan, p. 50, comparison with M. m. m. nejiro Kuroda, 1953 (Not recorded), Kuroda & Ishiwata; M. pennanti prehistoric range in Illinois, Parmalee; as control on porcupine population, Cook & Hamilton; breeding biology in New York, Eadie & Hamilton; M. zibellina biology in E. Siberia, Pavlynchenko; ovulation, Baevsky & others.

Meles meles biochemical and electrocardiographical data, Johansson; hormone influence on unimplanted egg, Canivenc & Laffargue; delayed implantation, Canivenc; account of reproductive biology, Neal & Harrison; reproductive cycle, Neal; in Cheltenham area, Humphries; M. m. melanogenys first record Quelpart Island, Won & Woo, H.

Mellivora capensis note on habits in Kenya, Fleetwood; M. ratel maxima nom. nud. p. 407, Heuvelmans.

Mustela erminea popular account, Hoover (1); recorded from Eilean Molach, Loch Ba, Argyll, Boyd, J. M.; locomotory adaptations, Petrov; seasonal pelage change in Germany, Herter (1); M. e. cicognanii female sexually mature during first year, Hamilton (2); capturing chipmunk, Frith; M. e. richardsoni recorded from Prince Edward Island, Cameron (2); M. frenata leucoparia range extension in Mexico, Davis & Lukens; M. nigripes range in Kansas, Anderson & Nelson; M. sibirica history of fur industry, Bromlei.

†Mustela gazini sp. nov. Pleistocene, Twin Falls County, Idaho, p. 245, Hibbard, C. W. (1).

Mustela (Lutreola) vison progesterone increasing litter size, Franklin; farming in Netherlands, Rab; nutritional anaemia, Helgebostad & Martinsons; winter food habits, Korschgen.

Mustela (Putorius) eversmanni from Belaer Tatra, Czechoslovakia, descr., illustr., Sládek; M. (P.) furo lightcontrolled growth and reproduction, Harvey & Macfarlane.

†Mustela (Putorius) eversmanni svergeli Pleistocene, S. Germany, descr. figs., Heller (1).

Spilogale angustifrons Howell subspecies of S. gracihis, Davis & Lukens; S. putorius second record for Wisconsin, Iwen (1).

Taxidea taxus os clitoridis descr., illustr., Hoffmeister & Winkelmann; T. t. taxus range extension in Kansas, Anderson & Nelson.

VIVERRIDAE

Arctictis binturong general account, vocal sounds, Ogilvie (1).

Atilax paludinosus first record for Senegal, Dekeyser (1).

Diplogale Thomas a valid genus: D. hosei series described, Davis, D. D. (2).

Genetta genetta senegalensis occurrence at Gebel Elba, first record of genus in Egypt, Hoogstraal & others.

Liberiictis gen. nov. p. 448 for type species L. kuhni sp. nov. Kpeaplay, N.E. Liberia, 6° 36′ N, 8° 30′ W, p. 449, Hayman (1).

Nandinia binotata undescribed arboreal "gliding" ability, Thorney-eroft.

HYAENIDAE

Pleistocene, Hyaenidae, review of Ukrainian discoveries, Tatarinov (2).

Crocuta crocuta old and new observation on habits, food, not bone collectors, Hughes; Pleistocene history in Europe, Kurten (1).

†Crocuta crocuta spelaca Pleistocene, Ukraine, descr., comparative craniology, Tatarinov (2).

†Crocuta (Percrocuta) characters, systematic revision of species, C. (P.) grandis sp. nov. Pliocene, Nila, Dhok Pathan zone, India, p. 397, Kurten (2).

Hyaena brunnea behaviour, reproduction and growth in captivity, Lang; H. striata birth descr. in captivity, Shulov.

†Hyaena speciation and taxonomy in European Pleistocene, Kurten (1); H. spelaea characters, Heller (1).

† Ictitherium hipparionum Pliocene, Roumania, descr., illustr., Macarovici.

Proteles cristatus occurrence north of Gebel Elba, first record in Egypt, Hoogstraal & others.

FELIDAE

Activity rhythm of large cats in captivity, Haas (2).

Felis bengalensis reared in captivity, Schurman; F. concolor hudsoni Carmen de Patagonas, Buenos Aires Province, p. 70, F. colocolo crespoi Aguaray, Salta Province, p. 71, subspp. nov. both Argentine, Cabrera (2); F. c. mayensis range extension in Mexico, Davis & Lukens; F. dom. genetics and breeding for "chocolate" coat colour, Ullmann & Hargreaves; carpal vibrissae, Zimmerman, A.; earliest date in Europe rejection as F. silvestris of remains from Neolithic in Glamorgan, Greenaway; vaginal cycle, Michael; cross with F. silvestris caudata, Petzsch (3); F. silvestris subfossil in Estonia,

Paaver, K. L.; F. s. caudata cross with F. catus, Petzsch (3); F. s. silvestris hydrophobic specimen in Germany, Piechocki; F. wiedi glaucula range extension in Mexico, Davis & Lukens.

† Felis spelaea account of characters, Friant (8).

Lynx lynx history, distribution in Europe, status in Roumania, Witting; L. rufus stomach contents include porcupine quills and a nematode, Manville (1); Lynx r. rufus range in Iowa, Polder.

†Metailurus major Pliocene, Shansi, descr., figs., Chang.

†Nimravides gen. nov. for type species Pseudaelurus thinobates Macdonald, p. 368, Kitts.

Panthera leo history and breeding in Polish Zoological Gardens, 1952-55, Grabianska & Wolinski; from Pleistocene, Holland, Kruizinga; P. l. persica status and protection in Gir Forest; intoduction to Chandraprabha sanctuary, India, Gee (2); P. tigris balica possibly based on Javan introduction,

†Smilodon sp. Pleistocene, Kansas, premolar, molar descr., Galbreath (2).

SUBORDER PINNIPEDIA

Pinnipedia reviewed, biology, characters, evolution, taxonomy, key to genera, Scheffer (1).

Origin and zoogeography of Pinnipedia, Davies, J. L. (2).

Pinnipedia in Japanese Museums, Imaizumi.

OTARIIDAE

Bachelor seals returning to native rookeries, Nagasaki & Matsumoto.

Arctocephalus australis biology and ecology on Uruguayan islands, Vaz Ferreira; reproduction and population estimate in South Georgia, Bonner (3); A. forsteri re-establishment and breeding on Macquarie Island, Csordas.

Callorhinus ursinus distribution and numbers in Kurile Is., Klumov (1).

Eumetopias jubata numbers and distribution on British Columbian coast, Pike & Maxwell; distribution and numbers in Kurile Islands, Klumov (2).

Zalophus skeleton and musculature deser., figd., Mori.

ODOBENIDAE

Odobenus divergens threatened, Lincoln; O. rosmarus numbers and distribution in Hudson Bay, Dunbar; biological note, Naigachev; distribution in Peschan Islands, Popov; popular account of captive specimen, Coates & Atz.

PHOCIDAE

Popular account of British seals, Backhouse.

History of sealing and conservation of seal populations in S. Georgia, Bonner (1).

Erignathus barbatus growth reproduction, McLaren (2).

Halichoerus grypus calving season in Gt. Britain, Matthews (2); counts on Lundy Is. 1957, Anon (11); results of marking in W. Wales, 1957, Lockley; account of colony in Inner Hebrides, Weir.

Leptonychotes weddelli status in S. Orkney; breeding behaviour and reproductive cycle, teeth as age indication, Mansfield.

Lobodon carcinophagus ageing from study of dentine, growth curve for body length, Laws (1).

Mirounga leonina embryonic cranium, Kummer & Neiss.

Monachus monachus comparative cranial study, Dornesco & Marcoci; skull descr., illustr., Marcoci & Popa (1), (2); M. tropicalis extermination likely, Caram & Petter; first fossil record, found in Pleistocene of Florida, Ray (3).

Phoca groenlandica, P. vitulina comparative cranial study, Dornesco & Marcoci; P. hispida biology in E. Canadian arctic, McLaren (1); vitulina rearing young in captivity, Reineck & Reineck.

†ORDER CONDYLARTHRA

†Phenacodontidae

Generic characters of phenacodonts, Dorr (1).

†Tetraclaenodon transitus sp. nov. Paleocene, Hoback R., S.E. of Battle Mountain, Sublette County, Wyoming, p. 1225, Dorr (1); T. of. puercensis Paleocene, Alberta, descr., Russell, L. S. (1).

†ORDER NOTOUNGULATA

†SUBORDER TOXODONTA

†TOXODONTIDAE

†Toxodon chapalmalalensis taxonomic status and stratigraphic position in Pliocene, Pascual.

†ORDER ASTRAPOTHERIA

†SUBORDER TRIGONOSTYLOPOIDEA

†TRIGONOSTYLOPIDAE

†Albertogaudrya probably a trigonostylopid, not astrapotheriid, Simpson, G. G.

†SUBORDER ASTRAPOTHERIOIDEA

†ASTRAPOTHERIIDAE

†Scaglia gen. nov. for type species S. kraglievichorum sp. nov. Eocene, Cañadon Vaca, Chubut Province, Patagonia, p. 11, Simpson, G. G.

ORDER TUBULIDENTATA

ORYCTEROPIDAE

Orycteropus afer popular account, Bridges; O. a. faradjius distribution, biology, thermo-regulation, fossorial habits in Garamba National Park, p. 89, Verschuren (1).

†ORDER PANTODONTA

†Coryphodontidae

†Coryphodon first occurrence in Asia, C. flerowi sp. nov. Eccene, Kaojichuan, Sintai District, Shantung, p. 302, Chow (2).

†BARYLAMBDIDAE

†Leptolambda gen. nov. p. 2 for type species L. schmidti sp. nov. Paleocene, 4 miles S.S.E. of Debeque, Mesa Co., Colorado, p. 3, Patterson & Simons.

†ORDER DINOCERATA

†UINTATHERIIDAE

†Prouintatherium gen. nov. p. 507 for type species P. hobackensis sp. nov. Eocene, Sublette Co., Hoback River Basin, Central Western Wyoming, p. 508, phylogeny of order, Dorr (2).

ORDER PROBOSCIDEA

Detailed account of natural history, evolution and human employment of elephants, Carrington.

Brain in Proboscidea, Friant (4).

Organic analysis of fossil Proboscid teeth, Igiri & Fujiwara.

†GOMPHOTHERIIDAE

Origin and spread of anancoids, Bergounioux & Crouzel (3).

†Tetralophodon longirostris, Miocene, Haute-Garonne, descr., Crouzel & Debeaux.

†Trilophodon angustidens Miocene, E. Africa, tusk, molars illustr., Bishop; T. pentelicus minor Pliocene, Concud, Cavaleras, 5 km. N.E. of Teruel, T. p. minimus Pliocene, Grenada, between Loja, Alhama, Granada and Alfacar, Spain, p. 1450, Bergounioux & Crouzel (5).

†Trilophodon (Choerolophodon) pentelicus Miocene, Spain, T. (C.) p. menor Las Calaveras, 5 km. N.E. of Teruel, p. 42, T. (C.) p. minima Alfacar, Granada, p. 43, both subspp. nov., Bergounioux & Crouzel (4).

†Mammutidae

Tertiary mastodont origins and migrations, Bergounioux & Crouzel (1).

Review of Spanish Pliocene mastodonts, Bergounioux & Crouzel (6).

Popular account of mastodon in Great Lakes area, Quimby.

†Mammut americanum dating of late Pleistocene Indiana specimen, Turnbull; M. turicensis Miocene, France, lower molar descr., Bergounioux & Crouzel (2).

ELEPHANTIDAE

†Archidiskodon meridionalis Pleistocene, S. Germany, molar variation, A. m. voigstedtensis subsp. nov. Voigsted, p. 798, illustr., A. m. jockgrimensis subsp. nov., Jockgrim, Pfalz, both Thuringia, S. Germany, p. 801, illustr., Dietrich (2); Pleistocene, Greece, molar descr., figd., Psarianos & Thenius; A. cf. planifrons Pleistocene, Israel, descr., illus., Hooijer (2).

Elephas maximus general account, training and use in India, Chaturvedi; popular account, Shebbeare (2); facial muscles, Stöcker; external characters of

foetus, Mariappa (1); anatomy of foetus, Mariappa (2); first exhibition in U.S.A., McClung & McClung; captured in Burma 1952-1957, Yin; protection in Ceylon, Soysa; need for census in Ceylon, Williams, J. H.; population reduced in Ceylon, Morgan-Davies; control and capture in Ceylon, Wienman.

Loxodonta variation in ear form, tusks and number of toes, L. cyclotis a subspecies of L. africana, Backhaus (1); distribution and ecology in French Equatorial Africa, Blancou (3); L. africana status and future of Knysna herd, Hey & Brand; air census methods and results in Uganda, Buechner; birth in wild, Poppleton; control and ecology problems in Tanganyika, Lamprey; census and status of Knysna herd, Woods, D. H.; distribution, ecology, biology in Garamba National Park, Verschuren (1); L. cyclotis, L. pumilio, L. fransseni craniological study, possible existence of dwarf form inferred, Petter.

† Mammonteus Pleistocene, Czechoslovakia characters metrological study of molars, Musil; M. primigenius Pleistocene, Roumania mandibles descr., measured, illustr., Apostol (1); restored specimen in Paris Museum descr., Coppens; Pleistocene, Esthonia, account, descr., Paaver, K.; molar lamellae, Dietrich (1); Pleistocene, Roumania, descr., illustr., Apostol (2).

†Palaeoloxodon antiquus Pleistocene, N. Germany, molar tooth descr., illustr., Guenther; P. naumanni Pleistocene, China, status, Chow (1).

†Parelephas wusti occurrence in Pleistocene, Yakutia, Dubrovo (2).

†Platystegodon subgen. nov. (type P. insignis) see Stegodon.

†Stegodon (Platystegodon subgen. nov.) for type species S. insignis Falconer and Cautley, p. 25, Deraniyagala (1).

†Stegodon (Stegodon) ganesa Falconer and Cautley 1846 synonym of S. (S.) insignis Falconer and Cautley 1846, S. (S.) magnidens nom. nov. for S. (S.) ganesa auct., p. 25, Deraniyagala (1).

†Stegodon (Sulcicephalus subgen. nom. nud.)—no species named. (S. (S.) szechuani Deraniyagala 1955 type species), p. 25, Deraniyagala (1).

†Stegolophodon sp. Pleistocene (?), S. Africa, molar descr., illustr., Singer & Hooijer.

†Sulcicephalus subgen. nom. nud. see Stegodon.

ORDER HYRACOIDEA

Brain in Hyracoidea, Friant (4).

PROCAVIIDAE

Hyrax distribution and ecology in French Equatorial Africa, Blancou (3).

Albino hyrax in Angola, Hall.

Dendrohyrax brucei popular account, Zumpt.

Procavia capensis popular account, Zumpt; P. c. syriaca taxonomy, distribution in Palestine, Bodenheimer; P. c. burtoni habits and status in S.E. Egypt, Hoogstraal & others; P. johnstoni lopesi distribution ecology, biology in Garamba National Park, Verschuren (1).

ORDER SIRENIA SUBORDER TRICHECHIFORMES

Haematology of Sirenia, Knoll. Brain of Sirenia, Friant (4).

Sirenia records for French West Africa, 1955-56, Cadenat (1).

DUGONGIDAE

Dugong dugong stomach anatomy, Meinertz (1); Dugong dugong tabernaculi recognised as valid race from Red Sea, anatomy, biology, taxonomy, Gohar; kidney anatomy, Batrawi.

TRICHECHIDAE

Trichechus manatus first specimen from Georgia, Tomkins.

†Suborder Desmostyliformes

†Desmostylidae

†Kronokotherium gen. nov. for type species K. brevimaxillare sp. nov. Miocene, Kronotski region, Kamchatka, p. 312, Pronina.

ORDER PERISSODACTYLA

Perissodactyla distribution and ecology in French Equatorial Africa, Blancou (3).

Brain in Perissodactyla, Friant (4).

SUBORDER HIPPOMORPHA

†PALAEOTHERIIDAE

†Lophiotherium Gervais, 1850, validated, Opinion 530.

EQUIDAE

Review of equid evolution, Gabuniya (1).

Craniometric analysis of certain Equidae, Perkal.

Learning ability tests in Equidae, Giebel.

Popular account of quagga and zebra, Ulmer.

Fossil and subfossil Equidae of Low Countries, Feen.

Asinus africanus introduction, history, extermination in mediaeval Spain and Portugal, Fernandez-Galiano; A. asinus external characters and histology of chestnuts, Bonadonna & others.

†Asinus pons sp. nov. Pleistocene, 12 miles S.E. of Patagonia, Santa Cruz County, Arizona, p. 605, Quinn.

Equus burchelli bohmi maneless males in Uganda, Anon (16); comment on manelessness in Uganda, Cleave; sexual behaviour on free range, Trumler; E. b. granti cases of manelessness in Kenya, Cullen; E. dom. autonomic nerves, Dyce; grey coat colour apparently correlated with earlier mortality, Comfort; external characters and histology of "chestnuts," Bonadonna & others; breeding behaviour in free range, Zeeb; placental structure, Amoroso & Matthews; comparison of behaviour of various races, Ebhardt; herd dominance, Montgomery; skull development in first year, Skorkowski (1); craniometric analysis of subspecies, Skorkowski (2); structure of sweat gland, Rosati; E. przewalskii fossil in Kazakhstan, Kojamkulova; distribution, habits, Bannikov (3); E. zebra numbers and status in George Division, Cape Province, Anon (12).

†Equus stenonis first find in Kazakhstan, Makarova.

†Hipparion significance of occurrence in Miocene of Algeria, Arambourg (3).

†Hippotigris occiensis sp. nov. Pliocene, Arrogo "De la Carreta," Rancho "El Occie," Congregacion de los

Rodriguez, Distrito San Miguel Allende, Estado de Guanajuato, Mexico, p. 360, Mooser Barendun,

† Plesihippus sp. Tertiary, Alberta, astralagus deser., figd., Russell, L. S. (2).

SUBORDER CERATOMORPHA

LOPHIODONTIDAE

†Lophiodon rhinocerodes Eocene, Spain, descr., figs., Crusafont Pairo (3).

TAPIRIDAE

Tapirus terrestris atlas, Kladetzky.

†Tapirus bavaricus Oligocene, Bavaria, new find, revised diagnosis, phylogeny, Oettingen-Spielberg.

†AMYNODONTIDAE

?†Cadurcotherium sp. in Strasbourg Museum, detailed description, possibly new, Gillet & others.

RHINOCEROTIDAE

Present status of Rhinocerotidae, Grzimek (4).

Rhinocerotoidea in Museum of Geological Institute, Strasbourg, Gillet & others.

Ceratotherium simum territorial behaviour, Ripley; C. s. cottoni distribution, ecology, biology in Garamba National Park, Verschuren (1); in Uganda, distribution, habits, conservation, census, Heppes (1), (2); status and territorial habits, Micha.

†Chilotherium structural modifications of limb from Miocene, Ukraine, Korotkevich.

†Diceratherium gregorii, D. armatum Miocene, S. Dakota, additional descriptions, Green, M.

†D. megarhinus Pliocene, Poland, milk teeth descr., figs., Czyzewska (2); D. mercki Pleistocene, Italy, first and second lower molars descr., illustr., Cadeo.

Diceros bicornis bicornis territorial behaviour, Ripley.

†Indricotherium Tertiary, Jugoslavia, first record Europe, Petronijevie & Thenius (1); Oligocene, Ivangrad, Montenegro, Yugoslavia, molar, premolar descr., figd., Petronijevic & Thenius (2).

Rhinoceros unicornis breeding in captivity, Tong (1); births in captivity, Ali & Santapau (2); review of births in captivity, Anon (5); status and protection in India and Nepal, Gee (2); poaching in India, Sheppard.

† Rhinoceros mercki Pleistocene, France third cervical vertebra descr., illustr., Astre (3); occurrence in Pleistocene, Yakutia, Dubrovo (2).

ORDER ARTIODACTYLA

Artiodactyla distribution and ecology in French Equatorial Africa, Blancou (3).

Review, taxonomic notes, distribution of Palestinian Artiodactyla, Bodenheimer.

Artiodactyla of El Salvador, Felten (3).

Brain of Artiodactyla, Friant (4).

Revised classification of fossil Artiodactyla, Crusafont-Pairo (2).

Colloquium on ungulates, Bannikov (5).

Ungulate classification and evolution, Lavocat.

Ungulates, assessment of taxonomic characters and classification, Frechkop

Ungulate brain structure and classification, Anthony.

Ribs of ungulates compared, taxonomic characters discussed, Frechkop (3).

Comparative haematology of ungulates, Millot.

Conditioned reflexes in basic metabolism of ungulates, Soldatenkov.

Role of snow cover in USSR in ecology of ungulates, Nasimovich.

Birth in ungulates, Slijper (4).

List of ungulates in zoological gardens of Paris Museum, Nouvel & others.

Distributional notes on European ungulates, Brink.

Ungulate conservation in Africa, Fraser Darling; Dorst (2).

Improved collections of African ungulates required, Anself (3).

Ungulate census techniques in Africa, Bourlière.

Causes of numerical reduction in Kenya, Cowie.

Ungulate status in Serengeti National Park, Swynnerton.

Ungulate status and conservation in Uganda National Parks, Bere (1).

Ungulates of Uganda National Parks, Bere (2).

Ungulate status and conservation in Northern Rhodesia, Grimwood & others; in Southern Rhodesia, Fraser, A. D.; in South West Africa, Bigalke (5); in South Africa, Knobel; status and conservation in Belgian Congo, Verschuren (2); in French Africa, Bourgoin; in French West Africa, Dekeyser (3); in French Equatorial Africa, Blancou (4); in Nigeria, Taylor; in Togoland, Baudenon (2); in Portuguese Guinea, Sa E Melo Cristino.

SUBORDER SULFORMES

†DICHOBUNIDAE

†Auxontodon gen. nov. p. 2 for type species A. pattersoni sp. nov. Eccene, 7 miles E. of Myton, Duchesne County, Utah, p. 4, new subfamily Antiacodontinae. Gazin (1).

†CEBOCHOERIDAE

†Cebochoerus rutimeyeri Eocene, Spain, descr., figs., first record, Crusafont Pairo (3).

†ENTELODONTIDAE

†Eventelodon gen. nov. p. 30 for type species E. yunnanense sp. nov. Eccene, Shihopu village, Lunan District, Yunnan, p. 31, phylogeny of entelodontoids, Chow (3).

Review of Kovalevski's work on entelodonts, Trofimov (1).

SUIDAE

Molar elaboration of African Suidae, Ewer (1).

†Afrochoerus additional material, descr., Leakey (1).

Babirussa babyrussa taxonomic history, review, comparison and distribution of races, Mohr.

†Gerontochoerus Leakey, 1943 a synonym of Notochoerus, Leakey (1); valid as subgenus, Ewer (1).

Hylochoerus meinertzhageni adaptive features of skull, Ewer (2).

†Hylochoerus East African fossil forms reviewed, †H. antiquus sp. nov. Pleistocene, Kanjera, Kenya, p. 47, pl. 18, H. evilus Hopwood, 1926 a Notochoerus, H. grabhami Hopwood, 1929 a Mesochoerus, Leakey (1).

†Kolpochoerus sinuosus considered a Notochoerus, Ewer (1).

†Kubanochoerus robustus Gabuniya systematic position, subfamily rank, Gabuniya (2).

†Mesochoerus review of East African species, Leakey (1); dental character found in aberrant Sus cristatus, Leakey (2).

†Metridiochoerus review, M. pygmaeus sp. nov. Pleistocene, Kanam Central, Kenya, p. 26, pl. 8, Leakey (1).

†Notochoerus review, N. compactus p. 32, pls. 11, 12, N. hopwoodi, p. 34, pl. 13, both spp. nov. Pleistocene, Olduvai, Tanganyika, N. dietrichi Hopwood, 1934 a synonym of Tapinochoerus meadowsi (Broom), Leakey (1); N. capensis, N. euilus compared, Ewer (1).

†Nyanzachoerus gen. nov. for type species N. kanamensis sp. nov. Pleistocene, Kanam West, Kenya, pp. 2, 4, pl. 1, Leakey (1).

†Orthostonyx gen. nov. for type species O. brachyops sp. nov., Pleistocene, Olduvai, Tanganyika, pp. 3, 48, pls. 19, 20, Leakey (1).

Phacochoerus aethiopicus teeth from Stone Age site in Transvaal, detailed study, specific character differentiating from P. africanus, Ewer (3); P. africanus skull and muscle adaptations to grass eating habit, Ewer (2).

†Phacochoerus East African fossil forms reviewed, P. altidens robustus subsp. nov. Pleistocene, Olduvai, Tanganyika, p. 64, pl. 30, Leakey (1).

†Potamochoeroides Dale new diagnosis: P. shawi, P. hypsodon redescribed, illust., Ewer (1).

Potamochoerus koiropotamus skull and muscle adaptations to digging habit, Ewer (2).

†Potamochoerus review of East African fossil forms, Leakey (1).

†Pronotochoerus review, P. nyanzae sp. nov. Pleistocene, Rawi, site 5, near Homa Mountain, Kenya, p. 28, pl. 9, Leakey (1)

Vol. 95

Sus dom., history and morphology of "one-toed" breed in Rumania, Ghetie & Dinu; development of subcutaneous fat, Glebina; facial musculature, Nikolai; bristle structure, Holman; placental structure, Amoroso & Matthews; S. cristatus aberrant lower third molar comparable with †Mesochoerus, Leakey (2); attempted acclimatization in Ryazan region, Kozlov; S. scrofa mortality in Bialowieza Reserve, Cabon (1); analysis of skull variation in Bielowieza, Cabon (2); in Czechoslovakia, nutritional study, Janda; S. coreanus extinct on Quelpart Island, Won & Woo, H. C.

†Sus scrofa Pleistocene, first record in Suffolk, Spencer (2).

†Tapinochoerus review, T. minutus sp. nov. Pleistocene, Olduvai, Tanganyika, p. 46, pl. 18, Leakey (1).

†ANTHRACOTHERIDAE

†Anthracotherium alsaticum Oligocene, S.W. France, new locality, Astre (5).

HIPPOPOTAMIDAE

Hippopotamus amphibius breeding and rearing in captivity, Nestrenkova; foetal membranes, placenta deser., illustr., Amoroso & others; spleen, Tischendorf; Pleistocene, Greece, maxillary teeth deser., figd., Psarianos.

†Hippopotamus helmei Lyle, H. venteri Lyle synonyms of H. amphibius: H. a. gorgops additional material descr. from Pleistocene, S. Africa. Hooijer (4).

SUBORDER TYLOPODA

CAMELIDAE

Notes on birth of Camelidae, Steinbacher (2).

Innervation of neck muscles in camel and llama, Willemse.

Camelus bactrianus ferus distribution, habits, Bannikov (3); C. dromedarius food habits, sexual behaviour, Gauthier-Pitters; blood chemistry, Kchouk & Durand; bone disease, Durand & Kchouk.

Lama guanacoe, L. vicugna distribution, habits, habitat, Rohrs (1).

SUBORDER RUMINANTIA

Rhinarial characters of certain ruminants, Kraft.

Miocene ruminants of E. Africa, Whitworth.

Ruminants of Garamba National Park, distribution, ecology, biology, Verschuren (1).

Origin and evolution of some primitive ruminants, Trofimov (2).

Review of digestion in ruminants, Cuthbertson.

TRAGULIDAE

†Dorcatherium Kaup 1833 amended diagnosis, D. chappuisi new material descr. figs., D. pigotti, p. 9, D. paruum, p. 11, both spp. nov. Miocene, Rusinga Island, Kenya; D. songhorensis sp. nov. Miocene, Songhor, W. Kenya, p. 14. Whitworth.

CERVIDAE

Structure and evolution in deer, Sigogneau.

Significance and use of deer antlers, Chard.

Holarctic Cervidae and operation of Bergmann's Rule, Lehmann (2).

Field observation of British deer,

Distribution of deer in Wales, Cad-man.

Deer in Chiltern Hills, Cowdy.

Metatarsal glands of Neotropical deer, Hershkovitz (5).

Pleistocene Cervidae from Süssenborn, W. Germany, Kahlke (1).

Pleistocene Cervidae from Germany, Kahlke (2).

First pre-Pleistocene evidence of Cervids in E. Africa, Miocene cannon bone from W. Kenya, p. 40, Whitworth.

Alces alces behaviour and aquatic feeding, De Vos; past domestication in Siberia, Skalon & Khoroshikh; facial musculature, Meinertz (2); A. a. americana parasitised by a nematode, Onchocerca, Williams, R. B.; pre-rutting behaviour in Newfoundland, Dodds; dermoid cysts basis of legends in Canada, Banfield; parasites and diseases, Ritcey & Edwards; A. a., A. gigas distr., general account, Hoover (2); A. a. shirasi behaviour development in young, Altmann.

†Alces alces Pleistocene, France, first record from Montagne Noire, descr., Astre (2); A. latifrons Pleistocene, W. Germany, descr. figs., Kahlke (1).

Axis axis effect of castration on horn growth, Bullier.

Blastoceros Fitzinger, 1860 valid name for South American pampas deer, Hershkovitz (2).

Blastocerus Gray, 1850 valid name for South American marsh deer, Hersh-kovitz (2).

Capreolus views on probable origin of present European stocks, Lehmann (1); comparative study of Asiatic and European forms, Lehmann (4); food in captivity, Korovina; C. capreolus habits, ecology, Olivier (2); popular account, Fooks.

†Capreolus süssenbornensis sp. nov. Pleistocene, Süssenborn, near Weimar, W. Germany, Th. 1, p. 52, Kahlke (1).

†Cervalces Pleistocene N. America distr. reviewed, C. scotti first record Michigan, Hibbard, E. A.

Cervus elaphus neck musculature, Kaman & Hampl; musculature and muscle insertions of scapula and foreleg. Komárek; musculature of hindleg, Štěrba & Hegerovă; social behaviour in Switzerland, Burckhardt (2); habits in Europe, Olivier (1); fall-out radioactive strontium in Islay antler, Hawthorn & Duckworth; numbers, local distribution, mineral requirements in Swiss National Park, Bopp (1); courtship activities, Burckhardt (1); C. e. brauneri reproductive biology in Crimea, Yanushko; C. e. cashmiriensis status and protection in Kashmir, Gee (2); C. e. scoticus popular account, Burton, M. (2); C. eldi eldi status and protection in Manipur, Gee (2); C. nippon mantchuricus extinct on Quelpart Island, Won & Woo H.C.

†Cervus elaphus antiquus Pleistocene, Haute Garonne, descr., Astre (4).

Cervus (Rusa) timorensis laronesiotes not a valid subspecies, **Hoogerwerf**; C. (R.) unicolor hippelaphus history, review of introduction in New Caledonia, **Barrau & Devambez**.

†Cervus (Rusa) from Pliocene, Yunnan, Hu & Hu.

Dama dama history in Europe, Eidman; courtship activities, Burck-hardt (1); grafting of antlers, Jaczewski (2); at Ashridge, Herts., Kingsbury; D. d. mesopotamica rediscovery, distr., specimens in Kronberg Nature Park, descr., illustr., Haltenorth (3).

† Dicrocerus aralensis sp. nov. Miocene, Kizil-Bulak, Kazakhstan, p. 22, Bazhanov & Nurumov.

†Dolichodoryceros gen. nov. for type species D. süssenbornensis sp. nov. Pleistocene, Süssenborn near Weimar, W. Germany, Th. 1. p. 40, Kahlke (1).

Edocerus Avila-Pires, 1957 synonym of Blastocerus Gray, Hershkovitz (2).

Elaphurus davidianus register of world herd, Tong (2).

†Elaphurus menziesianus Pleistocene, Liaoning, northernmost record, Chow & Hsieh.

†Megaceros giganteus immature antler stages, phylogenetic importance, Thenius (2).

†Megaceros (Sinomegaceros) history and distribution in China, Kahlke & Hu.

Muntiacus muntjak introduction and status in England, Whitehead.

Odocoileus acapulcensis (Caton) a full species, Davis & Lukens; O. hemionus survival of young and forage trends, Dasmann & Hjersman; failure to wean young, Hanson; O. h. californicus use of bells in movement study, Jordan; O. h. columbianus biology, population study, management in California, Taber & Dasmann; "condition" related to size of adrenal cortex, Hughes & Mall; O. h. hemionus dental abnormalities, Robinette: O. virginianus blood composition, Teeri & others; Wilber & Robinson; O. v., O. hemionus physiological status and taxonomic use of metatarsal gland, Hershkovitz (5); O. v. clavium status and conservation,

†Orthogonoceros gen. nov. Th. 1, p. 11, for type species O. verticornis (Dawk.), new material from Pleistocene, W. Germany, Kahlke (1).

Ozotoceros Ameghino, 1891 synonym of Blastoceros Fitzinger, Hershkovitz (2).

†Palaeomeryx taxonomic history, cervid, not giraffid, characters, Lagomeryx a synonym, P. africanus sp. nov. Miocene, Songhor, W. Kenya, p. 19, Whitworth.

Rangifer herding in Lapland, Manker; dermoid cysts basis of legends in Canada, Banfield; history of introduction, status, food in S. Georgia, Bonner (2); R. arcticus distribution and its relation to topography in British Columbia, Edwards, R. Y.; R. a. eogroenlandicus subsp. nov. E. Greenland, (extinct) p. ?, comparative study, Degerbol; R. caboti status and population trends in Ungava, Banfield & Tener; R. earibou caribou extinct in U.S.A., Lincoln; R. dawsoni historical account. Dickie.

†Stephanocemos brevistephanos sp. nov. Miocene, right bank R. Tchagirli-Dyhnlanchik, Kazakhstan, p. 14, Bazhanov & Nurumov.

?Cervidae incertae sedis

†Walangania gen. nov. for type species W. gracilis sp. nov. Miocene, Walangani, N.E. coast of Mfwanganu Island, W. Kenya, p. 30, Whitworth.

GIRAFFIDAE

Innervation of neck muscles in giraffe and okapi, Willemse.

Giraffa cardiovascular anatomy of foetus, Keen & Goetz; G. camelopardalis sexual, social and herd behaviour in Transvaal, Innis; birth, growth of young in captivity, Gijzen (2); ovaries of foetal and prepubertal specimens, Kellas & others; G. c. tippelskirchi heart anatomy, Löhe.

†Giraffa cf. camelopardalis Pleistocene, Israel descr., illus., Hooijer (2).

Okapia johnstoni reproduction, gestation and parturition in captivity, Gijzen (1); gestation and birth in captivity, Nouvel; maternal behaviour in captivity, Grzimek (2); history and popular account, Holz; coronary circulation and structure of heart, Candaele & Ghys.

BOVIDAE

Classification of Bovidae, Roy.

Systematic review of Bovinae, Bohlken (2). Anatomy of heart in Bovidae, Albrecht.

Popular account of African buffaloes, Blancou (2).

Antilopinae, ecology and distribution of small forms in Togoland, Baudenon (1).

Fighting and mating behaviour in antelopes, Walther.

Hair follicles of sheep, Ryder (2).

Haemoglobin types in sheep, Huisman & others.

Undetermined Miocene bovids from Kenya, Whitworth.

Pleistocene Bovidae of Kazakhstan, Balin.

Addax nasomaculatus range and conservation in French Equatorial Africa, Bonotte.

Alcelaphus buselaphus luzarchei Grandidier valid subspecies, habitat, compared with A. b. buselaphus, A. b. major, Dekeyser (2).

Ammotragus lervia relationships, hybridisation with Capra hircus dom., Petzsch (1).

Antidorcas marsupialis variable mammary number, Bigalke (4).

Bibos, comparative craniology of Javan fossil and recent forms, Hooijer (1); B. gaurus frontalis (Lambert) valid name for gayal, B. javanicus domesticus Gans valid name for Bali cattle, Bohlken (1).

†Bibos palaesondaicus descr., discussion, synonymy, Hooijer (5); B. protocavifrons Dubois a synonym of B. palaesondaicus, Hooijer (5).

Bison bison haematology, Owen & others; B. b. bison ecology, social behaviour and reproduction, McHugh; B. bonasus histology of liver, spleen, omasum and stomach, Zarzycki; reproduction, longevity on reserves, Jaczewski (1).

Boocercus euryceros first record Garamba National Park, N.E. Congo, p. 201, Verschuren (1).

Bos dom. review in Africa, Faulkner & Epstein; feral in India, similar to Chillingham cattle, Gee (1); genetics of thread proteins, Ashton (1); genetics of globulin phenotypes, Ashton (2); immunology of young, Syuzyumova;

serology and heat toleration in Rhodesia, Walker, C. A.; haematology of European and African breeds, Bangham & Blumberg; study of corpora albicantia, Dawson, F. L. M.; magnesium metabolism, Rook & others; Rook & Balch; movement of sperm, Gray; B. indicus grazing habits, Lampkin & others; B. taurus adult-young relationship in Camargue, Schloeth (1); in Camargue, behaviour study, Schloeth (2).

Bos (Bos) primigenius taurus L. valid name for domestic cattle, Bohlken (1).

†Bos primigenius skull fragment from Poznań descr., illustr., Moczarski & Gedyminowa; historical notes, Dementiev (1); beaker made from horn, Tratz (1); B. primigenius, B. brachyceros europaeus Pleistocene, Czechoslavakia, measured, compared, Brůčková (1); B. priscus descr., record from Seine-et-Oise, France, Abrard.

Bos (Poephagus) mutus grunniens (L.) valid name for domestic yak, Bohlken (1).

Bubalus dom. acidity of vaginal secretions, Shalash; B. arnee bubalis (L.) valid name for domestic buffalo, Bohlken (1); B. bubalus gradual extermination in India, Sheppard; hunting, general account, Anon (3).

†Bubalus palaeokerabau material deser. comp., synonymy, Hooijer (5); B. youngi sp. nov. Pleistocene, Shangho village, Menghsien, Honan, China, p. 457, Chow & Hsu.

Capra taxonomic revision, Beaux; C. caucasica cylindricornis behaviour, reproduction, food habits in Halle Zoo, Petzsch & Witstruk; C. falconeri general account, Cobb; C. hircus phylogeny, general account, origin of domestic forms, Petzsch (1); C. ibex reproduction, horn growth in captivity, Meyer-Holzapfel; C. i., Rupicapra rupicapra similar locomotory adaptations, Couturier; C. i. sibirica distribution in India, Singh.

Capricornis crispus descr., distribution, habitat, status and protection in Japan, Pohl.

Cephalophus sylvicultor distr., recorded from Tchad, Malbrant & Quijoux.

Connochaetes taurinus gestation period, Steinbacher (3).

† Damalavus nom. nud. Miocene, l'Oued el Hamman, Oran, Algeria, p. 117, Arambourg (3).

Damaliscus dorcas dorcas, D. d. phillipsi former history in Cape Province, review of early accounts, early confusion, Skead (2); D. pygargus history and preservation, comparative characters in relation to D. albifrons, Bigalke (1).

†Duboisia santeng deser., discussed, synonymy, Hooijer (5).

†Epileptobos groeneveldtii additional material descr., discussed, compared, Hooijer (5).

Gazella dama range and conservation in French Equatorial Africa, Bonotte; G. dorcas range and conservation in French Equatorial Africa, Bonotte; G. subgutturosa distribution in W. Tien Shan, Malenkov.

†Gazella sp. in Miocene of Russia, Gadzhiev.

†Hemibos triquetricornis, H. acuticornis additional material descr., Hooijer (5).

†Hesperoceras gen. nov. for type species H. merlae sp. nov. Pleistocene, Villaroya, Logrono, Spain, p. 426(?), Villalta Comella & Crusafont.

Hippotragus niger past and present status and distribution in Kruger National Park, Bigalke (2); H. n. variani protection in Angola, Frade (2).

Kobus defassa, K. ellipsiprymnus intermediate form in Kenya, Backhaus (2).

†Leptobos sp. nov.? Pleistocene, Bethlehem, Israel, descr., illus., p. 285, Hooijer (2); L. dependicornus a synonym of Bibos palaesondaicus, Hooijer (5).

Limnotragus spekei general account of habits and status in Belgian Congo, **Jobaert** (1).

Novibos sauveli ecological monograph, Wharton.

Onotragus lechwe distribution, status and protection in N. Rhodesia, Dorst (1).

Oryx algazel range and conservation in French Equatorial Africa, Bonotte; O. leucoryx extermination likely, Caram & Petter.

Vol. 95

Ourebia masakaensis first Tanganyika record, Swynnerton & Hayman.

Ovibos moschatus serology and classification, Moody; distribution, status in E. Greenland, Vibe; distribution and status in Arctic Canada, Tener; in Copenhagen Zoo, Anderson & Poulsen.

Ovis ammon from Pleistocene Manchuria, range extension, Chow & Hsieh; O. dom, fall-out radioactive strontium in premolar, Hawthorn & Duckworth; wool fibre structure of hill breeds, Pilkington & Purser; early development of karakul lamb, Shumkina; homografts in freemartins, Moore & Rowson; salivary reflexes, Denton (1); haemoglobin types, Evans & others (2); blood types in Britain, Evans & others (1); foetal dwarfism, Yeates; inheritance of recessive black, Warwick & others; temperatures and sperm metabolism, Blackshaw.

Philantomba maxwelli rearing in captivity, Bowman.

Poephagus first record from Pleistocene of N.E. Siberia, Dubrovo (1).

†*Propalaeoryx* amended diagnosis, *P. nyanzae* sp. nov. Miocene, Rusinga Island, Kenya, p. 27, Whitworth.

Rupicapra rupicapra courtship activities, Burckhardt (1); R.r., Capra ibex similar locomotory adaptations, Couturier.

Saiga tartarica distribution, habits, Bannikov (4); reproductive biology, Dahl & others.

†Spirocerus cf. kiakhtensis Pleistocene, Liaoning, Manchuria, descr., fig., Chow & Hsieh.

Sylvicapra grimmia coronata reproduction and behaviour in captivity, Sikes.

Syncerus caffer races in French Equatorial Africa, Blancou (3); S. c. simpsoni status, characters, distribution and habits in Belgian Congo, Jobaert (2).

Taurotragus derbianus gigas disappearance from Belgian Congo, p. 205, Verschuren (1); T. oryx general account, Blower (2).

Tetracerus quadricornis gestation period, rutting behaviour, Shull.

†Tragocerus amalthea Pleistocene, Greece, figd., descr., Mitzopoulos.